

University of the Philippines Manila
College of Arts and Sciences
Department of Physical Sciences and Mathematics

**Shoot UP Manila Event Documentation
Request and Membership Performance
Tracking System**

A special problem in partial fulfillment
of the requirements for the degree

Bachelor of Science in Computer Science

Submitted by:

Marquee Mae A. Enriquez

May 2016

Permission is given for the following people to have access to this SP:

Available to the general public	Yes
Available only after consultation with author/SP adviser	No
Available only to those bound by confidentiality agreement	No

ACCEPTANCE SHEET

The Special Problem entitled “Shoot UP Manila Event Documentation Request and Membership Performance Tracking System” prepared and submitted by Marquee Mae A. Enriquez in partial fulfillment to the requirements for the degree of Bachelor of Science in Computer Science has been examined and is recommended for acceptance.

Marvin John C. Ignacio M.Sc. (candidate)

Adviser

EXAMINERS:

	Approved	Disapproved
1. Gregorio B. Baes, Ph.D. (<i>candidate</i>)	_____	_____
2. Avegail D. Carpio, M.Sc.	_____	_____
3. Richard Bryann L. Chua, M.Sc. Ph. D. (<i>candidate</i>)	_____	_____
6. Perlita E. Gasmen, Ms.Sc. (<i>candidate</i>)	_____	_____
4. Ma. Shiela A. Magboo, M.Sc.	_____	_____
5. Vincent Peter C. Magboo, M.D., M.Sc.	_____	_____

Accepted and approved as partial fulfillment of the requirements of the degree of Bachelor of Science in Computer Science.

Ma. Shiela A. Magboo, M.Sc.

Unit Head

Mathematical and Computing Sciences Unit
Department of Physical Science and
Mathematics

Marcelina B. Lirazan, Ph.D.

Chair

Department of Physical Science and
Mathematics

Leonardo R. Estacio Jr. Ph. D.

Dean

College of Arts and Sciences

Abstract

The Shoot UPM Event Request and Performance Tracking System, a web-based application, uses various frameworks and libraries necessary to encapsulate all of the organization's major internal processes in an organized manner. The said technology enables the members of the organization to keep all of their event documentation processes well monitored, and have a keener and easier way to evaluate the performance of all of its members.

Keywords: Shoot UP Manila, documentation tracking, performance tracking

Contents

I. INTRODUCTION	1
A. Background of the Study	1
B. Statement of the Problem	4
C. Objectives of the Study	5
D. Significance of the Study.....	7
E. Scope and Limitations	7
F. Assumptions	8
II. REVIEW OF RELATED LITERATURE	9
IV. DESIGN AND IMPLEMENTATION	15
A. Context Diagram.....	15
B. Use Case Diagram.....	15
C. Entity Relationship Diagram	20
D. Data Dictionary	21
E. System Architecture.....	28
F. Technical Architecture	28
VI. DISCUSSION	52
VII. CONCLUSION	54
VIII. RECOMMENDATIONS	55
IX. BIBLIOGRAPHY	56
X. APPENDIX.....	59
XI. ACKNOWLEDGEMENT	1

I. INTRODUCTION

A. Background of the Study

Shoot UP Manila (Shoot UPM) is the premiere and only photography and videography organization of the University of the Philippines Manila. It is a service-oriented organization that caters documentation of various events inside and outside the campus through photo and video coverage [1]. Shoot UPM currently has 57 official and active members, all engaged to the organization's primary service of event documentation. Along with this, the members of Shoot UPM also perform internal organization processes to accomplish the said primary service. These internal processes include: (1) approve or disapprove documentation requests sent to the organization, (2) assign members to teams who will document the actual event through photography and videography, (3) coordinate with the event organizers upon event coverage approval, (4) post-process the photos and videos taken for good quality, and (5) deliver the end products to the client in soft copies.

To carry out Shoot UPM's internal functions, the organization is divided into five different committees: Marketing and Publicity (13 members), Membership (11 members), Training and Development (12 members), Finance (11 members), and Current Affairs (10 members). Each committee is led by one committee head, and each committee head reports to the president for overall progress and concerns. The president, together with all committee heads consists the organization's executive committee [1]. All members of Shoot UPM are expected to not only engage themselves in the art of photography and videography, but also to work on the internal processes of the organization for it to deliver its service properly to its clients.

Illustrated below is a diagram of the organization's membership hierarchy.




Figure 1: Diagram of Shoot UPM Hierarchical Structure

The process of event documentation begins with a request sent by a client to the organization. Shoot UPM currently uses Google Forms for its documentation request submissions. This specific form is linked on its Facebook page for public access. The said form contains the organization's terms of agreement and guidelines in covering events, preceded by details to be filed-out regarding the organizers and the event itself such as contact person details, the event's location, date, time duration, and the type of services needed for the event.

Over the course of the organization's services, some clients become unaware of the request form linked on the organization's Facebook page since bulk of the page's contents are published event photos and videos and a few other announcements. Therefore, clients resort to messaging the organization through Facebook chat or direct email for their requests and inquiries. The overall management and tracking of these requests, whether or not they are responded to immediately, becomes a tedious work given the fact that many officers are handling the Facebook page and email account as administrators to perform their own specific tasks.

Each documentation request submission will undergo event detail evaluation. If the event request meets Shoot UPM's criteria on which events they are to document, the request is approved and a team will be assigned to cover the approved event. Once

an event is assigned to a certain team, the committee heads responsible to make sure all documentations are delivered to the clients and published on the Facebook page on time have no means to monitor the progress of each event since it mainly involves the team members alone and not the executive committee members anymore.

Last A.Y. 2014 – 2015, Shoot UPM was able to document and publish 52 UP events overall, not taking into account private event coverage such as debuts and parties. These event documentations are usually situated within UP Manila and are hosted by various university organizations. The number of events booked per month varies, as it depends on the calendar of events of the whole university. But requests start to load up on the organization once the mid-semester season begins. Peaks of Shoot UPM service occurs most especially during week-long college celebrations where forums, contests, variety shows and pageants take place. These events happen on consecutive days, where each event per day requires more than one team for coverage because of the time span of the respective events. On these cases, the organization gets very loaded up and once pre-processing time kicks in, event tracking begins to get out of hand which results to late submission or publication of deliverables [2].

Other than being part of a certain committee throughout an academic year, members of Shoot UPM are also assigned to specific teams, usually consists of two to four members and one team leader, each assigned by the Membership Committee. A team leader will be notified for an event assignment, and once the team leader confirms his or her availability on the specified date and time, he or she will contact his or her team members for their confirmation. On the case when a team member is not available to cover the assigned event, he or she should find a replacement member from other teams.

After every event coverage, each team are given ten working days to filter and post process the photos and videos taken during the event before submitting to the clients and publishing online. The members of each team are also required to accomplish a teammate evaluation sheet – a set of questions on punctuality, commitment, behavior, and outputs of each team member on the specific event, which

is also managed by the Membership committee. These evaluations, together with the compliance to monthly portfolio tasks, and attendance to assemblies and workshop, are a significant part to each member's annual performance in the form of percentage points, which is being monitored by the committee as well.

The monitoring of each member's points is significant to the organization as it will serve as a basis whether or not he or she will be qualified for membership renewal for the next academic year. A member who fails to meet the percentage point requirement will be dismissed from the organization [1].

Overall, an organized way of monitoring its various processes along with proper member coordination are the main concerns of the organization given the large volume of tasks to accomplish and the limited number of members.

B. Statement of the Problem

The inability of the executive committee members and team leaders to monitor the status of the organization's internal processes leads to the following issues: (a) failure to monitor whether or not all documentation requests received are evaluated and responded to, (b) failure to inform teams on time of their event assignments once event coverage piles up, (c) failure to aid members in the processing photos and videos once event coverage piles up, (d) failure to submit deliverables to clients on time because of backlog (e) failure to publish event photos and videos on Facebook once event coverage piles up. The occurrence of these problems to an extent, affects the image of the organization and the service it offers to its clients.

Also, the evaluation and recording of members' performance points throughout the academic year are done manually, which requires more effort and time from the committee members assigned to manage it. Therefore, the committee fails to update the members' progress on a regular basis because of the volume of evaluations each member get after every event coverage. This further affects the members because it disables them to monitor their performance points as needed and fail to know whether

or not there are points of improvement they need to focus on to maintain good standing in the organization.

C. Objectives of the Study

To address the organization's concern to monitor its processes and member coordination, as well as to utilize maximum manpower, the Shoot UPM Documentation Request and Membership Progress Tracking System is proposed. The objective of the study is to create a web-based system for the Shoot UPM members to monitor the progress and status of all of its internal tasks, from documentation request submissions to members' performance evaluations.

The system will implement a documentation request form where clients can submit their requests or query any concerns to the organization. Each request or query sent by the client will then be inputted to a list of events. Every entry will enable committee heads or team leaders to monitor and update, respectively, the event's status depending on the progress point of the documentation request until the whole process is finished.

The system also aims to implement an evaluation form and performance tracking system where members can submit their evaluations every after an event and see their progress points throughout the year.

Specific features of the proposed Shoot UPM Event Request and Progress Tracking System includes the following actions:

1. Allow members to:
 - (a) Access list of events
 - (b) Confirm attendance to an event coverage
 - (c) Post announcements
 - (d) View progress of events he or she is assigned to
 - (e) Accomplish and submit member/leader evaluation per event
 - (f) Access own performance record
 - (g) Add/update personal information for the organization's directory.

These information include:

- i. General information
 - ii. Photography and videography gear(s)
- (h) Access the members' information directory
2. Allow team leaders to:
 - (a) Have the same actions as a regular member
 - (b) Update the progress of the event assigned to his or her team on the events list. These progress points include the following:
 - i. Contacted client
 - ii. Covered event
 - iii. Processed photos and videos
 - iv. Submitted deliverables to clients
 - v. Submitted photos and videos for publishing
 - vi. Accomplished team evaluation forms (complete process)
 3. Allow executive committee members to:
 - (a) Have the same actions as a regular member
 - (b) Access and respond to client's documentation requests
 - (c) Access and respond to client's queries
 - (d) Assign team(s) to an event
 - (e) View progress of all events in the list
 - (f) View members' evaluations
 - (g) View members' performance score and progress
 4. Allow clients to:
 - (a) Submit documentation requests forms
 - (b) Submit questions/queries to the organization
 5. Allow system administrator to:
 - (a) Manage member accounts
 - (b) Manage teams and its members

D. Significance of the Study

The proposed Shoot UPM Documentation Request and Membership Progress Tracking System can enable members of the organization to monitor the progress of each documentation request currently being processed. With the system's tracking feature, the executive committee can easily (a) monitor and respond to all documentation requests submitted to the organization, (b) update and double check all team assignments to each event regardless of piled up documentation requests, (c) monitor and ensure photo and video post-processing meets specific due dates, (d) monitor all deliverables' status and submit them to clients on time, and (e) ensure all deliverables are published online regardless of piled up events.

The system can also allow members to access their performance points any time they want to help them know on the possible fields they need to improve their performances within the organization. An automated performance tracker can also aid the Membership committee, assigned to evaluate and calculate the performances of each of the members, to avoid manual work on evaluating and recording each of the member's points.

The existence of a dedicated system for all of the organization's internal processes can also account for monitoring and managing its members, whether members' accounts are still to be active next school year if they are renewed as members or not. This is to be regulated by the administrator of the system.

E. Scope and Limitations

1. The executive committee members will be given higher hierarchical access, giving them access to more functionalities than regular members only.
2. Non-executive committee members of the organization have view access to the list of events that are only assigned to him/her.
3. The only feature of the system accessible to the public (non-account owners) will be the documentation request form and inquiry form where the client will have to indicate his or her contact details to wait for the confirmation from the organization.

4. The decision making on whether a documentation request will be accepted or rejected is not covered by the system. This assessment depends on the consensus of the executive committee members.

F. Assumptions

1. Only official members of organization, Shoot UP Manila, will be given accounts to access their own list of events and track their points and performance throughout the year. These accounts will be given directly by the system administrator.
2. Legal and professional event, or events that do not violate any laws or social constructs, are submitted and involved in the event documentation process.

II. REVIEW OF RELATED LITERATURE

Incident management systems or ticket management systems have been widely used by organizations' business process help centers to take action on reported customer issues or concerns reported by the organizations' employees themselves [4]. Studies both in theory and application of business process compliance monitoring have been quite common nowadays. This is why a major part of the system's feature, the event progress tracker, will be implemented in this manner even though the whole proposed system is not an incident management systems. Huge part of the system, such as membership and team managements are not treated as incidents or events. In line with this, some of the existing literatures and academic papers that discuss different system used to create, track, and resolve incidents or client requests are discussed below.

Xiao and Wei's [5] development of a project management system for aerial enterprises played an important role in managing the enterprises' huge investments and the long cycle times of its projects. The key feature of the system was to draw dynamic project Gantt chart for the proper management of the enterprises huge projects. The system was implemented using Oracle as its database management system, and PowerBuilder and ASP as its development tools.

The web-based management system designed and implemented by Liping and Hualing for the Dentsu Technology Company highlights the development of its customer interface where clients without account access to the system can submit queries to the enterprise and employee/s can respond to these queries. On this paper, it was found out that a concrete manner of how a customer can reach the company – that is, through direct queries, contributed highly on how the company met the contemporary needs of e-commerce [6]. The system was implemented using ASP technology.

Monitoring systems also had wide applications on the academic field. Xiuli et. al. designed and implemented a Web-based open-Laboratory Management Information System to improve the utilization ratio of laboratory devices, according to the actual requirements of laboratory management [7]. Through system test results,

it was proven that the utilization ratio of the laboratory device anticipated from the laboratory improved since the requests are queued orderly and previously borrowed items were monitored properly. The said system was implemented based on Browser/Server (B/S) architecture and JSP + Servlet + JavaBeans technology.

Another chemical laboratory monitoring information system was designed by Hongzi and Yanrong [8]. According to the study, by implementing the designed system, the experimentation management efficiency will greatly improve, while the use of existing resources will be optimized. Technical implementation wasn't discussed but the design of the system introduced 7 different modules including registration, equipment management, experiment management, chemical management, research management, announcements and system maintenance.

Ouyang and Lu [9] designed the Human Resources Management Information System for universities in China to enhance the utilization of information within the department and to avoid the need of repetitive work. By adopting Computer Supported Cooperative Work (CSCW) technology, the system allows its users to monitor all documents being processed – including all sporadic and disjunctive resources, which lead to the enhancement of cooperation and efficiency of the department.

Yucheng and Yubin [10] designed a server performance monitoring system using B/S mode technology to enable system administrators to view server-side activities by recording monitored data in the database, which can be used during performance testing and network maintenance. Simulation experiment results show that the system proposed is a better program that can provide network or system administrators to understand the overall software performance.

Mazaheri, et. at. [11] conducted a case study on the usability of a hospital's incident reporting system. The study was conducted to increase the hospital's incident reports quantitatively and qualitatively by testing the usability of the current system across a random sample from the Patient Safety department of the hospital. The study also aims to identify the factors of the system that affect the attitude of the users towards reporting incidents. The study shows that the reporting system aids in

organizing patient records and the need of shortcuts to cut time demands while using the system was a recommended.

Yanjun, et. al. [12] introduced the Continuous Emission Monitoring System (CEMS) to play a significant part of the national pollution monitoring network of China. Upon the system's test evaluation, results show that CEMS can be used on monitoring pollutant emissions on real-time which can enable the network to handle such situations. The said system was implemented based on B/S architecture and JSP + Servlet + JavaBeans technology.

It was pointed out that out of the numerous incident monitoring system available up to date, a proper and systematic comparison of the system approaches and implementation does not exist. Therefore, researchers fail to clearly understand which approaches are suitable for a particular setting. With this, Ly, et. al. [13] proposed a framework for Compliance Monitoring Functionalities (CMF) that can resolve the observed problem. The evaluation of existing approaches tested across ten distinct functionalities reveal that none of them are capable of more than seven CMF and most of these tested approaches are not supported by software tools available openly to the public. Although, it was emphasized that some features of the existing approaches were not included in the study, and that only ten primary functionalities were evaluated.

To overall summarize the effectiveness of existing literatures on incident tracking and management, Kim, et. al. [14] developed an instrument to measure critical features that contribute to the effectiveness of incident management systems. The instrument proposed in the study was modelled based on an adaptation of media richness theory, supported with data gathered from interviews with experts on emergency management. The three major components of the instrument include: technologies, processes and external factors involved. Upon design implementation and analysis, the researchers were able to conclude that the designed instrument can allow researchers to assess both strength and weaknesses of existing incident tracking and management systems. These findings can further aid researchers as it inform them on the practice's areas of weakness that needs to be addressed.

III. THEORETICAL FRAMEWORK

A. Shoot UP Manila

Shoot UP Manila (Shoot UPM) started its operation on the first semester of A.Y. 2013 – 2014 established by students of the university who are enthusiasts in the art of photography and videography. The organization mainly aims to hone the talents of those interested in the art, and use it as a tool of service and social relevance to the community [1]. Currently, with its 57 members divided to committees that perform their designated tasks for the organization, Shoot UPM continues to provide service through event documentation inside and outside the university.

Illustrated below is a diagram of Shoot UPM's organizational structure and an overview of each committee's tasks.




Figure 2: Diagram of Shoot UPM Organizational Structure

B. Shoot UPM Member's Performance Evaluation

Currently, each members are evaluated based on their performance per event that a member covers. As previously mentioned, these evaluations are submitted every after a team covers an event. Results from these evaluations are computed based on a specific set of criteria which includes: punctuality, performance, and commitment. The previous scoring system of the organization involves a starting point which varies

on what type of member are you: Executive committee member gets a starting point of 900, team leaders get 750 and regular members get 650. All members are required to reach a minimum point mark of 1,200 for the whole academic year [3]. This pointing system may be flawed for instances that a member doesn't get to cover a lot of events, either by constraints of academic or personal schedule. With this, the current system suggests a different approach to scoring each members.

Each member evaluation now equates to one “score” on the performance of the member. Each event evaluation scores are averaged to obtain the final and current standing of a member. The scoring scale can be seen on the appendices of the document.

C. Incident Management System (IMS)

Incident Management System, also known as request tracking system, refers to the management of an entire lifecycle of processes linked to the fulfillment of a service request made by a customer to an organization [15]. These types of software keeps track and manages a list of tickets or incidents, each corresponding to a service request submitted by customers. Incident Management Systems are commonly used in customer support call centers of organizations, usually used to create, update, monitor and resolve reported customer concerns [4]. Such systems enable its users to determine who is assigned to manage and resolve a certain ticket, monitor the status of a ticket, view all ticket histories and many more depending on the organization's needs on implementing the system [16].

A significant part of the proposed system, the documentation request management, implements this to properly monitor each and every request submitted to the organization. It is important to note that the proposed system is not solely an incident tracking system. The other half of its proposed features, the membership performance management, are independent from the said framework. This reasons why existing and readily available IMS was not a choice of solution in achieving the objectives of this study.

D. Model-View-Controller (MVC)

Model-View-Controller (MVC) is a software architectural pattern invented by Trygve Reenskaug. MVC is divided into three interconnected layers to separate internal processing and application of information from the manner it users see and interact with the system [17]. The Model stores, retrieves and manages the data needed by the user. The controller receives user input and commands these actions to either a model, to trigger a function, or to a view, to change the presentation seen by the user. The view is the output presentation seen by the user based on changes the model have [18].

E. PHP: Hypertext Preprocessing

PHP: Hypertext Preprocessing, or Personal Home Page, is a server-side scripting language mainly used for web development, but can also be used as a general-purpose programming language. It was created by Rasmus Lerdorf in 1994 and now produced by The PHP Group. Codes written in PHP are usually embedded into HTML codes or in combination with various web frameworks available nowadays [19].

F.) Database Management System (DBMS)

A database management system (DBMS) is a system software used in creating and managing databases. This allows users to create, retrieve, update and manage data in the database. DBMS serves as the interface between the database and the application program to ensure consistent data organization and accessibility. Popular DBMS are classified as follows: Relational DBMS, NoSQL DBMS, In-memory DBMS, Columnar DBMS, and Cloud-based DBMS [20].

G.) Structured Query Language (SQL)

Structured Query Language or SQL is a special-purpose programming language designed for managing data contained in a relational database management systems. SQL takes form of a command or a query that allows a user to select, insert, update, find data in the database, and many others. There are two types of SQL: data manipulation and data definition languages. The data manipulation language (DML) is syntax of elements that create, change and delete data. The data definition languages are syntax that defines and changes the data structures [21].

IV. DESIGN AND IMPLEMENTATION

A. Context Diagram

The system involves four types of users: member, team leader, executive committee member, and client. The context diagram of the system is illustrated below.




Figure 3: Context Diagram

B. Use Case Diagram

The following figures will illustrate various functionalities each type of user have. The higher a member is in the hierarchy of the organization, the more his or her functionalities get. The clients get the least amount of functionalities since they aren't entitled to an account to access the system.




Figure 4: Use Case Diagram, Member functionalities

A regular member of the organization will be given his or her account details to login to the system. He or she can respond to an event assignment as “available” or “not available”, track the status of events that he or she covered, accomplish teammate evaluation sheets, access his or her performance score any time, and update personal information for an updated members’ directory.




Figure 5: Use Case Diagram, Team Leader functionalities

A team leader will be granted all functionalities that a member has and some other responsibilities in the organization. He or she can also update the status of the event assigned to his or her team. These status changes will serve as an indicator of the progress of the item's post processing activities. A team leader will also receive notifications from events assigned to them which progress points have been stagnant for a certain amount of time. This is to allow them to take specific action needed to finish the processing of the event's deliverables.




Figure 6: Use Case Diagram, Executive Committee member functionalities

Executive committee members, like team leaders, are given the same basic functionalities a member have. Other than these functionalities, they are also allowed access to documentation requests and queries sent by clients and respond to them accordingly. They can also assign a team to an approved event, and receive notifications from any event which progress points have been stagnant for a certain amount of time. They are also credited to access all members' evaluation forms and record or update the members' score.




Figure 7: Use Case Diagram, Client functionalities

As non-account holders, clients are only allowed to submit documentation request forms and/or queries directly to the organization using the system.




Figure 8: Use Case Diagram, System Administrator functionalities

The system administrator is the one assigned to create accounts for new members, has the ability to update their details, more specifically their roles (as executive committee

member). The system administrator also manage teams by selecting its members and assigning a team leader.

C. Entity Relationship Diagram

The figure below is the entity relationship diagram of the Shoot UPM Documentation Request and Membership Progress Tracking System.




Figure 9: ER Diagram

D. Data Dictionary

The following tables describe the attributes of each entity from the entity-relationship diagram (ERD) of the Shoot UPM Documentation Request and Membership Progress Tracking System.

Table 1: Team table

Attribute	Data Type	Description
TeamID	int(5)	Unique identifier of a team
TeamName	varchar(30)	Name of the team
TeamLeader	int(11)	Team leader's unique identifier
IsSpecialTeam	bool	Indicator if the team is for a special/specific event/task only
Participants	Varchar(100)	Participants of the team

Table 2: Event table

Attribute	Data Type	Description
EventID	int(5)	Unique identifier of an event
EventStatusID	int(12)	Identifier of the event's status
TeamID	varchar(12)	Identifier of the corresponding team
OrgName	varchar(50)	Name of the organization
ContactName	varchar(50)	Name of the contact person
ContactNo	varchar(11)	Contact number of the contact person
ContactPosition	varchar(50)	Position of the contact person in the organization

EmailAddr	varchar(50)	Email address of the contact person/organization
EventName	varchar(50)	Official name of the event
EventLocation	varchar(50)	Location of the event
EventDate	date	Date of the event
StartTime	time	Time that the event will start
EndTime	time	Time that the event will end
ServiceType	enum('P','S', 'B')	Type of service: photography or videography or both
Remarks	Varchar(100)	Remarks or notes

Table 3: Event Status table

Attribute	Data Type	Description
EventStatusID	int(5)	Unique identifier of an event status
IsAccepted	bool	If the event was already accepted
IsAssigned	bool	If the event was assigned to a team
IsContacted	bool	If the event organizer was already contacted
IsCovered	bool	If the event was already covered
IsProcessed	bool	If the event deliverables were already pre-processed
IsSubmitted	bool	If the event deliverables were already submitted for posting/to clients
IsPublished	bool	If the event deliverables were already published

IsActive	bool	If the event is still active or not completed
----------	------	---

Table 4: User table

Attribute	Data Type	Description
UserID	int(11)	Unique identifier of a user entry
Username	varchar(100)	Member's username for login
Password	varchar(100)	Member's password for login

Table 5: Member table

Attribute	Data Type	Description
MemberID	int(5)	Unique identifier of a member
UserID	int(11)	Identifier of the member's user credentials
TeamID	int(11)	Identifier of the corresponding team
FirstName	varchar(50)	Member's first name
LastName	varchar(50)	Member's last name
MiddleName	varchar(50)	Member's middle name
YearLevel	enum('1','2','3','4','5')	Member's year level standing
Course	varchar(30)	Member's course
CurrAddr	varchar(50)	Member's current address
ContactNo	varchar(11)	Member's contact number

EmailAddr	varchar(50)	Member's active email address
Birthday	date	Member's birthdate
Schedule	blob	Member's schedule
ProfilePicture	blob	Member's photo
CameraBrand	varchar(100)	Member's camera brand
CameraModel	varchar(100)	Member's camera model
Lenses	varchar(100)	Member's camera lenses
OtherAccessories	varchar(100)	Member's camera accessories
IsExecomm	bool	Indicator if the member is an executive committee member
IsTeamLeader	bool	Indicator if the member is a team leader
isAdmin	bool	Indicator if the member is a system administrator

Table 6: Evaluation table

Attribute	Data Type	Description
EvalID	int(11)	Unique identifier of an evaluation
MemberID	int(11)	Identifier of the corresponding member
TeamID	int(11)	Identifier of the corresponding team of the member
EventID	int(11)	Identifier of the corresponding event
IsEarly	bool	If the member was early

IsCommended	bool	If the member was commended by the client
IsLate	bool	If the member was late
LeftEarly	bool	If the member was left the event early
NoUniform	bool	If the member was not wearing proper attire
HasReplacement	bool	If the member was not able to cover, but found a replacement
NoShow	bool	If the member confirmed attendance but did not show during the event
IsReplacement	bool	If the member was a replacement
IsEvaluated	bool	Indicator if the form was already evaluated

Table 7: Partial Score table

Attribute	Data Type	Description
PScoreID	int(11)	Unique identifier of a partial score entry (per evaluation)
EvalID	int(11)	Identifier of the corresponding evaluation
MemberID	int(11)	Identifier of the corresponding member
EventID	int(11)	Identifier of the corresponding event

PartialScore	int(11)	Member's partial score for that event
--------------	---------	---------------------------------------

Table 8: Internal table

Attribute	Data Type	Description
InternalID	int(11)	Unique identifier of an internal concern/ announcement
Name	varchar(50)	Name of the announcement
Date	date	Date of the announcement
StartTime	time	Start time of the announcement
EndTime	time	End time of the announcement
Location	varchar(50)	Location of the announcement
Remarks	text	Remarks about the announcement
ForReplacement	Bool	If the announcement is for an event replacement

Table 9: Query table

Attribute	Data Type	Description
QueryID	int(5)	Unique identifier of an inquiry entry
ContactName	varchar(50)	Name of the sender
ContactNo	varchar(30)	Contact number of the sender
EmailAddr	varchar(50)	Email address of the sender

Query	text	Inquiry body of the sender
ResponseSent	bool	If a response was already sent to the inquiry

Table 10: Event_Team table

Attribute	Data Type	Description
EventTeamID	int(5)	Unique identifier of a specific team covering a specific event
TeamID	int(5)	Unique identifier of specific team
EventID	int(5)	Unique identifier of specific event

Table 11: Event_Member table

Attribute	Data Type	Description
EventMemberID	int(5)	Unique identifier of a specific member covering a specific event
MemberID	int(5)	Unique identifier of specific member
EventID	int(5)	Unique identifier of specific event
Confirmation	bool	If member can cover or not

E. System Architecture

Shoot UPM Documentation Request and Membership Progress Tracking System will be implemented in PHP using CodeIgniter framework which uses the MVC (Model-View-Control) architecture. The part which will be visible to the users is the system views and HTML, CSS, Javascript, and Bootstrap will be used for the system's interface. The system will interact with the MySQL database using models. The controller will serve as the bridge between the model and the views to communicate.

F. Technical Architecture

Hardware Requirements for the server:

1. PC with 1 GHz processor or higher
2. Up to 2 GB of free disk space
3. 512 MB of RAM or higher

Hardware Requirements for the client:

1. PC with Intel Pentium 4 or later
2. 100 MB of free disk space
3. 128 MB of RAM or higher

V. RESULTS




Figure 10: Default home page

This page is accessible to all -- account or non-account owners of the system. Three links are available for access: “Submit request” and “Ask away!” for clients, and “login here” for org members.

Documentation Guidelines:

1. Form must be given to any member of Shoot UPM two weeks before said event.
2. Shoot UPM owns all photos and videos.
 - a. All photos and videos will have the organization's watermark.
 - b. Shoot UPM will have the freedom to post and use photos from said event in our promotions.
 - c. When the pictures and videos are used, Shoot UPM must be credited.
3. All photos and videos taken during the event will be given to the organization that requested seven working days after the event. If you wish to have the photos and videos saved in a USB/CD, please give the USB/CD to us upon giving the form. The USB/CD will contain original photos and videos with our watermark.

Organization Profile

Organization Name

Contact Person

Contact No.

Contact's position

Email Address

Event Information

Event Name

Location

* For events outside UP Manila, transportation allowance of the team should be provided by the event organizers.

Date

Start Time

End Time

* Covering team will render service until the indicated time.

* However should the event still be unfinished on the indicated time, it will be the covering team's decision whether to stay or not.

Service Type

Remarks

Please indicate what type of service we could provide for your organization.

Figure 11: Documentation Request Form page

Clicking the “Submit request” button will lead the client to the documentation request page. This page is accessible to non-members of the org. Clients can use this page to submit their requests of the organization’s services.

The screenshot shows the "Inquiry Form" page of the Shoot UPM website. At the top, there is a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below this, a heading "Inquiry Form" is displayed. A sub-instruction reads: "Should you have any questions, inquiries, comments, or suggestions regarding Shoot UPM's services, feel free to submit an inquiry form below. Please indicate your current and active contact number and email address so we can respond to your inquiries properly. Thank you!" There are four input fields labeled "Name", "Contact No.", "Email Address", and "Inquiry", each with a corresponding text input box. At the bottom left, there are two buttons: "Submit Inquiry" (in blue) and "Cancel". At the very bottom, there is a footer bar with social media links: "facebook.com/ShootUPM", "twitter.com/ShootUPM", and "instagram.com/ShootUPM".

Figure 12: Inquiry Form page

Clicking the “Ask away!” button will lead the client to the inquiry form page. This page is also accessible to non-members of the org. Members of the org who are logged in with their accounts cannot access this page. Clients can use this page to send questions, comments, or anything they want to say to the organization.




Figure 13: Login page

By clicking the “login here” button from the home page of the system, a user will be redirected to the login page where he/she must enter valid credentials to access the system. These credentials are received via email once the system administrator registers you as a user-member of the organization.

Shoot UPM Event Request and Performance Tracking System

Members Add Member Manage Teams Logout

Members' Directory

	Full Name	Team No.	Year - Course	Mobile	
	Gutierrez, Alyana	1	-		More Details
	Labez, Amparo	2	-		More Details
	Lajada, Airian Andrew	3	3rd - BA Behavioral Science	09088964907	More Details
	Marcelo, Athena	1	-		More Details
	Menghrajani, Rajiv Hans		4th - BS Biology	09178458552	More Details

Total Members : 24 [Export Excel](#)

[Prev](#) [1](#) [2](#) [3](#) [4](#) [5](#) [Next](#)

Heart ExeComm Member ★ Team Leader Camera Regular Member

Figure 14: Default page upon login - admin

If the login credentials entered previously identifies a user as the system administrator, he/she will be prompted to the Member's Directory page. System administrators are only limited to accessing members' list, adding members, and managing teams and its members.

The screenshot shows the 'Shoot UPM Event Request and Performance Tracking System' interface. At the top, there is a logo and the system name. Below the header, a navigation bar includes links for 'Members', 'Add Member', 'Manage Teams', and 'Logout'. The main content area is titled 'Member's Login Details'. It contains fields for 'Username' (with a note: "this, together with a randomly-generated password, will be sent to the user's email address."), 'First Name', 'Last Name', and 'Email Address'. There is also a checkbox labeled 'Executive Committee Member?'. At the bottom of the form are two buttons: 'Add Member' (highlighted in blue) and 'Cancel'.

Figure 15: Add Member page

On the menu bar of a system admin, clicking on “Add Member” will direct them to the add member page. The figure above illustrates how a system administrator can add/create a member into the system. The system administrator is to provide a unique and decent username for each member. This is important to note because updating profiles does not allow username changes. The system administrator should also note that the active email address of the member must be used since the member’s login credentials, including his/her password, is contained in an email sent to the organization member.



Shoot UPM Event Request and Performance Tracking System

Members Add Member Manage Teams Logout

Team Directory

[Add Team](#)

Team No.	Team Leader	Members	
1	Athena Marcelo	<ul style="list-style-type: none"> • Elysia Gregorio • Alyana Gutierrez • Gian Nicdao 	Update Delete
2	April Joy Baldovino	<ul style="list-style-type: none"> • Danielle Cruz • Amparo Labez • Stephen Pasol 	Update Delete
3	Paula Valero	<ul style="list-style-type: none"> • Bryan Paul De Galicia • Cyria Gonzales • Arian Andrew Lajada 	Update Delete
4	Alliza Mae Andal	<ul style="list-style-type: none"> • Marquee Mae Enriquez • Meghan Ravago • John Carlo Tan 	Update Delete
5	Jilian Villafuerte	<ul style="list-style-type: none"> • Gabrielle Fortuna • Diara Jossien Rogacion • Misty Vito 	Update Delete

Figure 16: Team Directory page

By clicking the “Manage Teams” tab on the menu bar, the screen above will display. The team directory page, like the member’s directory page, can also be accessed by regular members aside from system administrators, the only difference is that system administrators can add a team, update a team and its members, and delete a team. Non-system administrator account holders can only view the list of teams and its members.



Shoot UPM Event Request and Performance Tracking System

Members Add Member Manage Teams Logout

Add Team

Team Name/ Team No.

Special team

Check Team Members *including the team leader

Cabildo, Remigio Fernando Menghrajani, Rajiv Hans Nogoy, Dominique Pamoso, Nikki Dominique

Assign Team Leader

Cabildo, Remigio Fernando

Add Team **Cancel**

facebook.com/ShootUPM twitter.com/ShootUPM instagram.com/ShootUPM

Figure 17: Add Team page

By clicking the “Add Team” button, the system administrator can see a list of members who are not yet assigned to a specific team yet. System administrators should also assign a team leader per even as this serves as an important part of the system’s functionalities.

The screenshot shows the Shoot UPM Event Request and Performance Tracking System. At the top, there's a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, there are navigation links for "Events", "Evaluations", "Queries", and "Shoot UPM". A user profile "Marquee Mae" is also visible. The main content area is titled "Events Directory". It features a search bar and a table with five rows of event data. Each row includes a progress bar indicating the status of the event. The columns are: Event No., Event Status, Event Name, Event Date, Organizer, Team Assigned, and Actions (Details, Assign, or Accept/Reject Event). At the bottom of the table, there are buttons for "Total Events : 5" and "Export Excel".

Event No.	Event Status	Event Name	Event Date	Organizer	Team Assigned	
1	<div style="width: 50%;">50%</div> <i>Event Covered</i>	UPM Fiesta	2016-05-12 12:00:00 - 15:00:00	UPM	1	<button>Details</button>
2	<div style="width: 100%;">100%</div> <i>Event Process Completed</i>	Bakbakan X	2016-05-18 18:00:00 - 21:00:00	UPM USC	1	<button>Details</button>
3	<div style="width: 75%;">75%</div> <i>Deliverables Submitted (for publishing)</i>	Concierto Manilenyo	2016-05-20 18:00:00 - 22:00:00	UPM CAS-SC	4, 5	<button>Details</button>
4	<div style="width: 20%;">20%</div> <i>Request Accepted</i>	ProPharm @ 18	2016-05-21 17:00:00 - 21:00:00	ProPharm	<button>Assign</button>	<button>Details</button>
5	<div style="width: 0%;">0%</div> <i>New</i>	MOrg Live: Dekada	2016-05-27 18:00:00 - 00:00:00	MOrg	Not Assigned	<button>Details</button> <button>Accept/Reject Event</button>

Total Events : 5 [Export Excel](#)

Figure 18: Events Directory page

The Events Directory page is the default page for members of the organization who are not system administrators. If the user is an executive committee (execcomm) member, he/she can view the statuses the events submitted and processed by the organization, they can also assign teams to each of these events. Execcomm members are also entitled to see all events in the directory, unlike regular members who can only see events assigned to their team, and they are not allowed to update event statuses. Team leaders on the other hand are also only limited to seeing events assigned to their teams, but unlike regular members, they can update the status of events on their directory.

The general status of a specific event can easily be identified on the status bar as illustrated above. Red status indicates that event progress is at 0-29% accomplished, yellow indicates 30-50% of the process was accomplished, blue indicates 51-99% of the process is completed. A green bar indicates that an event is fully accomplished. If the event request was rejected by the organization, a full red status bar would appear indicating the inactiveness of the event.

The screenshot shows a web-based application interface for the Shoot UPM system. At the top, there is a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, there is a navigation bar with links for "Events", "Evaluations", "Queries", and "Shoot UPM ▾". On the right side of the header, there is a dropdown menu for "Marquee Mae ▾". The main content area is titled "Event Details". It contains a table with the following data:

Event Organizer	MOrg
Event Name	MOrg Live: Dekada
Event Date	2016-05-27
Event Location	The Deck, Circuit Makati
Time	18:00:00 to 00:00:00
Service Type	Photography only
Remarks	We have food! Thank you!

Below the table, there are two radio buttons for "Accept Documentation Request" and "Reject Documentation Request". At the bottom left, there are "Confirm" and "Cancel" buttons.

Figure 19: Documentation Request Response page

By clicking on the “Accept/Reject” button on the right-most side of the display of a new event, the screen above will display. An event request must first be accepted by the organization for it to be processed further. Executive committee members are assigned to decide on what the response of the organization will be on the documentation request. An email notification will be sent directly to the event’s contact person on the decision of the organization. If a request gets accepted, the execcomm member can then proceed to assigning a team to the specific event.

The screenshot shows the Shoot UPM system's interface. At the top, there is a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, there is a navigation bar with links for "Events", "Evaluations", "Queries", "Shoot UPM ▾", and a dropdown menu for "Marquee Mae". The main content area is titled "Assign Team". It displays event details: "Event Name: ProPharm @ 18", "Event Organizer: ProPharm", "Event Date: 2016-05-21", and "Event Time: 17:00:00 to 21:00:00". Below these details is a section titled "Assign Team:" with five checkboxes labeled "Team no. 1" through "Team no. 5". At the bottom of the form are two buttons: "Assign" (highlighted with a blue border) and "Cancel".

Figure 20: Assign Team page

By clicking the “assign” button under the “team assigned” column, the screen above will display. Execomm members can assign one or more teams to a specific event by selecting the corresponding checkboxes beside each team number. In a case where the execomm unknowingly assigns an event to a team which is conflicting to a previously assigned event, the system will return a notifying message that the specific team is not available for event coverage.

The screenshot shows the Shoot UPM Event Request and Performance Tracking System. At the top, there is a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, there is a navigation bar with links for "Events", "Evaluations", "Shoot UPM", and "Athena".

Event Details

Event Name	UPM Fiesta
Event Date	2016-05-12
Event Organizer	UPM
Current Event Status	<div style="width: 50%;">50%</div>

Event Covered

Change Event Status To:

- Event Organizer Contacted
- Event Covered
- Deliverables Processed
- Deliverables Submitted
- Deliverables Published
- Event Process Completed

Update **Cancel**

Figure 21: Update Event Status page

Updating event status is only done by team leaders, where they can only access events specifically assigned to their own teams. Processing event documentation follows certain steps as illustrated above, and team leaders can update each event's status accordingly. When all processes are completed – until evaluation forms submission, the team leader can mark the event as “completed” and it will then be an inactive event.

The screenshot shows the Shoot UPM system interface. At the top, there's a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, a navigation bar includes links for "Events", "Evaluations", "Shoot UPM ▾", and "Athena ▾". The main content area is titled "Evaluations List" and displays a table of evaluation forms. The table has columns for "Event Name", "Date of Event", "Evaluation Due Date", and "Evaluation for". The first row shows an event named "UPM Fiesta" with a green checked icon, dated May 12, 2016, due on May 26, 2016, for Nicdao, Gian. The second and third rows show the same event information but with red unchecked icons, due dates of May 26, 2016, and evaluationees Gutierrez, Alyana; and Gregorio, Elysia respectively. Each of these two rows has a blue "Evaluate Member" button. At the bottom of the page, there are social media links for Facebook, Twitter, and Instagram.

	Event Name	Date of Event	Evaluation Due Date	Evaluation for	
<input checked="" type="checkbox"/>	UPM Fiesta	2016-05-12	2016-05-26	Nicdao, Gian	-
<input type="checkbox"/>	UPM Fiesta	2016-05-12	2016-05-26	Gutierrez, Alyana	<button>Evaluate Member</button>
<input type="checkbox"/>	UPM Fiesta	2016-05-12	2016-05-26	Gregorio, Elysia	<button>Evaluate Member</button>

Figure 22: Evaluation List page

By clicking on the “Evaluations” tab on the menu bar, the user will be redirected to the evaluation list page which displays all evaluation forms needed to be accomplished by a specific team. Evaluations only appear once an event is marked as “covered” since only then can each member know on what grounds are they to assess their teammates. Each member has 2 weeks to accomplish these forms. The “view evaluation” option is only accessible by execomm members. Regular members and team leaders can only answer these forms and not see the contents of each after submission.

The screenshot shows a web application interface for 'Shoot UPM' with a light gray header bar. On the left is a circular logo with a stylized 'H' or 'U' shape. To its right, the text 'Shoot UPM' is displayed in bold, followed by 'Event Request and Performance Tracking System' in a smaller font. Below the header, there is a navigation bar with links: 'Events', 'Evaluations', 'Queries', 'Shoot UPM ▾', and 'Marquee Mae ▾'. The main content area is titled 'Evaluation Details'. Below this, there is a table with several rows of evaluation data. At the bottom of the table is a small 'Back' button.

Member name	Nicdao, Gian
Team name (originally assigned)	Team no. 1
Event name	UPM Fiesta
With replacement member?	No
Replaced by:	
Early Bird member	Yes
Commended by the client	Yes
Late for call time	No
Left earlier than event's end time	No
Did not wear required attire/uniform	No
Cannot cover but found a replacement	No
Cannot cover, no replacement	No

[Back](#)

Figure 23: Evaluation Details page

As previously stated, this page is only accessible to execomm members. This page displays the contents of the evaluation form submitted by a member's teammates. They can use these evaluations to further assess each member, especially when a certain member is not performing too well based on his/her overall evaluations.



Shoot UPM Event Request and Performance Tracking System

	Sender's Name	Contact No.	Email Address	
	Raissa Enriquez	09985480136	marqueemae23@yahoo.com	<button>Open Inquiry</button>
	JM Enriquez	09351309871	marqueemae23@yahoo.com	<button>Open Inquiry</button>
	Harold Decapia	09176272889	marqueemae23@yahoo.com	<button>Open Inquiry</button>
	Krizia Ilaga	09351309874	marqueemae23@yahoo.com	<button>Open Inquiry</button>
	Marj Acuesta	09985480136	marqueemae23@yahoo.com	<button>Open Inquiry</button>

Figure 24: Inquiries page

The client inquiry page displays all queries submitted by clients to the organization. These are only accessible to execomm members. They are responsible in responding to each of the queries listed. A green check mark indicates that a response was already sent to the client, while a red pen mark indicates that the inquiry hasn't been responded to. This page can be reached by clicking on the “Queries” tab on the menu bar.

The screenshot shows the 'Inquiry Details' page of the Shoot UPM system. At the top, there's a header with the logo and the text 'Shoot UPM Event Request and Performance Tracking System'. Below the header is a navigation bar with links for 'Events', 'Evaluations', 'Queries', 'Shoot UPM ▾', and a dropdown for 'Marquee Mae ▾'. The main content area is titled 'Inquiry Details'. It contains a table with four rows of information: 'Sender's Name' (Raissa Enriquez), 'Contact No.' (09985480136), 'Email Address' (marqueemae23@yahoo.com), and 'Inquiry Message' (Do you cover debuts? What are the rates? Thank you!). Below the table are two buttons: 'Respond to Inquiry' (blue) and 'Back' (white). At the bottom of the page, there's a footer with social media links for Facebook, Twitter, and Instagram.

Sender's Name	Raissa Enriquez
Contact No.	09985480136
Email Address	marqueemae23@yahoo.com
Inquiry Message	Do you cover debuts? What are the rates? Thank you!

Respond to Inquiry Back

facebook.com/ShootUPM twitter.com/ShootUPM instagram.com/ShootUPM

Figure 25: Inquiry Details page

This page displays further details of the inquiry sent by the clients. Execomm members may choose to respond to these queries, where they will be redirected to a different page where they can type in their response to the client. The response will be sent to the email address of the sender immediately after.

The screenshot shows the 'Announcements' section of the Shoot UPM system. At the top, there's a header with the logo and the text 'Shoot UPM Event Request and Performance Tracking System'. Below the header is a navigation bar with links for 'Events', 'Evaluations', 'Queries', 'Shoot UPM ▾', and a dropdown for 'Marquee Mae ▾'. On the left, a blue button says 'Post Announcement'. In the center, a message says 'Announcement Updated!' above a search bar and a 'Search' button. The main area contains a table with two rows of announcements. The first row has a red camera icon and is titled 'UPM Fiesta' with details: Date 2016-05-12, Time 17:50:00, Location Padre Faura St., with 'More Details' and 'Update' buttons. The second row has a green calendar icon and is titled '4th General Assembly' with details: Date 2016-05-16, Time 17:30:00, Location RH 304, with 'More Details' and 'Update' buttons. At the bottom, there are social media links for Facebook, Twitter, and Instagram.

	Description	Date	Time	Location	
	UPM Fiesta	2016-05-12	17:50:00	Padre Faura St.	More Details Update
	4th General Assembly	2016-05-16	17:30:00	RH 304	More Details Update

Figure 26: Announcements page

This page displays all announcements posted for the members. Anyone can post announcements, and edit their own posts in case schedule adjustments are necessary. This also serves as a page where one can post an announcement for looking for replacements in case he/she cannot make it to cover an event. Event replacements announcements are marked with red cameras while regular announcements are marked with a green calendar. This page can be viewed under Shoot UPM -> Announcements tab on the menu bar.

The screenshot shows a web-based application interface for the Shoot UPM system. At the top, there is a header bar with the logo 'Shoot UPM' and the text 'Event Request and Performance Tracking System'. Below the header, a navigation menu includes links for 'Events', 'Evaluations', 'Queries', 'Shoot UPM ▾', and a user profile 'Marquee Mae ▾'. The main content area is titled 'Announcement Details'. It contains several input fields: a checkbox labeled 'Posting for replacement', a text input for 'Name/Description', a date input for 'Date' (format mm/dd/yyyy), a time input for 'Start Time' (format hh:mm), a time input for 'End Time' (format hh:mm), a text input for 'Location', and a large text area for 'Remarks'. At the bottom of the form are two buttons: 'Post Announcement' (in blue) and 'Cancel'. Below the form, there are social media sharing links for Facebook, Twitter, and Instagram, each followed by the URL 'facebook.com/ShootUPM', 'twitter.com/ShootUPM', and 'instagram.com/ShootUPM' respectively.

Figure 27: Announcement Form page

An org member will be required to indicate certain details regarding the announcement for the rest of the members to read. It is also important to tick the “posting for replacement” checkbox if a user wishes to look for a replacement on an event he/she cannot cover.

The screenshot shows the Shoot UPM system interface. At the top, there is a logo and the text "Shoot UPM Event Request and Performance Tracking System". Below the header, a navigation bar includes links for "Events", "Evaluations", "Queries", "Shoot UPM", and a dropdown menu for "Marquee Mae". The main content area is titled "Member's Performance List". It displays a table with five rows, each representing a member's performance score. The columns are "Member Name" and "Average Performance Score". To the left of each row is a small colored square with a hand icon, indicating the member's status. A "View Summary" button is present in each row. A note at the bottom right of the table states "No event evaluation reference for score".

	Member Name	Average Performance Score	
好人	Nicdao, Gian	80/100 points	<button>View Summary</button>
中人	Nogoy, Dominique	75/100 points	<button>View Summary</button>
好人	Pamoso, Nikki Dominique	90/100 points	<button>View Summary</button>
坏人	Pasol, Stephen	55/100 points	<button>View Summary</button>
信息	Ravago, Meghan	-	<button>View Summary</button>

ⓘ No event evaluation reference for score

Figure 28: Member's Performance List page

The member's performance list page shows a summary of all the average performance scores of all of the members. This is only accessible to the execomm members to enable them to see if there are members who are underperforming during events and needs extra effort to work. Corresponding markings easily show who among the members are doing good and who isn't. Further details of each member's performance can be viewed if the user selects "View Summary" button. This display can be viewed by clicking Shoot UPM->Member's Performance tab on the menu bar.

The screenshot shows the Shoot UPM Event Request and Performance Tracking System. At the top, there is a navigation bar with links for Events, Evaluations, Queries, Shoot UPM (dropdown), and Marquee Mae (dropdown). The main content area is titled "Performance Summary" and displays the following information for member Nicdao, Gian:

Member Name	Nicdao, Gian
Performance Score	80/100 points
Performance Standing	Good Performance Standing

Below this, there is another section titled "Performance Tracker" which includes:

Score as of event cover 1:	80 points
Event Details:	UPM Fiesta 2016-05-12

A "Back" button is located at the bottom of this section. At the very bottom of the page, there are social media links for Facebook, Twitter, and Instagram.

Figure 29: Performance Summary/Tracker page

The performance summary page displays further details on the performance score of each member. In this page, the score a member gets per event evaluation can be displayed so one can review and ponder on his/her own performance. The “Performance Summary” part of the page shows the average of all of these individual event performance. An execomm member can view all of the member’s performance tracks, while non-execcomm members can only view their own points.

The screenshot shows the profile page for 'Marquee Mae' in the Shoot UPM system. At the top, there's a navigation bar with links for 'Events', 'Evaluations', 'Queries', 'Shoot UPM ▾', and a dropdown for 'Marquee Mae ▾'. The main title is 'Marquee Mae's Information'. Below this, there are two sections: 'Basic Information' and 'Camera & Gears', each with a list of details. At the bottom, there's a footer with social media links for Facebook, Twitter, and Instagram.

Marquee Mae's Information

Basic Information

Team No.	4
Name	Enriquez, Marquee Mae Anastacio
Year & Course	4th - BS Computer Science
Current Address	557 Sta. Cruz St. San Pascual Obando Bulacan
Contact No.	09351309871
Email Address	marqueemae23@yahoo.com
Birthdate	1995-05-19
Schedule	

Camera & Gears

Camera Brand	Canon
Camera Model	500D
Lenses	Kit lens
Other Accessories	Tripod

[Back](#)

↳ [facebook.com/ShootUPM](#) ↳ [twitter.com/ShootUPM](#) ↳ [instagram.com/ShootUPM](#)

Figure 30: Profile page

When the user select his/her name on the menu bar, and proceeds to “View Profile” page, he/she can see his/her own personal details. A user must note that it is important to keep these information updated because it is visible to other members and these information may be needed to contact them at some point, especially during actual even covers. The Camera and Gears information must also be kept up to date so other members can make use of the information if ever they need to borrow gears for specific events.



Shoot UPM Event Request and Performance Tracking System

Events Evaluations Queries Shoot UPM ▾ Marquee Mae ▾

Marquee Mae's Information

Basic Information

Profile Photo
 No file chosen

First Name
 Marquee Mae

Last Name
 Enriquez

Middle Name
 Anastacio

Year Level
 4th

Course
 BS Computer Science

Current Address
 557 Sta. Cruz St. San Pascual Obando Bulacan

Contact No.
 09351309871

Email Address
 marqueemae23@yahoo.com

Birthdate
 05/19/1995

Schedule
 No file chosen
* (screenshot/image file)

Camera & Gears

Camera Brand
 Canon

Camera Model
 500D

Lenses
 Kit lens

Other Accessories
 Tripod

Figure 31: Update Profile page

To edit profile information, the user can simply go to Username → Update Profile. Again, it is important to note that these information must be accurate and up to date.

The screenshot shows the 'Change Password' page of the Shoot UPM system. At the top, there is a navigation bar with links for 'Events', 'Evaluations', 'Queries', and 'Shoot UPM'. A dropdown menu for 'Marquee Mae' is also present. The main content area is titled 'Login Credentials' and contains four input fields: 'Username' (with value 'menriquez'), 'Current Password' (placeholder 'Enter current password'), 'New Password' (placeholder 'Enter new password'), and 'Confirm New Password' (placeholder 'Enter new password again to confirm'). Below these fields are two buttons: 'Change Password' (in blue) and 'Cancel'. At the bottom of the page, there are social media links for Facebook, Twitter, and Instagram.

Figure 32: Change Password page

Upon the initial use of the system by a member, he/she is given a randomly generated password by the system administrator. To keep his/her account secured, a member must promptly update his/her password under Username -> Change Password. It is important to note proper password etiquette to keep one's account secured.

When a user decides logs out of the system, he/she will be redirected back to the login page.

VI. DISCUSSION

The Shoot UPM Event Request and Performance Tracking System is a web-based application system that serves as an organized unifying platform to carry out the main processes that the organization have. It uses different technologies such as PHP frameworks and libraries ensuring that the objectives of the study are achieved.

The system is designed to cater five types of users including: regular member, team leader, executive committee member, system administrator and organization clients. The clients have the least amount of functionalities as they are only to submit documentation requests and/or inquiries regarding their events. The system administrator is tasked to manage user accounts – create new accounts for new members and delete old and inactive accounts. They are also to manage team members and the assignment of a team leader.

Team leaders have a little more functionality than regular members since regular members are only entitled to view/accept events assigned to their team, submit evaluation forms, view replacement posts or announcements, view the team and members' database, track his/her performance score and update personal details. Team leaders, however, can update the status of the events assigned to his/her team accordingly. Other than this, team leaders and regular members almost share the same access levels.

The executive committee members have more functionalities than the previously mentioned users since they are to manage more of the internal processes of the org. These additional functions include responding to documentation requests and inquiries, viewing and regulating the submission of evaluation forms, track the performance scores of all members, assign teams to events and update their statuses as well.

Upon the trial usage of the system, the fact that all general internal processes of the organization in terms of event processing are unified into one single portal – from documentation request submission to evaluation forms submission, eases the

hassle when compared to the current process of the org where it receives requests either via Gmail or Facebook page messages, announces events on Facebook, communicates with other members for internal processes together with the clutter Facebook offers, and accomplishes event evaluations via Google Forms with results exported as excel files. A single working area to view event status and assign processes can aid in the overall performance of the organization when it comes to their service delivery.

The automated performance computations also gives significant ease of use as compared to the current processing of the org where each member must submit a google for containing the answers and will then be calculated manually. These manual computations take time and therefore performance points are not always updated. But with the current implementation, it takes a lot faster for the members to see their evaluation performances.

Technologies involved in developing the system mainly includes the php framework Codeigniter. This framework enabled the developer to create an MVC designed system to perform the study's objectives. Helpers and libraries coupled with the framework made significant contribution to the efficiency of the system.

Bootstrap was used to develop the system's front-end side. It allowed a more user-friendly interface for the various users of the system.

For the development of the database of the system, MySQL was used.

The system also supports the exporting of excel files using an excel builder library. This function may be used for certain directories which may be used for accreditation and recording matters of the organization.

VII. CONCLUSION

The Shoot UPM Event Request and Performance Tracking System, a web-based application, uses various frameworks and libraries necessary to encapsulate all of the organization's major internal processes in an organized manner. The said technology enables the members of the organization to keep all of their event documentation processes well monitored, and have a keener and easier way to evaluate the performance of all of its members.

To be specific, the developed system provides a means for all members to easily see and monitor events that they are involved in, respond easily to requests and take action to their tasks in a much convenient and faster way. In addition to this, members were able to have a means of monitoring their own performance scores as they cover more and more events. This can further aid members to take notes whether or not they are to make extra efforts to maintain a good standing in the organization.

Overall, the system, providing a unified and organized platform to Shoot UPM members, can enable the organization to perform its main objective of documenting events in a more efficient manner, thus reflecting a better image to all of its clients.

VIII. RECOMMENDATIONS

The Shoot UPM Event Request and Performance Tracking System can be further enhanced by adding features such as an SMS notification to clients once email responses are given to their requests and/or inquiries. This SMS feature can also be further used when an event, announcement, or any other concern is notified in the system. This is to improve responsiveness of members' use as they may not always be online to address some of the organization's concerns. For organization purposes, a page that can act as a user's "Inbox" can be added, this is to help a user see all his/her pending work together in a single page.

A feature that indicates what gears are needed or suggested be brought to the event is also suggested. This is to allow teams to plan out the gears, materials and tasks beforehand. Features such as member messaging can also be added to provide for a more interactive and responsive system.

For the member's performance evaluation, it is suggested that the algorithm of the computation be adjusted to allow score adjustments based on the role of each member in the organization. This means that the algorithm of performance score computation will allow extra points for executive committee members, and also for team leaders. This can further be extended by giving incentives to specially awarded members such as "most active", "most punctual", etc.

IX. BIBLIOGRAPHY

- [1] Shoot UPM Revised Constitution A.Y. 2015 - 2016. (2015).
- [2] A.A. Lajada. Interview, 2016 April 25.
- [3] G. Fortuna. Interview, 2016 May 14.
- [4] Help Desk Software Blog, 'Help Desk Software Best Practices', 2014. [Online]. Available: <https://www.h2desk.com/blog/customers-easy-support/>. [Accessed: 03-Dec- 2015]
- [5] Wei Xiao; Qingqi Wei, "Development of an Integrated Project Management Information System for Aerial Enterprises and Its Key Technologies," in *Systems, Man and Cybernetics, 2006. SMC '06. IEEE International Conference on*, vol.5, pp.4073-4077, 8-11 Oct. 2006
- [6] Zhen Liping; Deng Hualing, "The Design and Implementation of Management Information System for Dentsu Technology Company," in *Information Management, Innovation Management and Industrial Engineering (ICIII), 2011 International Conference on*, vol.1, no., pp.239-242, 26-27 Nov. 2011
- [7] Cui Xiuli; Yao Lan; Wang Fengwei, "Design and Implementation of Web-Based Open-Laboratory Management Information System," in *Education Technology and Computer Science, 2009. ETCS '09. First International Workshop on*, vol.2, pp.980-982, 7-8 March 2009
- [8] Huang Hongzhi; Cai Yanrong, "Web-based design of the management information system for the chemical laboratory in the university," in *Computer Design and Applications (ICCDA), 2010 International Conference on*, vol.5, pp.V5-292-V5-293, 25-27 June 2010
- [9] Hao Ouyang; Xiaoyong Lu, "On the Construction of a Human Resources Management Information System Based on CSCW for Institution of Higher Education," in *E-Learning, E-Business, Enterprise Information Systems, and E-*

Government, 2009. EEEE '09. International Conference on, pp.290-293, 5-6 Dec. 2009

- [10] Liu Yucheng; Liu Yubin, "A Monitoring System Design Program Based on B/S Mode," in *Intelligent Computation Technology and Automation (ICICTA), 2010 International Conference on*, vol.1, pp.184-187, 11-12 May 2010
- [11] Arsham Mazaheri; Jakub Montewka; Jari Nisula; Pentti Kujala, "Usability of accident and incident reports for evidence-based risk modeling – A case study on ship grounding reports", *Safety Science*, vol.76, pp.202-214, July 2015
- [12] Zhao Yanjun; Gong Ruikun; Deng Li, "CEMS Monitoring System of EPA Based on WEB," in *Intelligent Computation Technology and Automation (ICICTA), 2010 International Conference on*, vol.1, pp.914-917, 11-12 May 2010
- [13] L. Ly, F. Maggi, M. Montali, S. Rinderle-Ma and W. van der Aalst, "Compliance monitoring in business processes: Functionalities, application, and tool-support", *Information Systems*, vol. 54, pp. 209-234, 2015
- [14] J. Kim, R. Sharman, H. Rao and S. Upadhyaya, "Efficiency of critical incident management systems: Instrument development and validation", *Decision Support Systems*, vol. 44, no. 1, pp. 235-250, 2007
- [15] B. Chakraborty, "What is Customer Service Request Management - Newgen Software", *Newgen Software*, 2014. [Online]. Available: <http://www.newgensoft.com/blog/what-is-customer-service-request-management/>. [Accessed: 06- Dec- 2015]
- [16] Mantisbt.org, "Mantis Bug Tracker", 2015. [Online]. Available: <http://www.mantisbt.org/>. [Accessed: 08- Dec- 2015]
- [17] J. Atwood, "Understanding Model-View-Controller", *Blog.codinghorror.com*, 2008. [Online]. Available: <http://blog.codinghorror.com/understanding-model-view-controller/>. [Accessed: 08- Dec- 2015]

- [18] T. Reenskaug, 'Trygve/MVC', *Heim.ifi.uio.no*, 2015. [Online]. Available: <http://heim.ifi.uio.no/~trygver/themes/mvc/mvc-index.html>. [Accessed: 08- Dec- 2015]
- [19] Php.net, "PHP: Preface – Manual", 2015. [Online]. Available: <http://php.net/manual/en/preface.php>. [Accessed: 08- Dec- 2015]
- [20] SearchSQLServer, "What is database management system? - Definition from WhatIs.com", 2015. [Online]. Available: <http://searchsqlserver.techtarget.com/definition/database-management-system>. [Accessed: 08- Dec- 2015]
- [21] SearchSQLServer, "What is SQL (Structured Query Language)? - Definition from WhatIs.com", 2015. [Online]. Available: <http://searchsqlserver.techtarget.com/definition/SQL>. [Accessed: 08- Dec- 2015]

X. APPENDIX

A. Documentation Request Form

Documentation Request Form

Documentation Guidelines:

1. Form must be given to any member of Shoot UPM two weeks before said event.
2. Shoot UPM owns all photos and videos.
 - a. All photos and videos will have the organization's watermark.
 - b. Shoot UPM will have the freedom to post and use photos from said event in our promotions.
 - c. When the pictures and videos are used, Shoot UPM must be credited.
3. All photos and videos taken during the event will be given to the organization that requested seven working days after the event. If you wish to have the photos and videos saved in a USB/CD, please give the USB/CD to us upon giving the form. The USB/CD will contain original photos and videos with our watermark.

* Required

Organization Profile

Organization Name: *

Contact's Name: *

Contact's Mobile Number: *

Contact's Position: *

E-Mail Address: *

Event Information

Event Name *

Location of the Event *

*For events outside UP Manila, transportation allowance of the team should be provided by the event organizers.

Date and Time of the Event *

Example: 03/05/2013 11:30 AM

Time of the End of the Event *

*Covering team will render service until the indicated time. However should the event still be unfinished on the indicated time, it will be the covering team's decision whether to stay or not.

Example: 11:00 AM

Type of Service Request *

Other Requests

Please indicate what type of service we could provide for you/your organization.

Submit

Never submit passwords through Google Forms.

Powered by



This content is neither created nor endorsed by Google.

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)

B. Member Evaluation Form

Member Points Form

Events points form. Only to be filled by the team leader

* Required

The logo for Shoot Up Manila features a stylized camera lens icon on the left, composed of intersecting lines forming a circular shape. To the right of the icon, the word "SHOOT" is written in a bold, sans-serif font, with "UP MANILA" in a smaller, lighter font below it.

Event *

Member

Last Name *

Minor Plus
 Early bird

Major Plus
 Commended by client

Minor Error

- Late for call time
- Left early

Error

- Did not wear required attire
- Cannot cover but informed early (did not find a replacement)
- Did not meet the deadline of returning pictures or video

Major Error

- Confirmed but suddenly could not/did not come (no replacement)

Points of Assessment**Assessed by: ***

input your last name

Password ***Submit**

Never submit passwords through Google Forms.

Powered by



This content is neither created nor endorsed by Google.

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)

C. Performance Pointing System

	(-)10	(+)10	(-)50	(+)50	(-)100
action	<ul style="list-style-type: none"> - late for call time - improper uniform - cannot cover but has a replacement 	<ul style="list-style-type: none"> - early bird -commended by the client 	<ul style="list-style-type: none"> - failed deadline of photo submission -cannot cover but has no replacement - didn't submit evaluations 	<ul style="list-style-type: none"> -replaced someone 	<ul style="list-style-type: none"> - confirmed attendance but is absent during the event itself

D. Source Code

```

Admin Controller
<?php if ( ! defined('BASEPATH')) exit('No
direct script access allowed');

class Admin extends CI_Controller {
    public function index() {
        if (! $this ->session -
>userdata('Username')) {
            //redirect(site_url('login'));
            $this ->load ->view('home.php');
        } elseif ($this ->session -
>userdata('IsAdmin') != 1) {
            redirect(site_url('event'));
        } else {
            redirect(site_url('member'));
        }
    }
}

Evaluation Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Evaluation extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load -
>model('Evaluation_model');
        $this ->load ->model('Team_model');
        $this ->load ->model('Member_model');
        $this ->load ->model('Score_model');
        $this ->load -
>model('Partialscore_model');
    }

    public function index()
    {
        if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $q = urldecode($this ->input -
>get('q', TRUE));
            $start = intval($this ->input -
>get('start'));

            if ($q <> "") {
                $config['base_url'] =
base_url() . 'evaluation/index.html?q=' .
urlencode($q);
            }
        }
    }
}

```

```

        $config['first_url'] =
base_url() . 'evaluation/index.html?q=' .
urlencode($q);
    } else {
        $config['base_url'] =
base_url() . 'evaluation/index.html';
        $config['first_url'] =
base_url() . 'evaluation/index.html';
    }

        $config['per_page'] = 10;
        $config['page_query_string'] =
TRUE;
        $config['total_rows'] = $this ->
Evaluation_model ->total_rows($q);
        $evaluation = $this ->
Evaluation_model ->get_limit_data($config['per_page'],
$start, $q);

        $this ->load ->library('pagination');
        $this ->pagination ->initialize($config);

        $data = array(
            'evaluation_data' =>
$evaluation,
            'q' => $q,
            'pagination' => $this ->
pagination ->create_links(),
            'total_rows' =>
$config['total_rows'],
            'start' => $start,
        );
        $this ->load -
>view('evaluation_li st', $data);
    }
}

public function read($id)
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Evaluation_model-
>get_by_id($id);
        if ($row) {
            $data = array(
                'EvalID' => $row ->
EvalID,
                'MemberID' => $row ->
MemberID,
                'TeamID' => $row ->
TeamID,
                'EventID' => $row ->
EventID,
            );
        }
    }
}

```

```

        'IsEarly' => $row ->
    >IsEarly,
        'IsCommended' => $row ->
    >IsCommended,
        'IsLate' => $row ->
    >IsLate,
        'LeftEarly' => $row ->
    >LeftEarly,
        'NoUniform' => $row ->
    >NoUniform,
        'HasReplacement' =>
    $row->HasReplacement,
        'NoShow' => $row->
    >NoShow,
        'IsReplacement' =>
    $row->IsReplacement,
        'Assessment' => $row ->
    >Assessment,
        'MemberName' => $row ->
    >MemberName,
        'EventName' => $row ->
    >EventName,
        'EventDate' => $row ->
    >EventDate,
        'ReplacementName' =>
    $row->ReplacementName,
        );
        $this->load-
    >view('evaluation_read', $data);
    } else {
        $this->session-
    >set_flashdata('message', 'Record Not
Found');

    redirect(site_url('evaluation'));
}
}

public function create($id)
{
    if ((!$this->session-
>userdata('Username')) || ($this->session-
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this->Evaluation_model-
    >get_by_id($id);
        $members = $this->Member_model-
    >get_all();

        if ($row) {
            $data = array(
                'member_list' => $members,
                'button' => 'Create',
                'action' =>
site_url('evaluation/create_action'),
                'EvalID' =>
set_value('EvalID', $row->EvalID),
                'MemberID' =>
set_value('MemberID', $row->MemberID),
                'TeamID' =>
set_value('TeamID', $row->TeamID),
                'EventID' =>
set_value('EventID', $row->EventID),
                'IsEarly' =>
set_value('IsEarly'),
                'IsCommended' =>
set_value('IsCommended'),
                'IsLate' =>
set_value('IsLate'),
                'LeftEarly' =>
set_value('LeftEarly'),
                'NoUniform' =>
set_value('NoUniform'),
                'HasReplacement' =>
set_value('HasReplacement'),
                'NoShow' =>
set_value('NoShow'),
                'IsReplacement' =>
set_value('IsReplacement'),
                'Assessment' =>
set_value('Assessment'),
                'MemberName' => $row-
    >MemberName,
                'EventName' => $row-
    >EventName,
                'EventDate' => $row-
    >EventDate,
                'ReplacementName' =>
$row->ReplacementName,
            );
            $this->load-
        >view('evaluation_form', $data);
    }
}

public function create_action()
{
    if ((!$this->session-
>userdata('Username')) || ($this->session-
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $this->_rules();

        if ($this->form_validation-
    >run() == FALSE) {
            $this->create($this->input-
    >post('EvalID'));
        } else {
            if ($this->input-
    >post('IsReplacement') === NULL) {
                $memberID = $this-
    >input->post('MemberID');
                $replacement = 0;
                $replacementName = '';
            } else {
                $memberID = $this-
    >input->post('ReplacementTo');
            }
        }
    }
}

```

```

$member = $this->Member_model->get_by_id($memberID);
$replacement = 1;
$replacementName =
$member>LastName.", ".$member ->FirstName;
}
$data = array(
'MemberID' =>
$memberID,
'TeamID' => $this ->input ->post('TeamID'),
'EventID' => $this ->input ->post('EventID'),
'IsEarly' => $this ->input ->post('IsEarly'),
'IsCommended' => $this ->input ->post('IsCommended'),
'IsLate' => $this ->input ->post('IsLate'),
'LeftEarly' => $this ->input ->post('LeftEarly'),
'NoUniform' => $this ->input ->post('NoUniform'),
'HasReplacement' => $this ->input ->post('HasReplacement'),
'NoShow' => $this ->input ->post('NoShow'),
'IsReplacement' => $replacement,
'Assessment' => $this ->input ->post('Assessment'),
'IsEvaluated' => 1,
'ReplacementName' => $replacementName,
);
$this ->Evaluation_model ->update($this ->input ->post('EvalID'),
$data);
$this ->session ->set_flashdata('message', 'Evaluation Submitted!');
$initScore = 60;

if ($this ->input ->post('IsEarly') == 1) {
$initScore = $initScore + 10;
}
if ($this ->input ->post('IsCommended') == 1) {
$initScore = $initScore + 10;
}
if ($this ->input ->post('IsLate') == 1) {
$initScore = $initScore - 5;
}
if ($this ->input ->post('LeftEarly') == 1) {

```

```

        $this ->form_validation - 
>set_rules('LeftEarly', 'Left early',
'trim|required');
        $this ->form_validation - 
>set_rules('NoUniform', 'Improper
attire/uniform', 'trim|required');
        $this ->form_validation - 
>set_rules('HasReplacement', 'Cannot
cover', 'trim|required' );
        $this ->form_validation - 
>set_rules('NoShow', 'No show',
'trim|required');
        $this ->form_validation - 
>set_rules('IsReplacement', 'Replacing
member', 'trim');

        $this ->form_validation - 
>set_rules('EvalID', 'EvalID', 'trim');
        $this ->form_validation - 
>set_error_delimiters('<span class="text
danger">', '</span>');
    }

}

Event Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Event extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('Event_model');
        $this ->load ->
model('Eventstatus_model');
        $this ->load ->model('Team_model');
        $this ->load ->model('Member_model');

    }

    public function index()
    {
        if ((!$this ->session ->
userdata('Username')) || ($this ->session ->
userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $q = urldecode($this ->input ->
get('q', TRUE));
            $start = intval($this ->input ->
get('start'));

            if ($q <> '') {
                $config['base_url'] =
base_url() . 'event/index.html?q=' .
urlencode($q);
                $config['first_url'] =
base_url() . 'event/index.html?q=' .
urlencode($q);
            } else {
                $config['base_url'] =
base_url() . 'event/index.html';
                $config['first_url'] =
base_url() . 'event/index.html';
            }
        }

        $config['per_page'] = 10;
        $config['page_query_string'] =
TRUE;
        $config['total_rows'] = $this ->
Event_model->total_rows($q);
        $event = $this ->Event_model-
>get_limit_data($config['per_page'],
$start, $q);
        $eventStatus = $this ->Eventstatus_model->get_all();
        $eventTeams = $this ->Event_model->get_event_teams();

        $this ->load ->
library('pagination');
        $this ->pagination ->initialize($config);

        $data = array(
            'event_data' => $event,
            'eventstatus_data' =>
$eventStatus,
            'event_teams' =>
$eventTeams,
            'q' => $q,
            'pagination' => $this ->pagination ->create_links(),
            'total_rows' =>
$config['total_rows'],
            'start' => $start,
        );
        $this ->load ->view('event_list',
$data);
    }

    public function read($id)
    {
        if ((!$this ->session ->
userdata('Username')) || ($this ->session ->
userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {

            $row = $this ->Event_model->get_by_id($id);
            if ($row) {
                $statusInfo = $this ->Eventstatus_model->get_by_id($row->EventStatusID);
            }
        }
    }
}

```

```

        $eventmembers = $this-
>Event_model-
>get_event_members_by_EventID($id);
        $data = array(
            'event_members' =>
$eventmembers,
            'EventID' => $row ->EventID,
            'EventStatusID' => $row -
>EventStatusID,
            'TeamID' => $row ->TeamID,
            'OrgName' => $row->OrgName,
            'ContactName' => $row-
>ContactName,
            'ContactNo' => $row ->ContactNo,
            'ContactPosition' => $row -
>ContactPosition,
            'EmailAddr' => $row ->EmailAddr,
            'EventName' => $row->EventName,
            'EventLocation' => $row-
>EventLocation,
            'EventDate' => $row ->EventDate,
            'StartTime' => $row ->StartTime,
            'EndTime' => $row ->EndTime,
            'ServiceType' => $row -
>ServiceType,
            'Remarks' => $row ->Remarks,
            'IsAccepted' =>
$statusInfo ->IsAccepted,
            'IsAssigned' =>
$statusInfo ->IsAssigned,
            'IsContacted' =>
$statusInfo ->IsContacted,
            'IsCovered' => $statusInfo -
>IsCovered,
            'IsProcessed' =>
$statusInfo ->IsProcessed,
            'IsSubmitted' =>
$statusInfo ->IsSubmitted,
            'IsEvaluated' =>
$statusInfo ->IsEvaluated,
            'IsPublished' =>
$statusInfo ->IsPublished,
            'IsActive' => $statusInfo -
>IsActive,
            );
            $this ->load ->view('event_read',
$data);
        } else {
            $this ->session -
>set_flashdata('message', 'Event Record Not
Found');
            redirect(site_url('event'));
        }
    }

    public function confirm($id)
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Event_model-
>get_by_id($id);
        if ($row) {
            $data = array(
                'action' =>
site_url('event/confirm_action'),
                'EventID' => $row ->EventID,
                'OrgName' => $row->OrgName,
                'EventName' => $row-
>EventName,
                'EventLocation' => $row -
>EventLocation,
                'EventDate' => $row -
>EventDate,
                'StartTime' => $row -
>StartTime,
                'EndTime' => $row ->EndTime,
                'ServiceType' => $row -
>ServiceType,
                'Remarks' => $row ->Remarks,
            );
            $this ->load -
>view('event_confirm', $data);
        } else {
            $this ->session -
>set_flashdata('message', 'Event Record Not
Found');
            redirect(site_url('event'));
        }
    }
}

public function confirm_action()
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $this ->confirm_rules();
        if ($this ->form_validation -
>run() == FALSE) {
            $this ->confirm($this -
>input ->post('EventID'));
        } else {
            if ($this ->input -
>post('Confirmation') == "yes") {
                $data = array(
                    'EventID' => $this ->
input ->post("EventID "),
                    'MemberID' =>
$this ->input ->post("MemberID"),
                    'Confirmation' =>
1,
                );
                $this ->Member_model-
>insert_event_member($data);
            }
        }
    }
}

```

```

        $this ->session -
>set_flashdata('me_ssage', 'Event
Confirmation Sent');

redirect(site_url('event'));
    } else {
        $data = array(
            'EventID' => $this ->
>input ->post("EventID"),
            'MemberID' =>
$this ->input ->post("MemberID"),
            'Confirmation' =>
0,
            );
        $this ->Member_model
>insert_event_member($data);
        $this ->session -
>set_flashdata('message', 'Post
Announcement to Find Replacement... ');

redirect(site_url('internal'));
    }

}

public function confirm_rules()
{
    $this ->form_validation -
>set_rules('Confirmation', 'Confirmation',
'required');

    $this ->form_validation -
>set_rules('EventID', 'EventID', 'trim');
    $this ->form_validation -
>set_error_delimiters('<span class="text
danger">', '</span>');
}

public function create()
{
    if ($this ->session -
>userdata('Username')) {
        redirect(site_url('admin'));
    } else {
        $data = array(
            'button' => 'Create',
            'action' =>
site_url('event/create_action'),
            'EventID' => set_value('EventID'),
            'EventStatusID' =>
set_value('EventStatusID'),
            'TeamID' => set_value('TeamID'),
            'OrgName' => set_value('OrgName'),
            'ContactName' =>
set_value('ContactName'),
            'ContactNo' =>
set_value('ContactNo'),
            'ContactPosition' =>
set_value('ContactPosition'),
            'EmailA_ddr' =>
set_value('EmailAddr'),
            'EventName' =>
set_value('EventName'),
            'EventLocation' =>
set_value('EventLocation'),
            'EventDate' =>
set_value('EventDate'),
            'StartTime' =>
set_value('StartTime'),
            'EndTime' => set_val ue('EndTime'),
            'ServiceType' =>
set_value('ServiceType'),
            'Remarks' => set_value('Remarks'),
        );
        $this ->load ->view('event_form',
$data);
    }
}

public function create_action()
{
    if ($this ->session -
>userdata('Username')) {
        redirect(site_url('admin'));
    } else {

        //Create Event Status entry
        $statusData = array(
            'IsAccepted' => 0,
            'IsAssigned' => 0,
            'IsContacted' => 0,
            'IsCovered' => 0,
            'IsProcessed' => 0,
            'IsSubmitted' => 0,
            'IsEvaluated' => 0,
            'IsPublished' => 0,
            'IsActive' => 1,
        );
        $this ->Eventstatus_model-
>insert($statusData);
        $statusID = $this ->db-
>insert_id();

        $data = array(
            'EventStatusID' => $statusID,
            //TeamID => $this ->input -
>post('TeamID',TRUE),
            'OrgName' => $this ->input -
>post('OrgName'),
            'ContactName' => $this ->input -
>post('ContactName'),
        );
    }
}

```

```

        'ContactNo' => $this ->input -
>post('ContactNo'),
        'ContactPosition' => $this - -
>input ->post('ContactPosition'),
        'EmailAddr' => $this ->input -
>post('EmailAddr'),
        'EventName' => $this ->input -
>post('EventName'),
        'EventLocation' => $this - -
>input ->post('EventLocation'),
        'EventDate' => $this ->input -
>post('EventDate'),
        'StartTime' => $this ->input -
>post('StartTime'),
        'EndTime' => $this ->input -
>post('EndTime'),
        'ServiceType' => $this ->input -
>post('ServiceType'),
        'Remarks' => $this ->input -
>post('Remarks'),
    );
    $this ->Event_model-
>insert($data);
    $this ->load -
>view('submit.php');
}
}

public function update($id)
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        $row = $this ->Event_model-
>get_by_id($id);

        if ($row) {
            $data = array(
                'button' => 'Update',
                'action' =>
site_url('event/update_action'),
                'EventID' => set_value('EventID',
$row >EventID),
                'EventStatusID' =>
set_value('EventStatusID', $row - -
>EventStatusID),
                'TeamID' => set_value('TeamID',
$row >TeamID),
                'OrgName' => set_value('OrgName',
$row >OrgName),
                'ContactName' =>
set_value('ContactName', $row - -
>ContactName),
                'ContactNo' =>
set_value('ContactNo', $row ->ContactNo),
                'ContactPosition' =>
set_value('ContactPosition', $row ->ContactPosition),
                'EmailAddr' =>
set_value('EmailAddr', $row ->EmailAddr),
                'EventName' =>
set_value('EventName', $row ->EventName),
                'EventLocation' =>
set_value('EventLocation', $row - -
>EventLocation),
                'EventDate' =>
set_value('EventDate', $row ->EventDate),
                'StartTime' =>
set_value('StartTime', $row ->StartTime),
                'EndTime' => set_value('EndTime',
$row >EndTime),
                'ServiceType' =>
set_value('ServiceType', $row - -
>ServiceType),
                'Remarks' => set_value('Remarks',
$row >Remarks),
            );
            $this ->load ->view('event_form',
$data);
        } else {
            $this ->session -
>set_flashdata('message', 'Record Not
Found');
            redirect(site_url('event'));
        }
    }
}

public function update_action()
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        $this ->_rules();

        if ($this ->form_validation ->run()
== FALSE) {
            $this ->update($this ->input -
>post('EventID'));
        } else {
            $data = array(
                //EventStatusID' => $this ->input -
>post('EventStatusID'),
                //TeamID' => $this ->input -
>post('TeamID'),
                'OrgName' => $this ->input -
>post('OrgName'),
                'ContactName' =>
set_value('ContactName', $row - -
>ContactName),
                'ContactNo' =>
set_value('ContactNo', $row ->ContactNo),
                'ContactPosition' =>
set_value('ContactPosition', $row ->ContactPosition),
            );
            $this ->update($data);
        }
    }
}

```

```

'EmailAddr' => $this ->input -
>post('EmailAddr'),
'EventName' => $this ->input -
>post('EventName'),
'EventLocation' => $this ->input -
>post('EventLocation'),
'EventDate' => $this ->input -
>post('EventDate'),
'StartTime' => $this ->input -
>post('StartTime'),
'EndTime' => $this ->input -
>post('EndTime'),
'ServiceType' => $this ->input -
>post('ServiceType'),
'Remarks' => $this ->input -
>post('Remarks'),
);
$this ->Event_model-
>update($this ->input ->post('EventID'),
$data);
$this ->session -
>set_flashdata('message', 'Event Details
Updated!');
redirect(site_url('event'));
}
}

public function delete($id)
{
if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
redirect(site_url('admin'));
} else {
$row = $this ->Event_model-
>get_by_id($id);

if ($row) {
$this ->Event_model-
>delete($id);
$this ->session -
>set_flashdata('message', 'Delete Record
Success');
redirect(site_url('event'));
} else {
$this ->session -
>set_flashdata('message', 'Record Not
Found');
redirect(site_url('event'));
}
}

public function assign($id)
{
if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsExecomm') === 0)) {
redirect(site_url('admin'));
} else {
$row = $this ->Event_model-
>get_by_id($id);

if ($row) {
$teams = $this ->Team_model-
>get_all();
$eventteams = $this ->Event_model-
>get_event_teams();
$data = array(
'team_list' => $teams,
'event_teams' =>
$eventteams,
'action' =>
site_url('event/assign_action'),
'EventID' =>
set_value('EventID', $row ->EventID),
'EventStatusID' =>
set_value('EventStatusID', $row ->EventStatusID),
'TeamID' =>
set_value('TeamID', $row ->TeamID),
'OrgName' =>
set_value('OrgName', $row ->OrgName),
'EventName' =>
set_value('EventName', $row ->EventName),
'EventDate' =>
set_value('EventDate', $row ->EventDate),
'StartTime' =>
set_value('StartTime', $row ->StartTime),
'EndTime' =>
set_value('EndTime', $row ->EndTime),
);
$this ->load -
>view('event_assign', $data);
} else {
$this ->session -
>set_flashdata('message', 'Record Not
Found');

redirect(site_url('event'));
}
}

public function assign_action()
{
if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsExecomm') === 0)) {
redirect(site_url('admin'));
} else {
$teams = $this ->Team_model-
>get_all();
foreach ($teams as $team) {
$checkboxName =
"Team".$team->TeamID;

if(isset($_POST[$checkboxName])) {

```

```

$eteams = $this -
>Event_model-
>get_event_teams_by_teamID($team>TeamID);
if ($eteams) {
    foreach
    ($eteams as $eteam) {
        if ($eteam -
>EventID != $this ->input ->post('EventID'))
{
            $event =
$this ->Event_model->get_by_id($eteam-
>EventID);
            $edate =
$this ->input ->post("EventDate");
            $estart =
$this ->input ->post("StartTime");
            $eend =
$this ->input ->post("EndTime");
            if
(strcmp($edate, $event ->EventDate) != 0) {
                $data =
array(
'EventID' => $this ->input ->post('EventID'),
'TeamID' => $team ->TeamID,
);
            $this -
>Event_model ->insert_event_team($data);
            break;
        } else {
            if
((($estart >= $event ->StartTime) && ($estart
<= $event ->EndTime)) {
                $this ->session ->set_flashdata('message',
'Team '.$team ->TeamID.' cannot cover this
event because of schedule conflict!');
                redirect(site_url('event/assign/'.$this -
>input ->post('EventID')));
            }
        elseif (($event ->StartTime >= $estart) &&
($event ->StartTime <= $eend)) {
                $this ->session ->set_flashdata('message',
'Team '.$team ->TeamID.' cannot cover this
event because of sche dule conflict!');
                redirect(site_url('event/assign/'.$this -
>input ->post('EventID')));
            }
        if
($edate == $event ->EventDate) {
            $data = array(
'EventID' => $this ->input ->post('EventID'),
'TeamID' => $team ->TeamID,
);

```

```

        $this ->form_validation ->set_rules('EndTime', 'End Time', 'trim|required');
        $this ->form_validation ->set_rules('ServiceType', 'Service Type', 'trim|required');
        $this ->form_validation ->set_rules('Remar ks', 'Remarks', 'trim');

        $this ->form_validation ->set_error_delimiters('<span class="text-danger">', '</span>');
    }

    public function excel()
    {
        $this ->load ->helper('exportexcel');
        $namaFile = "event.xls";
        $judul = "e vent";
        $tablehead = 0;
        $tbody = 1;
        $nourut = 1;
        //header
        header("Pragma: public");
        header("Expires: 0");
        header("Cache-Control: must-revalidate, post-check=0,pre-check=0");
        header("Content-Type: application/force-download");
        header("Content-Type: application/octet-stream");
        header("Content-Type: application/download");
        header("Content-Disposition: attachment;filename=" . $namaFile . "");
        header("Content-Transfer-Encoding: binary ");

        xlsBOF();

        $kolomhead = 0;
        xlsWriteLabel($tablehead, $kolomhead++, "No");
        xlsWriteLabel($tablehead, $kolomhead++, "EventStatusID");
        xlsWriteLabel($tablehead, $kolomhead++, "TeamID");
        xlsWriteLabel($tablehead, $kolomhead++, "OrgName");
        xlsWriteLabel($tablehead, $kolomhead++, "ContactName");
        xlsWriteLabel($tablehead, $kolomhead++, "ContactNo");
        xlsWriteLabel($tablehead, $kolomhead++, "ContactPosition");
        xlsWriteLabel($tablehead, $kolomhead++, "EmailAddr");
        xlsWriteLabel($tablehead, $kolomhead++, "EventName");
        xlsWriteLabel($tablehead, $kolomhead++, "EventLocation");

        xlsWriteLabel($tablehead, $kolomhead++, "EventDate");
        xlsWriteLabel($tablehead, $kolomhead++, "StartTime");
        xlsWriteLabel($tablehead, $kolomhead++, "EndTime");
        xlsWriteLabel($tablehead, $kolomhead++, "ServiceType");
        xlsWriteLabel($tablehead, $kolomhead++, "Remarks");

        foreach ($this ->Event_model->get_all() as $data) {
            $kolombody = 0;

            xlsWriteNumber($tbody, $kolombody++, $nourut);
            xlsWriteNumber($tbody, $kolombody++, $data->EventStatusID);
            xlsWriteNumber($tbody, $kolombody++, $data->TeamID);
            xlsWriteLabel($tbody, $kolombody++, $data->OrgName);
            xlsWriteLabel($tbody, $kolombody++, $data->ContactName);
            xlsWriteLabel($tbody, $kolombody++, $data->ContactNo);
            xlsWriteLabel($tbody, $kolombody++, $data->ContactPosition);
            xlsWriteLabel($tbody, $kolombody++, $data->EmailAddr);
            xlsWriteLabel($tbody, $kolombody++, $data->EventName);
            xlsWriteLabel($tbody, $kolombody++, $data->EventLocation);
            xlsWriteLabel($tbody, $kolombody++, $data->EventDate);
            xlsWriteLabel($tbody, $kolombody++, $data->StartTime);
            xlsWriteLabel($tbody, $kolombody++, $data->EndTime);
            xlsWriteLabel($tbody, $kolombody++, $data->ServiceType);
            xlsWriteLabel($tbody, $kolombody++, $data->Remarks);

            $tbody++;
            $nourut++;
        }

        xlsEOF();
        exit();
    }
}

Eventstatus Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

```

```

class Eventstatus extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load-
>model('Eventstatus_model');
        $this ->load->model('Event_model');
        $this ->load-
>model('Evaluation_model');
        $this ->load->model('Team_model');
        $this ->load->model('Member_model');
    }

    public function accept($id)
    {
        if ((!$this ->session-
>userdata('Username')) || ($this ->session-
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $row = $this -
>Eventstatus_model->get_by_id($id);
            $event = $this ->Event_model-
>get_by_status_id($id);

            if ($row) {
                $data = array(
                    'button' => 'Update',
                    'action' =>
site_url('eventstatus/accept_action'),
                    //-- start -- event
details
                    'EventName' =>
set_value('EventName', $event ->EventName),
                    'EventLocation' =>
set_value('EventLocation', $event -
>EventLocation),
                    'EventDate' =>
set_value('EventDate', $event ->EventDate),
                    'StartTime' =>
set_value('StartTime', $event ->StartTime),
                    'EndTime' =>
set_value('EndTime', $event ->EndTime),
                    'ServiceTy pe' =>
set_value('ServiceType', $event -
>ServiceType),
                    'Remarks' =>
set_value('Remarks', $event ->Remarks),
                    'OrgName' =>
set_value('OrgName', $event ->OrgName),
                    //-- end-- event details
                    'EventStatusID' =>
set_value('EventStatusID', $row -
>EventStatusID);
                );
                $this ->load-
>view('eventstatus_accept', $data);
            } else {
                $this ->session -
>set_flashdata('message', 'Record Not
Found');

redirect(site_url('event'));
            }
        }
    }

    public function accept_action()
    {
        if ((!$this ->session-
>userdata('Username')) || ($this ->session-
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $this ->accept_rules();

            if ($this ->form_validation -
>run() == FALSE) {
                $this ->accept($this ->input -
>post('EventStatusID'));
            } else {
                $event = $this -
>Event_model->get_by_status_id($this -
>input ->post('EventStatusID'));
                //email code BEGIN ---

                $config = Array(
                    'protocol' => 'smtp',
                    'smtp_host' =>
'ssl://smtp.ma il.yahoo.com',
                    'smtp_port' => 465,
                    'smtp_user' =>
'shootupm@yahoo.com',
                    'smtp_pass' =>
'parasasablay',
                    'mailtype' => 'html',
                    'charset' => 'iso
88591'
                );
                $this ->load -
>library('email', $config);
                $this ->email -
>set_newline("\r\n");
                $this ->load -
>library('parser');

                $pEmail = $event -
>EmailAddr;

                if ($this ->input -
>post('AcceptReject') === "no") {
                    $details = array(
                        'Name' => $event -
>ContactName,
                        'Email' => $pEmail,
                        'EventName' =>
$event ->EventName,
                    );
                }
            }
        }
    }
}

```

```

        $this ->email -
>from('shootupm@yahoo.com', 'Shoot UPM');
        $this ->email -
>to($pEmail);
        $this ->email -
>subject('SHOOT UPM Documentation Request
Response');

        $htmlMessage = $this -
>parser ->parse('reject', $details, true);
        $this ->email -
>message($htmlMessage);
        //email code END ---
if($this ->email -
>send()) {
        $data =
array('IsAccepted' => '2');
        $this -
>Eventstatus_model->update($this ->input -
>post('EventStatusID'), $data);
        $this ->session -
>set_flashdata('message', 'Event Request
Rejected :(');

redirect(site_url('event'));
} else {
        $this ->session -
>set_flashdata('message', 'Response
Failed.:');

redirect(site_url('event'));
}
} elseif ($this ->input -
>post('AcceptReject') == 'yes') {
        $details = array(
            'Name' => $event -
>ContactName,
            'Email' => $pEmail,
            'EventName' =>
$event->EventName,
            'OrgName' =>
$event->OrgName,
            'ContactNo' =>
$event->ContactNo,
            'EventLocation' =>
$event->EventLocation,
            'EventDate' =>
$event->EventDate,
            'StartTime' =>
$event->StartTime,
            'EndTime' =>
$event->EndTime,
            'ServiceType' =>
$event->ServiceType,
        );
}

        $this ->email -
>from('shootupm@yahoo.com', 'Shoot UPM');
        $this ->email -
>to($pEmail);

        $this ->email -
>subject('SHOOT UPM Documentation Request
Approval');

        $htmlMessage = $this-
>parser ->parse('coverage', $details, true);
        $this ->email -
>message($htmlMessage);
        //email code END ---
if($this ->email -
>send()) {
        $data =
array('IsAccepted' => '1');
        $this -
>Eventstatus_model->update($this ->input -
>post('EventStatusID'), $data);
        $this ->session -
>set_flashdata('message', 'Event Request
Accepted!');

redirect(site_url('event'));
} else {
        $this ->session -
>set_flashdata('message', 'Response
Failed.:');

redirect(site_url('event'));
}
}

public function update($id)
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        // $events = $this ->Event_model-
>get_all();
        $row = $this ->Eventstatus_model-
>get_by_id($id);
        $event = $this ->Event_model-
>get_by_status_id($id);

        if ($row) {
            $data = array(
                'button' => 'Update',
                'action' =>
site_url('eventstatus/update_action'),
                // -- start -- event details
                'EventName' =>
set_value('EventName', $event ->EventName),
                'EventDate' =>
set_value('EventDate', $event ->EventDate),
                'OrgName' =>
set_value('OrgName', $event ->OrgName),
                // -- end-- event details
            );
        }
    }
}

```

```

        'EventStatusID' =>
set_value('EventStatusID', $row      ->EventStatusID),
        'IsAccepted' =>
set_value('IsAccepted', $row      ->IsAccepted),
        'IsAssigned' =>
set_value('IsAssigned', $row      ->IsAssigned),
        'IsContacted' =>
set_value('IsContacted', $row      ->IsContacted),
        'IsCovered' =>
set_value('IsCovered', $row >IsCovered),
        'IsProcessed' =>
set_value('IsProcessed', $row      ->IsProcessed),
        'IsSubmitted' =>
set_value('IsSubmitted', $row      ->IsSubmitted),
        'IsEvaluated' =>
set_value('IsEvaluated', $row      ->IsEvaluated),
        'IsPublished' =>
set_value('IsPublished', $row      ->IsPublished),
        'IsActive' =>
set_value('IsActive', $row      ->IsActive),
);
        $this ->load-
>view('eventstatus_form', $data);
} else {
    $this ->session-
>set_flashdata('message', 'Record Not
Found');
    redirect(site_url('event'));
}
}

public function update_action()
{
    if ((!$this ->session-
>userdata('Username')) || ($this ->session-
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        $this ->_rules();

        if ($this ->form_validation ->run() ==
FALSE) {
            $this ->update($this ->input -
>post('EventStatusID', TRUE));
        } else {

            if ($this ->input-
>post('StatusUpdate') == 'contacted') {
                $data = array(
                    'IsAccepted' => '1',
                    'IsContacted' => '1',
                    'IsCovered' => $this ->input -
>post('IsCovered'),
                    'IsProcessed' => $this ->input -
>post('IsProcessed'),
                    'IsSubmitted' => $this ->input -
>post('IsSubmitted'),
                    'IsPublished' => $this ->input -
>post('IsPublished'),
                    'IsActive' => $this ->input -
>post('IsActive'),
                );
            } elseif ($this ->input -
>post('StatusUpdate') == 'covered') {
                $data = array(
                    'IsAccepted' => '1',
                    'IsContacted' => '1',
                    'IsCovered' => '1',
                    'IsProcessed' => $this ->input -
>post('IsProcessed'),
                    'IsSubmitted' => $this ->input -
>post('IsSubmitted'),
                    'IsPublished' => $this ->input -
>post('IsPublished'),
                    'IsActive' => $this ->input -
>post('IsActive'),
                );
            } elseif ($this ->input -
>post('StatusUpdate') == 'processed') {
                $data = array(
                    'IsAccepted' => '1',
                    'IsContacted' => '1',
                    'IsCovered' => '1',
                    'IsProcessed' => '1',
                    'IsSubmitted' => $this ->input -
>post('IsSubmitted'),
                    'IsPublished' => $this ->input -
>post('IsPublished'),
                    'IsActive' => $this ->input -
>post('IsActive'),
                );
            } elseif ($this ->input -
>post('StatusUpdate') == 'submitted') {
                $data = array(
                    'IsAccepted' => '1',
                    'IsContacted' => '1',
                    'IsCovered' => '1',
                    'IsProcessed' => '1',
                    'IsSubmitted' => '1',
                    'IsPublished' => $this ->input -
>post('IsPublished'),
                    'IsActive' => $this ->input -
>post('IsActive'),
                );
            } elseif ($this ->input -
>post('StatusUpdate') == 'published') {
                $data = array(
                    'IsAccepted' => '1',
                    'IsContacted' => '1',
                    'IsCovered' => '1',
                    'IsProcessed' => '1',
                    'IsSubmitted' => '1',
                    'IsPublished' => '1',
                );
            }
        }
    }
}

```

```

        'IsActive' => $this ->input ->post('IsActive'),
        );
    } elseif ($this ->input ->post('StatusUpdate') == 'completed') {
        $data = array(
            'IsAccepted' => '1',
            'IsContacted' => '1',
            'IsCovered' => '1',
            'IsProcessed' => '1',
            'IsSubmitted' => '1',
            'IsPublished' => '1',
            'IsActive' => '0',
        );
    }

    $this ->Eventstatus_model->update($this ->input ->post('EventStatusID'), TRUE, $data);
    if ($this ->input ->post('StatusUpdate') == 'covered') {
        $event = $this ->Event_model->get_by_status_id($this ->input ->post('EventStatusID'));
        $eventID = $event ->EventID;
        $eventName = $event ->EventName;
        $eventDate = $event ->EventDate;
        $team = $this ->Team_model->get_by_id($this ->session->userdata('TeamID'));
        $participants = $team ->Participants;
        $partsArray = explode(',', $participants);
        foreach ($partsArray as $part) {
            $member = $this ->Member_model->get_by_id((int)$part);
            $memberName = $member->LastName.", ".$member->FirstName;
            $data = array(
                'MemberID' => (int)$part,
                'MemberName' => $memberName,
                'TeamID' => $this ->session ->userdata('TeamID'),
                'EventID' => $eventID,
                'EventName' => $eventName,
                'EventDate' => $eventDate,
                'IsEarly' => NULL,
                'IsComended' => NULL,
                'IsLate' => NULL,
                'LeftEarly' => NULL,
            );
        }
    }
}

public function _rules()
{
    $this ->form_validation ->set_rules('IsAccepted', 'isaccepted', 'trim');
    $this ->form_validation ->set_rules('IsAssigned', 'isassigned', 'trim');
    $this ->form_validation ->set_rules('IsContacted', 'iscontacted', 'trim');
    $this ->form_validation ->set_rules('IsCovered', 'iscovered', 'trim');
    $this ->form_validation ->set_rules('IsProcessed', 'isprocessed', 'trim');
    $this ->form_validation ->set_rules('IsSubmitted', 'issubmitted', 'trim');
    $this ->form_validation ->set_rules('IsEvaluated', 'isevaluated', 'trim');
    $this ->form_validation ->set_rules('IsPublished', 'ispublished', 'trim');
    $this ->form_validation ->set_rules('IsActive', 'isactive', 'trim');
    $this ->form_validation ->set_rules('StatusUpdate', 'status update', 'required');

    $this ->form_validation ->set_rules('EventStatusID', 'EventStatusID', 'trim');
}

```

```

        $this ->form_validation - - - - -
>set_error_delimiters('<span class="text - - - - -
danger">', '</span>');
    }

    public function accept_rules()
    {
        $this ->form_validation - - - - -
>set_rules('AcceptReject', 'Accept or
Reject', 'required');

        $this ->form_validation - - - - -
>set_rules('EventStatusID',
'EventStatusID', 'trim');
        $this ->form_validation - - - - -
>set_error_delimiters('<span class="text - - - - -
danger">', '</span>');
    }

}

Internal Contro ller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Internal extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load-
>model('Internal_model');
    }

    public function index()
    {
        if ((!$this ->session-
>userdata('Username')) || ($this ->session-
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {

            $q = urldecode($this ->input -
>get('q', TRUE));
            $start = intval($this ->input -
>get('start'));

            if ($q <> "") {
                $config['base_url'] =
base_url() . 'internal/index.html?q=' .
urlencode($q);
                $config['first_url'] =
base_url() . 'internal/index.html?q=' .
urlencode($q);
            } else {
                $config['base_url'] =
base_url() . 'internal/index.html';
                $config['first_url'] =
base_url() . 'internal/index.html';
            }
        }
    }

    public function accept()
    {
        $config['per_page'] = 10;
        $config['page_query_string'] =
TRUE;
        $config['total_rows'] = $this - - -
>Internal_model ->total_rows($q);
        $internal = $this ->Internal_model - - -
>get_limit_data($config['per_page'],
$start, $q);

        $this ->load ->library('pagination');
        $this ->pagination - - -
>initialize($config);

        $data = array(
            'internal_data' => $internal,
            'q' => $q,
            'pagination' => $this - - -
>pagination ->create_links(),
            'total_rows' =>
$config['total_rows'],
            'start' => $start,
        );
        $this ->load ->view('internal_list',
$data);
    }
}

public function read($id)
{
    if ((!$this ->session-
>userdata('Username')) || ($this ->session-
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Internal_model - - -
>get_by_id($id);
        if ($row) {
            $data = array(
                'InternalID' => $row ->
InternalID,
                'Name' => $row ->Name,
                'Date' => $row ->Date,
                'StartTime' => $row ->StartTime,
                'EndTime' => $row ->EndTime,
                'Location' => $row ->Location,
                'Remarks' => $row ->Remarks,
                'ForReplacement' => $row ->
ForReplacement,
            );
            $this ->load -
>view('internal_re ad', $data);
        } else {
            $this ->session -
>set_flashdata('message', 'Record Not
Found');
            redirect(site_url('internal'));
        }
    }
}

```

```

}

public function create()
{
    if ((!$this ->session ->userdata('Username')) || ($this ->session ->userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $data = array(
            'button' => 'Create',
            'action' =>
site_url('internal/create_action'),
            'InternalID' =>
set_value('InternalID'),
            'Name' => set_value('Name'),
            'Date' => set_value('Date'),
            'StartTime' =>
set_value('StartTime'),
            'EndTime' =>
set_value('EndTime'),
            'Location' =>
set_value('Location'),
            'Remarks' =>
set_value('Remarks'),
            'ForReplacement' =>
set_value('ForReplacement'),
        );
        $this ->load ->view('internal_form', $data);
    }
}

public function create_action()
{
    if ((!$this ->session ->userdata('Username')) || ($this ->session ->userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $this ->_rules();

        if ($this ->form_validation ->run() == FALSE) {
            $this ->create();
        } else {
            if ($this ->input ->post('ForReplacement') === NULL)
                $replacement = 0;
            else
                $replacement = 1;

            $data = array(
                'Name' => $this ->input ->post('Name'),
                'Date' => $this ->input ->post('Date'),
                'StartTime' => $this ->input ->post('StartTime'),
                'EndTime' => $this ->input ->post('EndTime'),
            );
        }
    }

    'Location' => $this ->input ->post('Location'),
    'Remarks' => $this ->input ->post('Remarks'),
    'ForReplacement' =>
$replacement,
);

$this ->Internal_model ->insert($data);
$this ->session ->set_flashdata('message', 'Announcement Posted!');

redirect(site_url('internal'));
}

public function update($id)
{
    if ((!$this ->session ->userdata('Username')) || ($this ->session ->userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Internal_model ->get_by_id($id);

        if ($row) {
            $data = array(
                'button' => 'Update',
                'action' =>
site_url('internal/update_action'),
                'InternalID' =>
set_value('InternalID', $row ->InternalID),
                'Name' => set_value('Name', $row ->Name),
                'Date' => set_value('Date', $row ->Date),
                'StartTime' =>
set_value('StartTime', $row ->StartTime),
                'EndTime' =>
set_value('EndTime', $row ->EndTime),
                'Location' =>
set_value('Location', $row ->Location),
                'Remarks' =>
set_value('Remarks', $row ->Remarks),
                'ForReplacement' =>
set_value('ForReplacement', $row ->ForReplacement),
            );
            $this ->load ->view('internal_form', $data);
        } else {
            $this ->session ->set_flashdata('message', 'Record Not Found');

redirect(site_url('internal'));
        }
    }
}

```

```

        }

    public function update_action()
    {
        if ((!$this ->session->userdata('Username')) || ($this ->session->userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $this ->_rules();

            if ($this ->form_validation ->run() == FALSE) {
                $this ->update($this ->input ->post('InternalID'));
            } else {
                if ($this ->input ->post('ForReplacement') === NULL)
                    $replacement = 0;
                else
                    $replacement = 1;

                $data = array(
                    'Name' => $this ->input ->post('Name'),
                    'Date' => $this ->input ->post('Date'),
                    'StartTime' => $this ->input ->post('StartTime'),
                    'EndTime' => $this ->input ->post('EndTime'),
                    'Location' => $this ->input ->post('Location'),
                    'Remarks' => $this ->input ->post('Remarks'),
                    'ForReplacement' => $replacement,
                );

                $this ->Internal_model ->update($this ->input ->post('InternalID'),
                $data);
                $this ->session ->set_flashdata('message', 'Announcement Updated!');
            }
            redirect(site_url('internal'));
        }
    }

    public function delete($id)
    {
        if ((!$this ->session->userdata('Username')) || ($this ->session->userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Internal_model ->get_by_id($id);

            if ($row) {
                $this ->Internal_model ->delete($id);
                $this ->session ->set_flashdata('message', 'Delete Record Success');
                redirect(site_url('internal'));
            } else {
                $this ->session ->set_flashdata('message', 'Record Not Found');
                redirect(site_url('internal'));
            }
        }
    }

    public function _rules()
    {
        $this ->form_validation ->set_rules('Name', 'Name', 'trim|required');
        $this ->form_validation ->set_rules('Date', 'Date', 'trim|required');
        $this ->form_validation ->set_rules('StartTime', 'Start Time', 'trim|required');
        $this ->form_validation ->set_rules('EndTime', 'End Time', 'trim|required');
        $this ->form_validation ->set_rules('Location', 'Location', 'trim|required');
        $this ->form_validation ->set_rules('Remarks', 'Remarks', 'trim');
        // $this ->form_validation ->set_rules('ForReplacement', 'forreplacement', 'trim|required');

        $this ->form_validation ->set_rules('InternalID', 'InternalID', 'trim');
        $this ->form_validation ->set_error_delimiters('<span class="text-danger">', '</span>');
    }
}

Login Controller
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Login extends CI_Controller {

    public function index()
    {
        if ($this ->session->userdata('Username')){
            redirect(site_url('admin'));
        } else {

```

```

        $this ->form_validation ->set_rules('username', 'username', 'strip_tags|trim|required');
        $this ->form_validation ->set_rules('password', 'password', 'required');
        if ($this ->form_validation ->run() === false) {
            $this ->load ->view("login_view");
        } else {
            $username = $this ->input ->post('username');
            $password = $this ->input ->post('password');
            $this ->load ->model('login_model');
            $result = $this ->login_model ->get_user($username, $password);

            if ($result === true) {
                redirect(site_url('event'));
            } else {
                $data['error_message'] = "Invalid username/password combination!";
                $this ->load ->view("login_view", $data);
            }
        }
    }
}

Logout Controller
<?php if ( ! defined('BASEPATH')) exit('No direct script access allowed');

class Logout extends CI_Controller {

    public function index() {
        $this ->session ->sess_destroy();
        redirect(site_url('login'));
    }
}

Member Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access allowed');

class Member extends CI _Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('Member_model');
        $this ->load ->model('User_model');
        $this ->load ->model('Score_model');
    }

    public function index()
    {
        if (!$this ->session ->userdata('Username')) {
            redirect(site_url('admin'));
        } else {
            $q = urldecode($this ->input ->get('q', TRUE));
            $start = intval($this ->input ->get('start'));

            if ($q <> "") {
                $config['base_url'] = base_url() . 'member/index.html?q=' . urlencode($q);
                $config['first_url'] = base_url() . 'member/index.html?q=' . urlencode($q);
            } else {
                $config['base_url'] = base_url() . 'member/index.html';
                $config['first_url'] = base_url() . 'member/index.html';
            }

            $config['per_page'] = 10;
            $config['page_query_string'] =
TRUE;
            $config['total_rows'] = $this ->Member_model->total_rows($q);
            $member = $this ->Member_model->get_limit_data($config['per_page'],
$start, $q);

            $this ->load ->library('pagination');
            $this ->pagination ->initialize($config);

            $data = array(
                'member_data' => $member,
                'q' => $q,
                'pagination' => $this ->pagination ->create_links(),
                'total_rows' => $config['total_rows'],
                'start' => $start,
            );
            $this ->load ->view('member_list',
$data);
        }
    }

    public function read($id)
    {
        if (!$this ->session ->userdata('Username')) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Member_model ->get_by_id($id);
            if ($row) {

```

```

        $data = array(
        'MemberID' => $row->MemberID,
        'UserID' => $row ->UserID,
        'TeamID' => $row ->TeamID,
        'FirstName' => $row ->FirstName,
        'LastName' => $row ->LastName,
        'MiddleName' => $row ->MiddleName,
        'YearLevel' => $row ->YearLevel,
        'Course' => $row ->Course,
        'CurrAddr' => $row ->CurrAddr,
        'ContactNo' => $row ->ContactNo,
        'EmailAddr' => $row ->EmailAddr,
        'Birthdate' => $row ->Birthdate,
        'Schedule' => $row ->Schedule,
        'IsExecomm' => $row->IsExecomm,
        'IsTeamLeade r' => $row -
>IsTeamLeader,
        'ProfilePicture' => $row ->
>ProfilePicture,
        'CameraBrand' => $row ->
>CameraBrand,
        'CameraModel' => $row ->
>CameraModel,
        'Lenses' => $row ->Lenses,
        'OtherAccessories' => $row ->
>OtherAccessories,
        );
        $this ->load ->view('member_read', $data);
    } else {
        $this ->session ->set_flashdata('message', 'Member Record Not Found');
        redirect(site_url('member'));
    }
}

public function create()
{
    if (!$this ->session ->userdata('Username') || ($this ->session ->userdata('IsAdmin') == 0)) {
        redirect(site_url('admin'));
    } else {

        $data = array(
            'button' => 'Create',
            'action' =>
site_url('member/create_action'),
            'MemberID' =>
set_value('MemberID'),
            'Username' =>
set_value('Username'),
            'FirstName' =>
set_value('FirstName'),
            'LastName' =>
set_value(' LastName'),
            'EmailAddr' =>
set_value('EmailAddr'),
            );
        $isExec = 0;
        if ($this ->input ->post('IsExecomm') == NULL)
            $isExec = 0;
        else
            $isExec = 1;

        $name = $data['LastName'];
        $name .= $data['FirstName'];
        $pEmail = $data['EmailAddr'];
        $uname = $this ->input ->post('Username');

        $data['EmailAddr'] = $pEmail;
        $data['Username'] = $uname;
        $data['IsExecomm'] = $isExec;
    }
}

```

```

$details = array(
    'Name' => $name,
    'Email' => $pEmail,
    'Role' => $isExec,
    'Username' => $uname,
    'Password' => $pass,
);

$config = Array(
    'protocol' => 'smtp',
    'smtp_host' =>
'ssl://smtp.mail.yahoo.com',
    'smtp_port' => 465,
    'smtp_user' =>
'shootupm@yahoo.com',
    'smtp_pass' =>
'parasasablay',
    'mailtype' => 'html',
    'charset' => 'iso - 88591'
);

$this ->load ->library('email',
$config);
$this ->email -
>set_newline("\r\n");
$this ->load ->library('parser');

$this ->email -
>from('shootupm@yahoo.com', 'Shoot UPM
Admin');
$this ->email ->to($pEmail);
$this ->email ->subject('SHOOT
UPM Portal Login Credentials');

$htmlMessage = $this ->parser -
>parse('email', $details, true);
$this ->email -
>message($htmlMessage);
//email code END ---

if($this ->email ->send()) {
    $this ->User_model-
>insert($user);
    $userID = $this ->db-
>insert_id();
    $data['UserID'] = $userID;
    $this ->Member_model
->insert($data);
    $memberID = $this ->db-
>insert_id();
    $foo = array ('MemberID' =>
$memberID, 'MemberName' => $name, 'Score'
=> 0);
    $this ->Score_model-
>insert($foo);
    $this ->session -
>set_flashdata('message', 'Member Added
Successfully!');

redirect(site_url('member'));
}

//echo '<script
type="text/javascript">';
//echo 'alert("Password:
'.$pass.'");';
//echo
>window.location.href =
".site_url("member").";
//echo '</script>';
} else {
    echo '<script
type="text/javascript">';
    echo 'alert("Connection
error! Please check for possible
connectivity problems and try again
later.");';
    echo
>window.history.back();
    echo '</script>';
}
}

public function update($id)
{
    if (!$this ->session -
>userdata('Username')) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Member_model
->get_by_id($id);

        if ($row) {
            $data = array(
                'button' => 'Update',
                'action' =>
site_url('member/update_action'),
                'MemberID' =>
set_value('MemberID', $row ->MemberID),
                'UserID' => set_value('UserID',
$row ->UserID),
                'TeamID' => set_value('TeamID',
$row ->TeamID),
                'FirstName' =>
set_value('FirstName', $row ->FirstName),
                'LastName' =>
set_value('LastName', $row ->LastName),
                'MiddleName' =>
set_value('MiddleName', $row ->MiddleName),
                'YearLevel' =>
set_value('YearLevel', $row ->YearLevel),
                'Course' => set_value('Course',
$row ->Course),
                'CurrAddr' =>
set_value('CurrAddr', $row ->CurrAddr),
                'ContactNo' =>
set_value('ContactNo', $row ->ContactNo),
                'EmailAddr' =>
set_value('EmailAddr', $row ->EmailAddr),
                'Birthdate' =>
set_value('Birthdate', $row ->Birthdate),
            );
        }
    }
}

```

```

        'Schedule' =>
set_value('Schedule', $row ->Schedule),
        'IsExecomm' =>
set_value('IsExecomm', $row ->IsExecomm),
        'IsTeamLeader' =>
set_value('IsTeamLeader', $row ->IsTeamLeader),
        'IsAdmin' =>
set_value('IsAdmin', $row ->IsAdmin),
        'ProfilePicture' =>
set_value('ProfilePicture', $row ->ProfilePicture),
        'CameraBrand' =>
set_value('CameraBrand', $row ->CameraBrand),
        'CameraModel' =>
set_value('CameraModel', $row ->CameraModel),
        'Lenses' =>
set_value('Lenses', $row ->Lenses),
        'OtherAccessories' =>
set_value('OtherAccessories', $row ->OtherAccessories),
);
        $this ->load -
>view('member_form', $data);
} else {
        $this ->session -
>set_flashdata('message', 'Member Record
Not Found');

redirect(site_url('member'));
}
}

public function update_action()
{
    if (!$this ->session -
>userdata('Username')) {
        redirect(site_url('admin'));
    } else {
        $this ->_rules_update();

        if ($this ->form_validation -
>run() == FALSE) {
            $this ->update($this ->input -
>post('MemberID'));
        } else {

            if ($this ->input -
>post('IsExecomm') === NULL)
                $isExec = 0;
            else
                $isExec = 1;

            $data = array(
                'FirstName' => $this ->input -
>post('FirstName'),
                'LastName' => $this ->input -
>post('LastName'),
                'MiddleName' => $this ->input -
>post('MiddleName'),
                'YearLevel' => $this ->input -
>post('YearLevel'),
                'Course' => $this ->input -
>post('Course'),
                'CurrAddr' => $this ->input -
>post('CurrAddr'),
                'ContactNo' => $this ->input -
>post('ContactNo'),
                'EmailAddr' => $this ->input -
>post('EmailAddr'),
                'Birthdate' => $this ->input -
>post('Birthdate'),
                'Schedule' => $this ->input -
>post('Schedule'),
                'IsExecomm' => $isExec,
                'IsTeamLeader' => $this ->input -
>post('IsTeamLeader'),
                'ProfilePicture' => $this ->input -
>post('ProfilePicture'),
                'CameraBrand' => $this ->input -
>post('CameraBrand'),
                'CameraModel' => $this ->input -
>post('CameraModel'),
                'Lenses' => $this ->input -
>post('Lenses'),
                'OtherAccessories' => $this ->input -
>post('OtherAccessories'),
            );
        }

        $this ->Member_model
        >update($this ->input ->post('MemberID'),
        $data);

        $this ->session -
>set_flashdata('message', 'Member Details
Updated!');

redirect(site_url('member'));
}
}

public function delete($id)
{
    if (!$this ->session -
>userdata('Username') || ($this ->session -
>userdata('IsAdmin') == 0)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Member_model
        >get_by_id($id);

        if ($row) {
            $this ->Member_model
            >delete($id);

            $this ->session -
>set_flashdata('message', 'Member Removed
from Database!');

redirect(site_url('member'));
}
}
}

```

```

        } else {
            $this ->session -
>set_flashdata('message', 'Member Record Not Found');

redirect(site_url('member'));
    }
}

public function _rules_create()
{
    $this ->form_validation -
>set_rules('UserID', 'userid', 'trim');
    $this ->form_validation -
>set_rules('Username', 'username',
'trim|required');
    $this ->form_validation -
>set_rules('MemberID', 'MemberID', 'trim');
    $this ->form_validation -
>set_rules('FirstName', 'first name',
'trim|required');
    $this ->form_validation -
>set_rules('LastName', 'last name',
'trim|required');
    $this ->form_validation -
>set_rules('EmailAddr', 'email address',
'trim|required|valid_email');

    $this ->form_validation -
>set_error_delimiters('<span class="text-danger">', '</span>');
}

public function _rules_update()
{
    $this ->form_validation -
>set_rules('TeamID', 'teamid', 'trim');
    $this ->form_validation -
>set_rules('FirstName', 'first name',
'trim|required');
    $this ->form_validation -
>set_rules('LastName', 'last name',
'trim|required');
    $this ->form_validation -
>set_rules('MiddleName', 'middle name',
'trim');
    $this ->form_validation -
>set_rules('YearLevel', 'year level',
'trim');
    $this ->form_validation -
>set_rules('Course', 'course', 'trim');
    $this ->form_validation -
>set_rules('CurrAddr', 'current address',
'trim');
    $this ->form_validation -
>set_rules('ContactNo', 'contact no.',
'trim');

        $this ->form_validation -
>set_rules('EmailAddr', 'email address',
'trim|valid_email');
        $this ->form_validation -
>set_rules('Birthdate', 'birthdate',
'trim');
        $this ->form_validation -
>set_rules('Schedule', 'schedule', 'trim');
        $this ->form_validation -
>set_rules('IsExecomm', 'isexecomm',
'trim');
        $this ->form_validation -
>set_rules('IsTeamLeader', 'isteamleader',
'trim');
        $this ->form_validation -
>set_rules('IsAdmin', 'isadmin', 'trim');

        $this ->form_validation -
>set_rules('MemberID', 'MemberID', 'trim');
        $this ->form_validation -
>set_error_delimiters('<span class="text-danger">', '</span>');
}

public function excel()
{
    $this ->load ->helper('exportexcel');
    $namaFile = "member.xls";
    $judul = "member";
    $tablehead = 0;
    $tbody = 1;
    $nourut = 1;
    //penulisan header
    header("Pragma: public");
    header("Expires: 0");
    header("Cache-Control: must-revalidate, post-check=0, pre-check=0");
    header("Content-Type: application/force-download");
    header("Content-Type: application/octet-stream");
    header("Content-Type: application/download");
    header("Content-Disposition: attachment;filename=" . $namaFile . "");
    header("Content-Transfer-Encoding: binary ");

    xlsBOF();

    $kolomhead = 0;
    xlsWriteLabel($tablehead, $kolomhead,
    $kolomhead++, "No");
    xlsWriteLabel($tablehead, $kolomhead++, "UserID");
    xlsWriteLabel($tablehead, $kolomhead++, "TeamID");
    xlsWriteLabel($tablehead, $kolomhead++, "FirstName");
    xlsWriteLabel($tablehead, $kolomhead++, "LastName");
}

```

```

        xlsWriteLabel($tablehead, $kolomhead++, "MiddleName");
        xlsWriteLabel($tablehead, $kolomhead++, "YearLevel");
        xlsWriteLabel($tablehead, $kolomhead++, "Course");
        xlsWriteLabel($tablehead, $kolomhead++, "CurrAddr");
        xlsWriteLabel($tablehead, $kolomhead++, "ContactNo");
        xlsWriteLabel($tablehead, $kolomhead++, "EmailAddr");
        xlsWriteLabel($tablehead, $kolomhead++, "Birthdate");
        xlsWriteLabel($tablehead, $kolomhead++, "Schedule");
        xlsWriteLabel($tablehead, $kolomhead++, "IsExecomm");
        xlsWriteLabel($tablehead, $kolomhead++, "IsTeamLeader");

        foreach ($this ->Member_model->get_all() as $data) {
            $kolombody = 0;

            //ubah xlsWriteLabel menjadi
            xlsWriteNumber untuk kolom numeric
            xlsWriteNumber($tablebody, $kolombody++, $nourut);
            xlsWriteNumber($tablebody, $kolombody++, $data->UserID);
            xlsWriteNumber($tablebody, $kolombody++, $data->TeamID);
            xlsWriteLabel($tablebody, $kolombody++, $data->FirstName);
            xlsWriteLabel($tablebody, $kolombody++, $data->LastName);
            xlsWriteLabel($tablebody, $kolombody++, $data->MiddleName);
            xlsWriteLabel($tablebody, $kolombody++, $data->YearLevel);
            xlsWriteLabel($tablebody, $kolombody++, $data->Course);
            xlsWriteLabel($tablebody, $kolombody++, $data->CurrAddr);
            xlsWriteLabel($tablebody, $kolombody++, $data->ContactNo);
            xlsWriteLabel($tablebody, $kolombody++, $data->Birthdate);
            xlsWriteLabel($tablebody, $kolombody++, $data->Schedule);
            xlsWriteLabel($tablebody, $kolombody++, $data->IsExecomm);
            xlsWriteNumber($tablebody, $kolombody++, $data->IsTeamLeader);

            $tablebody++;
            $nourut++;
        }

        xlsEOF();
        exit();
    }

}

Partialscore Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Partialscore extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load -
>model('Partialscore_model');
        $this ->load -
>library('form_validation');
    }

    public function index()
    {
        $q = urldecode($this ->input -
>get('q', TRUE));
        $start = intval($this ->input -
>get('start'));

        if ($q <> '') {
            $config['base_url'] =
base_url() . 'partialscore/index.html?q=' .
urlencode($q);
            $config['first_url'] =
base_url() . 'partialscore/index.html?q=' .
urlencode($q);
            } else {
                $config['base_ur l'] =
base_url() . 'partialscore/index.html';
                $config['first_url'] =
base_url() . 'partialscore/index.html';
            }

            $config['per_page'] = 10;
            $config['page_query_string'] =
TRUE;
            $config['total_rows'] = $this ->Partialscore_model ->total_rows($q);
            $partialscore = $this ->Partialscore_model ->get_limit_data($config['per_page'],
$start, $q);

            $this ->load ->library('pagination');
            $this ->pagination ->initialize($config);

            $data = array(

```

```

        'partialscore_data' =>
$partialscore,
        'q' => $q,
        'pagination' => $this - -
>pagination - >create_links(),
        'total_rows' =>
$config['total_rows'],
        'start' => $start,
    );
    $this - >load-
>view('par tialscore_list', $data);
}

public function read($id)
{
    $row = $this - >Partialscore_model - -
>get_by_id($id);
    if ($row) {
        $data = array(
'PScoreID' => $row - >PScoreID,
'EvalidID' => $row - >EvalidID,
'MemberID' => $row - >MemberID,
'EventID' => $row - >EventID,
'PartialScore' => $row - >PartialScore,
);
    $this - >load-
>view('partialscore_read', $data);
} else {
    $this - >session - -
>set_flashdata('message', 'Record Not
Found');

redirect(site_url('partialscore'));
}
}

public function create()
{
    $data = array(
        'button' => 'Create',
        'action' =>
site_url('partialscore/create_action'),
        'PScoreID' => set_value('PScoreID'),
        'EvalidID' => set_value('EvalidID'),
        'MemberID' => set_value('MemberID'),
        'EventID' => set_value('EventID'),
        'PartialScore' =>
set_value('PartialScore'),
);
    $this - >load-
>view('partialscore_form', $data);
}

public function create_action()
{
    $this - >_rules();

    if ($this - >form_validation - >run() == FALSE) {
        $this - >create();
    } else {
        $data = array(
'EvalidID' => $this - >input - -
>post('EvalidID',TRUE),
'MemberID' => $this - >input - -
>post('MemberID',TRUE),
'EventID' => $this - >input - -
>post('EventID',TRUE),
'PartialScore' => $this - >input - -
>post('PartialScore',TRUE),
);

$this - >Partialscore_model - -
>insert($data);
$this - >session - -
>set_flashdata('message', 'Create Record
Success');

redirect(site_url('partialscore'));
}

public function update($id)
{
    $row = $this - >Partialscore_model - -
>get_by_id($id);

if ($row) {
    $data = array(
        'button' => 'Update',
        'action' =>
site_url('partialscore/update_action'),
        'PScoreID' => set_value('PScoreID'),
$row - >PScoreID),
        'EvalidID' => set_value('EvalidID', $row - -
>EvalidID),
        'MemberID' => set_value('MemberID', $row - >MemberID),
        'EventID' => set_value('EventID', $row - >EventID),
        'PartialScore' =>
set_value('PartialScore', $row - >PartialScore),
);
    $this - >load-
>view('partialscore_form', $data);
} else {
    $this - >session - -
>set_flashdata('message', 'Record Not
Found');

redirect(site_url('partialscore'));
}

public function update_action()
{
    $this - >_rules();

    if ($this - >form_validation - >run() == FALSE) {

```

```

        $this ->update($this ->input -
>post('PScoreID', TRUE));
    } else {
        $data = array(
            'EvalID' => $this ->input -
>post('EvalID',TRUE),
            'MemberID' => $this ->input -
>post('MemberID',TRUE),
            'EventID' => $this ->input -
>post('EventID',TRUE),
            'PartialScore' => $this ->input -
>post('PartialScore',TRUE),
        );
    }

        $this ->Partialscore_model -
>update($this ->input ->post('PScoreID',
TRUE), $data);
        $this ->session -
>set_flashdata('message', 'Update Record
Success');

redirect(site_url('partialscore'));
}

public function delete($id)
{
    $row = $this ->Partialscore_model -
>get_by_id($id);

    if ($row) {
        $this ->Partialscore_model -
>delete($id);
        $this ->session -
>set_flashdata('message', 'Delete Record
Success');

redirect(site_url('partialscore'));
    } else {
        $this ->session -
>set_flashdata('message', 'Record Not
Found');
    }
}

public function _rules()
{
    $this ->form_validation -
>set_rules('EvalID', 'evalid',
'trim|required');
    $this ->form_validation -
>set_rules('MemberID', 'memberid',
'trim|required');
    $this ->form_validation -
>set_rules('EventID', 'eventid',
'trim|required');
    $this ->form_validation -
>set_rules('PartialScore', 'partialscore',
'trim|required');
}

        $this ->form_validation -
>set_rules('PScoreID', 'PScoreID', 'trim');
        $this ->form_validation -
>set_error_delimiters('<span class="text
danger">', '</span>');
    }

}
Query Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Query extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('Query_model');
    }

    public function index()
    {
        if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $q = urldecode($this ->input -
>get('q', TRUE));
            $start = intval($this ->input -
>get('start'));

            if ($q <> "") {
                $config['base_url'] =
base_url() . 'query/index.html?q=' .
urlencode($q);
                $config['first_url'] =
base_url() . 'query/index.html?    q=' .
urlencode($q);
            } else {
                $config['base_url'] =
base_url() . 'query/index.html';
                $config['first_url'] =
base_url() . 'query/index.html';
            }

                $config['per_page'] = 5;
                $config['page_query_string'] =
TRUE;
                $config['total_rows'] = $this -
>Query_model->total_rows($q);
                $query = $this ->Query_model-
>get_limit_data($config['per_page'],
$start, $q);

                $this ->load ->library('pagination');


```

```

        $this ->pagination ->initialize($config);

        $data = array(
            'query_data' => $query,
            'q' => $q,
            'pagination' => $this ->pagination ->create_links(),
            'total_rows' => $config['total_rows'],
            'start' => $start,
        );
        $this ->load ->view('query_list',
        $data);
    }

    public function read($id)
    {
        if ((!$this ->session ->userdata('Username')) || ($this ->session ->userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Query_model->get_by_id($id);
            if ($row) {
                $data = array(
                    'QueryID' => $row ->QueryID,
                    'ContactName' => $row ->ContactName,
                    'ContactNo' => $row ->ContactNo,
                    'EmailAddr' => $row ->EmailAddr,
                    'Query' => $row ->Query,
                    'ResponseSent' => $row ->ResponseSent,
                );
                $this ->load ->view('query_read', $data);
            } else {
                $this ->session ->set_flashdata('message', 'Record Not Found');
                redirect(site_url('query'));
            }
        }
    }

    public function create()
    {
        if ($this ->session ->userdata('Username')) {
            redirect(site_url('admin'));
        } else {
            $data = array(
                'button' => 'Create',
                'action' => site_url('query/create_action'),
                'QueryID' => set_value('QueryID'),
            );
            $ContactName' => set_value('ContactName'),
            'ContactNo' => set_value('ContactNo'),
            'EmailAddr' => set_value('EmailAddr'),
            'Query' => set_value('Query'),
            'ResponseSent' => set_value('ResponseSent'),
        );
        $this ->load ->view('query_form',
        $data);
    }

    public function create_action()
    {
        if (!$this ->session ->userdata('Username')) {
            redirect(site_url('admin'));
        } else {
            $this ->_rules();
            if ($this ->form_validation ->run() == FALSE) {
                $this ->create();
            } else {
                $data = array(
                    'ContactName' => $this ->input ->post('ContactName'),
                    'ContactNo' => $this ->input ->post('ContactNo'),
                    'EmailAddr' => $this ->input ->post('EmailAddr'),
                    'Query' => $this ->input ->post('Query'),
                    'ResponseSent' => 0,
                );
                $this ->Query_model->insert($data);
                $this ->load ->view('submit.php');
            }
        }
    }

    public function respond($id)
    {
        if ((!$this ->session ->userdata('Username')) || ($this ->session ->userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Query_model->get_by_id($id);
            if ($row) {
                $data = array(
                    'action' => site_url('query/respond_action'),
                    'QueryID' => $row ->QueryID,
                );
            }
        }
    }
}

```

```

        'ContactName' => $row-
>ContactName,
        'ContactNo' => $row -
>ContactNo,
        'EmailAddr' => $row -
>EmailAddr,
        'Query' => $row ->Query,
    );
}

$this ->load -
>view('response_form', $data);
}

public function respond_action()
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        //email code BEGIN ---
        $pEmail = $this ->input -
>post('EmailAddr');

        $config = Array(
            'protocol' => 'smtp',
            'smtp_host' =>
'ssl://smtp.mail.yahoo.com',
            'smtp_port' => 465,
            'smtp_user' =>
'shootupm@yahoo.com',
            'smtp_pass' =>
'parasasablay',
            'mailtype' => 'html',
            'charset' => 'iso     - 88591'
        );
        $this ->load -
>library('email', $config);
        $this ->email -
>set_newline("\r\n");

        $this ->email -
>from('shootupm@yahoo.com', 'Shoot UPM');
        $this ->email ->to($pEmail);
        $this ->email -
>subject('SHOOT UPM Inquiry Response');
        // $htmlMessage = $this -
>parser->parse('coverage', $details, true);
        $this ->email -
>message($this ->input ->post('Response'));

        if($this ->email ->send()) {
            $data =
array('ResponseSent' => 1);
            $this ->Query_model-
>update($this ->input ->post('QueryID'),
$data);
}
}

        $this ->session -
>set_flashdata('message', 'Inquiry Response
Sent!');

redirect(site_url('query'));
// $this ->load -
>view('submit.php');
} else {
    $this ->session -
>set_flashdata('message', 'Message not
sent');

redirect(site_url('query'));
}
}

public function delete($id)
{
    if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Query_model-
>get_by_id($id);

        if ($row) {
            $this ->Query_model-
>delete($id);
            $this ->session -
>set_flashdata('message', 'Delete Record
Success');

redirect(site_url('query'));
} else {
            $this ->session -
>set_flashdata('message', 'Record Not
Found');

redirect(site_url('query'));
}
}

public function _rules()
{
    $this ->form_validation -
>set_rules('ContactName', 'Contact Name',
'trim|required');
    $this ->form_validation -
>set_rules('ContactNo', 'Contact No.',
'trim|required');
    $this ->form_validation -
>set_rules('EmailAddr', 'Email Address',
'trim|required');
    $this ->form_validation -
>set_rules('Query', 'Query',
'trim|required');
}
}

```

```

        $this ->form_validation -
>set_rules('QueryID', 'QueryID', 'trim');
        $this ->form_validation -
>set_error_delimiters('<span clas    s="text -
danger">', '</span>');
    }

}
Score Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Score extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('Score_model');
        $this ->load -
>model('Evaluation_model');
        $this ->load ->model('Member_model');
        $this ->load -
>model('Partialscore_model');

    }

    public function index()
    {
        if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsExecomm') != 1)) {
            redirect(site_url('admin'));
        } else {
            $q = urldecode($this ->input -
>get('q', TRUE));
            $start = intval($this ->input -
>get('start'));

            if ($q <> "") {
                $config['base_url'] =
base_url() . 'score/index.html?q=' .
urlencode($q);
                $config['first_url'] =
base_url() . 'score/index.html?q=' .
urlencode($q);
            } else {
                $config['base_url'] =
base_url() . 'score/index.html';
                $config['first_url'] =
base_url() . 'score/index.html';
            }

            $config['per_page'] = 5;
            $config['page_query_string'] =
TRUE;
            $config['total_rows'] = $this ->
Member_model->total_rows($q);
        }
    }

}
Score Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Score extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('Score_model');
        $this ->load -
>model('Evaluation_model');
        $this ->load ->model('Member_model');
        $this ->load -
>model('Partialscore_model');

    }

    public function index()
    {
        if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsExecomm') != 1)) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Member_model
->get_by_id($id);
            if ($row) {
                $evaluations = $this ->
Evaluation_model -
->get_evals_by_member_id($id);
                $partialScores = $this ->
Partialscore_model -
->get_scores_by_memberID($id);
                $data = array(
                    'e_vals_list' =>
$evaluations,
                    'score_list' =>
$partialScores,
                    'MemberID' => $row ->MemberID,
                    'MemberName' => $row
->LastName., ".$row ->FirstName,
                );
                $this ->load -
>view('score_read', $data);
            } else {
                $this ->session -
>set_flashdata('message', 'Record Not
Found');
                redirect(site_url('score'));
            }
        }
    }

}
Score Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Score extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $member= $this ->Member_model
->get_limit_data($config['per_page'],
$start, $q);
        $scores = $this ->
Partialscore_model ->get_all();

        $this ->load ->library('pagination');
        $this ->pagination -
>initialize($config);

        $data = array(
            'member_data' => $member,
            'partial_scores' => $scores,
            'q' => $q,
            'pagination' => $this ->
pagination ->create_links(),
            'total_rows' =>
$config['total_rows'],
            'start' => $start,
        );
        $this ->load ->view('score_list',
$data);
    }

    public function read($id)
    {
        if (!$this ->session -
>userdata('Username')) {
            redirect(site_url('admin'));
        } else {
            $row = $this ->Member_model
->get_by_id($id);
            if ($row) {
                $evaluations = $this ->
Evaluation_model -
->get_evals_by_member_id($id);
                $partialScores = $this ->
Partialscore_model -
->get_scores_by_memberID($id);
                $data = array(
                    'e_vals_list' =>
$evaluations,
                    'score_list' =>
$partialScores,
                    'MemberID' => $row ->MemberID,
                    'MemberName' => $row
->LastName., ".$row ->FirstName,
                );
                $this ->load -
>view('score_read', $data);
            } else {
                $this ->session -
>set_flashdata('message', 'Record Not
Found');
                redirect(site_url('score'));
            }
        }
    }

}

```

```

}

Team Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Team extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Team_model');
        $this->load->model('Member_model');
    }

    public function index()
    {
        if (!$this->session-
>userdata('Username')) {
            redirect(site_url('admin'));
        } else {

            $q = urldecode($this->input-
>get('q', TRUE));
            $start = intval($this->input-
>get('start'));

            if ( $q <> "") {
                $config['base_url'] =
base_url() . 'team/index.html?q=' .
urlencode($q);
                $config['first_url'] =
base_url() . 'team/index.html?q=' .
urlencode($q);
            } else {
                $config['base_url'] =
base_url() . 'team/index.html';
                $config['first_url'] =
base_url() . 'team/index.html';
            }

            $config['per_page'] = 5;
            $config['page_query_string'] =
TRUE;
            $config['total_rows'] = $this-
>Team_model->total_rows($q);
            $team = $this->Team_model
            >get_limit_data($config['per_page'],
$start, $q);
            $members = $this->Member_model
            >get_all();

            $this->load->library('pagination');
            $this->pagination-
>initialize($config);

            $data = array(
                'member_data' => $members,
                'team_data' => $team,
                'q' => $q,
                'pagination' => $this-
>pagination->create_links(),
                'total_rows' =>
$config['total_rows'],
                'start' => $start,
            );
            $this->load->view('team_list',
$data);
        }
    }

    public function create()
    {
        if (!$this->session-
>userdata('Username') || ($this->session-
>userdata('IsAdmin') == 0)) {
            redirect(site_url('admin'));
        } else {
            $members = $this->Member_model
            >get_all();

            $data = array(
                'member_list' => $members,
                'button' => 'Create',
                'action' =>
site_url('team/create_action'),
                'TeamID' =>
set_value('TeamID'),
                'TeamName' =>
set_value('TeamName'),
                'IsSpecialTeam' =>
set_value('IsSpecialTeam'),
                'TeamLeader' =>
set_value('TeamLeader'),
                'Participants' =>
set_value('Participants'),
            );
            $this->load->view('team_form',
$data);
        }
    }

    public function create_action()
    {
        if (!$this->session-
>userdata('Username') || ($this->session-
>userdata('IsAdmin') == 0)) {
            redirect(site_url('admin'));
        } else {
            $this->_rules();

            if ($this->form_validation-
>run() == FALSE) {
                $this->create();
            } else {
                $members = $this-
>Member_model->get_all();
                $participants = "";
            }
        }
    }
}

```

```

        foreach ($members as
$member) {
            $checkboxName =
"Member".$member>MemberID;

if(isset($_POST[$checkboxName]))
    if ($participants
== "") {
        $participants =
$member>MemberID;
        else
            $participants =
$participants.". ".$member ->MemberID;
        }
        if ($this ->input -
>post('IsSpec ialTeam') === NULL)
            $isSpecialTeam = 0;
        else
            $isSpecialTeam = 1;
        $data = array(
'TeamName' => $this ->input -
>post('TeamName'),
'IsSpecialTeam' =>
$isSpecialTeam,
'TeamLeader' => $this -
>input ->post('TeamLeader'),
'Participants' =>
$participants,
);
        $this ->Team_model
>insert($data);
        $this ->session -
>set_flashdata('message', 'Te am
Successfully Added!');
        redirect(site_url('team'));
    }
}

public function update($id)
{
    if (!$this ->session -
>userdata('Username') || ($this ->session -
>userdata('isAdmin') == 0)) {
        redirect(site_url('admin'));
    } else {
        $row = $this ->Team_model
>get_by_id($id);
        $members = $this ->Member_model
>get_all();
        $teamMembers = $this
>Team_model>get_team_members($id);

        if ($row) {
            $data = array(
'member_list' =>
$members,
'team_members' =>
$teamMembers,
        }
    }
}

foreach ($members as
$member) {
    $checkboxName =
"Member".$member>MemberID;

if(isset($_POST[$checkboxName]))
    if ($participants
== "") {
        $participants =
$participants.". ".$member ->MemberID;
        }
        if ($this ->input -
>post('IsSpec ialTeam') === NULL)
            $isSpecialTeam = 0;
        else
            $isSpecialTeam = 1;
        $data = array(
'TeamName' => $this ->input -
>post('TeamName'),
'IsSpecialTeam' =>
$isSpecialTeam,
'TeamLeader' => $this ->TeamLeader),
'Participants' =>
$participants,
);
        $this ->load -
>view('team_form', $data);
    } else {
        $this ->session -
>set_flashdata('message', 'Record Not
Found');
        redirect(site_url('team'));
    }
}

public function update_action()
{
    if (!$this ->session -
>userdata('Username') || ($this ->session -
>userdata('isAdmin') == 0)) {
        redirect(site_url('admin'));
    } else {
        $this ->_rules();

        if ($this ->form_validation -
>run() == FALSE) {
            $this ->update($this ->input -
>post('TeamID'));
        } else {
            $members = $this
->Member_model->get_all();
            $participants = "";
            foreach ($members as
$member) {
                $checkboxName =
"Member".$member>MemberID;

if(isset($_POST[$checkboxName]))
                if ($participants
== "") {
                    $participants =
$participants.". ".$member ->MemberID;
                }
            }
        }
    }
}

```

```

        if ($this ->input -
>post('IsSpecialTeam') === NULL)
            $isSpecialTeam = 0;
        else
            $isSpecialTeam = 1;
            $data = array(
                'TeamName' => $this ->input -
>post('TeamName'),
                'IsSpec ialTeam' =>
$isSpecialTeam,
                'TeamLeader' => $this -
>input ->post('TeamLeader'),
                'Participants' =>
$participants,
            );
            $this ->Team_model
>update($this ->input ->post('TeamID'),
$data);
            $this ->session -
>set_flashdata('message', 'Update Record
Success');
            redirect(site_url('team'));
        }
    }

    public function delete($id)
    {
        if (!($this ->session -
>userdata('Username') || ($this ->sessi on-
>userdata('IsAdmin') == 0)) {
            redirect(site_url('admin'));
        } else {

            $row = $this ->Team_model
>get_by_id($id);
            $members = $this ->Member_model
>get_all();

            if ($row) {
                $data = array(
                    'member_list' =>
$members,
                    'TeamID' => $row -
>TeamID,
                    'TeamName' => $row -
>TeamName,
                    'IsSpecialTeam' =>
$row->IsSpecialTeam,
                    'TeamLeader' => $row -
>TeamLeader,
                    'Participants' => $row -
>Participants,
                );
                $this ->Team_model
>delete($id, $data);
                $this ->session -
>set_flashdata('message', 'Team
Successfully Deleted!');
                redirect(site_url('
team'));
            }
        }
    }

    public function _rules()
    {
        $this ->form_validation -
>set_rules('TeamName', 'Team Name',
'trim|required');
        $this ->form_validation -
>set_rules('IsSpecialTeam',
'isspecialteam', 'trim');
        $this ->form_validation -
>set_rules('TeamLeader', 'Team Leader',
'trim|required');
        // $this ->form_validation -
>set_rules('Participants', 'Participants',
'trim|required');

        $this ->form_validation -
>set_rules('TeamID', 'TeamID', 'trim');
        $this ->form_validation -
>set_error_delimiters('<span class="text
danger">', '</span>');
    }
}

User Controller
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class User extends CI_Controller
{
    function __construct()
    {
        parent::__construct();
        $this ->load ->model('User_model');
    }

    public function update($id)
    {
        if ((!$this ->session -
>userdata('Username')) || ($this ->session -
>userdata('IsAdmin') == 1)) {
            redirect(site_url('admin'));
        } else {

            $row = $this ->User_model
>get_by_id($id);

            if ($row) {
                $data = array(
                    'button' => 'Update',

```

```

        'action' =>
site_url('user/update_action'),
        'UserID' =>
set_value('UserID', $row ->UserID),
        'Username' =>
set_value('Username', $row ->Username),
    );
        $this ->load -
>view('user_form', $data);
} else {
    $this ->session -
>set_flashdata('message', 'Record Not
Found');
    redirect(site_url('user'));
}
}

public function update_action()
{
    if ((!$this ->session -
>userdata("Username")) || ($this ->session -
>userdata('IsAdmin') == 1)) {
        redirect(site_url('admin'));
    } else {

        $this ->_rules();

        if ($this ->form_validation -
>run() == FALSE) {
            $this ->update($this ->input -
>post('UserID'));
        } else {
            $row = $this ->User_model-
>get_by_id($this ->input ->post('UserID'));

            if (hash("sha256", $this -
>input ->post('Curren tPassword')) === $row -
>Password) {
                if($this ->input -
>post('NewPassword') === $this ->input -
>post('ConfirmPassword')) {
                    $data = array(
                        'Username' =>
$this ->session ->userdata('Username'),
                        'Password' =>
hash("sha256", $this ->input -
>post('NewPassword')),
                    );
                    $this ->User_model-
>update($this ->input ->post('UserID'),
$data);
                    $this ->session -
>set_flashdata('message', 'Password Changed
Successfully!');
                }
            }
        }
    }
}
}

        $this ->session -
>set_userdata('error_message', 'The New
Password did not match!');

redirect(site_url('user/update/'.$this ->input ->post('UserID')));
}
} else {
    $this ->session -
>set_userdata('error_message', 'The Current
Password did not match!');

redirect(site_url('user/update/'.$this ->input ->post('UserID')));
}
}

}

public function _rules()
{
    $this ->form_validation -
>set_rules('Username', 'Username', 'trim');
    $this ->form_validation -
>set_rules('CurrentPassword', 'current
password', 'trim|required');
    $this ->form_validation -
>set_rules('NewPassword', 'new password',
'trim|required');
    $this ->form_validation -
>set_rules('ConfirmPassword', 'confirm
password', 'trim|required');

    $this ->form_validation -
>set_rules('UserID', 'UserID', 'trim');
    $this ->form_validation -
>set_error_delimiters('<span class="text
danger">', '</span>');
}

Evaluation Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Evaluation_model extends CI_Model
{
    public $table = 'evaluation';
    public $id = 'EvalID';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }
}

```

```

// get all
function get_all()
{
    $this ->db->order_by($this ->id,
$this ->order);
    return $this ->db->get($this -
>table) ->result();
}

// get data by id
function get_by_id($id)
{
    $this ->db->where($this ->id, $id);
    return $this ->db->get($this -
>table) ->row();
}

// get data by memberID
function get_evals_by_member_id($id)
{
    $this ->db->where('MemberID', $id);
    return $this ->db->get($this -
>table) ->result();
}

// get total rows
function total_rows($q = NULL) {
    $this ->db->like('EvalID', $q);
    $this ->db->or_like('MemberID', $q);
    $this ->db->or_like('TeamID', $q);
    $this ->db->or_like('EventID', $q);
    $this ->db->or_like('IsEarly', $q);
    $this ->db->or_like('IsCommended', $q);
    $this ->db->or_like('IsLate', $q);
    $this ->db->or_like('LeftEarly', $q);
    $this ->db->or_like('NoUniform', $q);
    $this ->db->or_like('HasReplacement',
$q);
    $this ->db->or_like('NoShow', $q);
    $this ->db->or_like('IsReplacement',
$q);
    $this ->db->from($this ->table);
    return $this ->db-
>count_all_results();
}

// get data with limit and search
function get_limit_data($limit, $start
= 0, $q = NULL) {
    $this ->db->order_by($this ->id,
$this ->order);
    $this ->db->like('EvalID', $q);
    $this ->db->or_like('MemberID', $q);
    $this ->db->or_like('TeamID', $q);
    $this ->db->or_like('EventID', $q);
    $this ->db->or_like('IsEarly', $q);
    $this ->db->or_like('IsCommended', $q);
    $this ->db->or_like('IsLate', $q);
    $this ->db->or_like('LeftEarly', $q);
    $this ->db->or_like('NoUniform', $q);
}

```

```

    $this ->db->or_like('HasReplacement',
$q);
    $this ->db->or_like('NoShow', $q);
    $this ->db->or_like('IsReplacement',
$q);
    $this ->db->limit($limit, $start);
    return $this ->db->get($this -
>table) ->result();
}

// insert data
function insert($data)
{
    $this ->db->insert($this ->table,
$data);
}

// update data
function update($id, $data)
{
    $this ->db->where($this ->id, $id);
    $this ->db->update($this ->table,
$data);
}

}

Event Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Event_model extends CI_Model
{

    public $table = 'event';
    public $id = 'EventID';
    public $order = 'ASC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
$this ->order);
        return $this ->db->get($this -
>table) ->result();
    }

    //get all event teams
    function get_event_teams()
    {
        $this ->db->order_by('EventTeamID',
$this ->order);
        return $this ->db->get('eventteam') -
>result();
    }
}

```

```

        }

        //get event teams by teamID
        function get_event_teams_by_teamID($id)
        {
            $this ->db->where('TeamID', $id);
            return $this ->db->get('eventteam') ->result();
        }

        function
        get_event_teams_by_eventID($id)
        {
            $this ->db->where('EventID', $id);
            return $this ->db->get('eventteam') ->result();
        }

        //get event members by eventID
        function
        get_event_members_by_eventID($id)
        {
            $this ->db->where('EventID', $id);
            return $this ->db->get('eventmember') ->result();
        }

        // get data by id
        function get_by_id($id)
        {
            $this ->db->where($this->id, $id);
            return $this ->db->get($this ->table) ->row();
        }

        //get data by EventStatusID
        function get_by_status_id($statusID)
        {
            $this ->db->where('EventStatusID', $statusID);
            return $this ->db->get($this ->table) ->row();
        }

        // get total rows
        function total_rows($q = NULL)
        {
            $this ->db->like('EventID', $q);
            $this ->db->or_like('EventStatusID', $q);
            $this ->db->or_like('TeamID', $q);
            $this ->db->or_like('OrgName', $q);
            $this ->db->or_like('ContactName', $q);
            $this ->db->or_like('ContactNo', $q);
            $this ->db->or_like('ContactPosition', $q);
            $this ->db->or_like('EmailAddr', $q);
            $this ->db->or_like('EventName', $q);
            $this ->db->or_like('EventLocation', $q);
            $this ->db->or_like('EventDate', $q);
            $this ->db->or_like('StartTime', $q);
            $this ->db->or_like('EndTime', $q);
            $this ->db->or_like('ServiceType', $q);
        }

        //get event data with search
        function get_limit_data($limit, $start = 0, $q = NULL)
        {
            $this ->db->order_by('EventDate', $this->order);
            $this ->db->like('EventID', $q);
            $this ->db->or_like('EventStatusID', $q);
            $this ->db->or_like('TeamID', $q);
            $this ->db->or_like('OrgName', $q);
            $this ->db->or_like('ContactName', $q);
            $this ->db->or_like('ContactNo', $q);
            $this ->db->or_like('ContactPosition', $q);
            $this ->db->or_like('EmailAddr', $q);
            $this ->db->or_like('EventName', $q);
            $this ->db->or_like('EventLocation', $q);
            $this ->db->or_like('EventDate', $q);
            $this ->db->or_like('StartTime', $q);
            $this ->db->or_like('EndTime', $q);
            $this ->db->or_like('ServiceType', $q);
            $this ->db->or_like('Remarks', $q);
            $this ->db->from($this->table);
            return $this ->db->count_all_results();
        }

        // get data with limit and search
        function get_limit_data($limit, $start = 0, $q = NULL)
        {
            $this ->db->order_by('EventDate', $this->order);
            $this ->db->like('EventID', $q);
            $this ->db->or_like('EventStatusID', $q);
            $this ->db->or_like('TeamID', $q);
            $this ->db->or_like('OrgName', $q);
            $this ->db->or_like('ContactName', $q);
            $this ->db->or_like('ContactNo', $q);
            $this ->db->or_like('ContactPosition', $q);
            $this ->db->or_like('EmailAddr', $q);
            $this ->db->or_like('EventName', $q);
            $this ->db->or_like('EventLocation', $q);
            $this ->db->or_like('EventDate', $q);
            $this ->db->or_like('StartTime', $q);
            $this ->db->or_like('EndTime', $q);
            $this ->db->or_like('ServiceType', $q);
            $this ->db->or_like('Remarks', $q);
            $this ->db->limit($limit, $start);
            return $this ->db->get($this->table) ->result();
        }

        // insert data
        function insert($data)
        {
            $this ->db->insert($this->table, $data);
        }

        // insert event team
        function insert_event_team($data)
        {
            $this ->db->insert('eventteam', $data);
        }

        // update data
        function update($id, $data)
        {
            $this ->db->where($this->id, $id);
            $this ->db->update($this->table, $data);
        }

        // delete data
        function delete($id)
        {
        }
    }
}

```

```

        $this ->db->where($this->id, $id);
        $this ->db->delete($this ->table);
    }

}

Eventstatus Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Eventstatus_model extends CI_Model
{

    public $table = 'eventstatus';
    public $id = 'EventStatusID';
    public $order = 'DESC';

    function __co nstruct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
$this ->order);
        return $this ->db->get($this -
>table) ->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this ->db->where($this ->id, $id);
        return $this ->db->get($this -
>table) ->row();
    }

    // insert data
    function insert($data)
    {
        $this ->db->insert($this ->table,
$data);
    }

    // update data
    function update($id, $data)
    {
        $this ->db->where($this ->id, $id);
        $this ->db->update($this ->table,
$data);
    }

}
Internal Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Internal_model extends CI_Model
{

    public $table = 'internal';
    public $id = 'InternalID';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
$this ->order);
        return $this ->db->get($this -
>table) ->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this ->db->where($this ->id, $id);
        return $this ->db->get($this -
>table) ->row();
    }

    // get total rows
    function total_rows($q = NULL) {
        $this ->db->like('InternalID', $q);
        $this ->db->or_like('Name', $q);
        $this ->db->or_like('Date', $q);
        $this ->db->or_like('StartTime', $q);
        $this ->db->or_like('EndTime', $q);
        $this ->db->or_like('Location', $q);
        $this ->db->or_like('Remarks', $q);
        $this ->db->or_like('ForReplacement', $q);
        $this ->db->from($this ->table);
        return $this ->db-
>count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start
= 0, $q = NULL) {
        $this ->db->order_by($this ->id,
$this ->order);
        $this ->db->like('InternalID', $q);
        $this ->db->or_like('Name', $q);
        $this ->db->or_like('Date', $q);
        $this ->db->or_like('StartTime', $q);
        $this ->db->or_like('EndTime', $q);
        $this ->db->or_like('Location', $q);
        $this ->db->or_like('Remarks', $q);
        $this ->db->or_like('ForReplacement', $q);
        $this ->db->limit($limit, $start);
    }
}

```

```

        return $this ->db->get($this ->table) ->result();
    }

    // insert data
    function insert($data)
    {
        $this ->db->insert($this ->table,
$data);
    }

    // update data
    function update($id, $data)
    {
        $this ->db->where($this->id, $id);
        $this ->db->update($this ->table,
$data);
    }

    // delete data
    function delete($id)
    {
        $this ->db->where($this->id, $id);
        $this ->db->delete($this ->table);
    }
}

Login Model
<?php if ( ! defined('BASEPATH')) exit('No
direct script access allowed');

class Login_model extends CI_Model {

    public function get_user($username,
$password) {
        $password = hash("sha256", $password);

        $this ->db->select('*');
        $this ->db->from('user');
        $this ->db->where('Username',
$username);
        $this ->db->where('Password',
$password);
        $query = $this ->db->get();

        if ($query ->num_rows() > 0) {
            $row = $query->row();
            $db(userID = $row->UserID;
$db(username = $row->Username;
$db(password = $row->Password;
$data['User ID'] = $db(userID;
$data['Username'] = $db(username;
$data['Password'] = $db(password;

            $this ->db->select('*');
            $this ->db->from('member');
            $this ->db->join('user', 'user.UserID',
= member.UserID');
            $this ->db->where('member.UserID',
$db(userID);
        }
    }
}

Member Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Member_model extends CI_Model

{
    public $table = 'member';
    public $id = 'MemberID';
    public $order = 'ASC';
    public $lname = 'LastName';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $userlist = $this ->db->get();

        if ($userlist ->num_rows() > 0) {
            foreach ($userlist ->result_array()
as $user) {
                $data['MemberID'] =
$user['MemberID'];
                $data['TeamID'] =
$user['TeamID'];
                $data['FirstName'] =
$user['FirstName'];
                $data['LastName'] =
$user['LastName'];
                $data['IsExecomm'] =
$user['IsExecomm'];
                $data['IsTeamLeader'] =
$user['IsTeamLeader'];
                $data['IsAdmin'] =
$user['IsAdmin'];
                if ($db_username === $username &&
$db_password === $password) {
                    $this ->session-
>set_userdata($data);
                    return true;
                }
            }
            return false;
        } else {
            return false;
        }
    }

    } // Member Model
}

```

```

        $this ->db->order_by($this ->lname,
$this ->order);
        return $this ->db->get($this -
>table) ->result ();
    }

    // get data by id
    function get_by_id($id)
    {
        $this ->db->where($this ->id, $id);
        return $this ->db->get($this -
>table) ->row();
    }

    // get total rows
    function total_rows($q = NULL)
    {
        $this ->db->like('MemberID', $q);
        $this ->db->or_like('UserID', $q);
        $this ->db->or_like('TeamID', $q);
        $this ->db->or_like('FirstName', $q);
        $this ->db->or_like('LastName', $q);
        $this ->db->or_like('MiddleName', $q);
        $this ->db->or_like('YearLevel', $q);
        $this ->db->or_like('Course', $q);
        $this ->db->or_like('CurrAddr', $q);
        $this ->db->or_like('ContactNo', $q);
        $this ->db->or_like('EmailAddr', $q);
        $this ->db->or_like('Birthdate', $q);
        $this ->db->or_like('Schedule', $q);
        $this ->db->or_like('IsExeccomm', $q);
        $this ->db->or_like('IsTeamLeader', $q);
        $this ->db->from($this ->table);
        return $this ->db-
>count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start
= 0, $q = NULL)
    {
        $this ->db->order_by($this ->lname,
$this ->order);
        $this ->db->like('MemberID', $q);
        $this ->db->or_like('UserID', $q);
        $this ->db->or_like('TeamID', $q);
        $this ->db->or_like('FirstName', $q);
        $this ->db->or_like('LastName', $q);
        $this ->db->or_like('MiddleName', $q);
        $this ->db->or_like('YearLevel', $q);
        $this ->db->or_like('Course', $q);
        $this ->db->or_like('CurrAddr', $q);
        $this ->db->or_like('ContactNo', $q);
        $this ->db->or_like('EmailAddr', $q);
        $this ->db->or_like('Birthdate', $q);
        $this ->db->or_like('Schedule', $q);
        $this ->db->or_like('IsExeccomm', $q);
        $this ->db->or_like('IsTeamLeader', $q);
        $this ->db->limit($limit, $start);
        return $this ->db->get($this -
>table) ->result();
    }

    // insert data
    function insert ($data)
    {
        $this ->db->insert($this ->table,
$data);
    }

    //insert event member data
    function insert_event_member($data)
    {
        $this ->db->insert('eventmember',
$data);
    }

    // update data
    function update($id, $data)
    {
        $this ->db->where($this ->id, $id);
        $this ->db->update($this ->table,
$data);
    }

    // delete data
    function delete($id)
    {
        $this ->db->where($this ->id, $id);
        $this ->db->delete($this ->table);
    }
}

Partialscore Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Partialscore_model extends CI_Model
{
    public $table = 'partialscore';
    public $id = 'PScoreID';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
$this ->order);
        return $this ->db->get($this -
>table) ->result();
    }

    // get total rows
    function total_rows($q = NULL) {
        $this ->db->like('EvalID', $q);
    }
}

```

```

        $this ->db->or_like('MemberID', $q);
        $this ->db->or_like('EventID', $q);
        $this ->db->or_like('PartialScore', $q);
        $this ->db->from($this ->table);
            return $this ->db-
>count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start
= 0, $q = NULL) {
        $this ->db->order_by($this ->id,
$this ->order);
        $this ->db->like('EventID', $q);
        $this ->db->or_like('MemberID', $q);
        $this ->db->or_like('EventID', $q);
        $this ->db->or_like('PartialScore', $q);
        $this ->db->limit($limit, $start);
            return $this ->db->get($this -
>table) ->result();
    }

    // get data by id
    function get_by_id($id)
{
    $this ->db->where($this ->id, $id);
    return $this ->db->get($this -
>table) ->row();
}

    // get data by member id
    function get_scores_by_memberID($id)
{
    $this ->db->where('MemberID', $id);
    return $this ->db->get($this -
>table) ->result();
}

    // insert data
    function insert($data)
{
    $this ->db->insert($this ->table,
$data);
}

Query Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Query_model extends CI_Model
{

    public $table = 'query';
    public $id = 'QueryID';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
$this ->order);
        return $this ->db->get($this -
>table) ->result();
    }

    // get data by id
    function get_by_id($id)
{
    $this ->db->where($this ->id, $id);
    return $this ->db->get($this -
>table) ->row();
}

    // get total rows
    function total_rows($q = NULL) {
        $this ->db->like('QueryID', $q);
        $this ->db->or_like('ContactName', $q);
        $this ->db->or_like('ContactNo', $q);
        $this ->db->or_like('EmailAddr', $q);
        $this ->db->or_like('Query', $q);
        $this ->db->from($this ->table);
        return $this ->db-
>count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start
= 0, $q = NULL) {
        $this ->db->order_by('ResponseSent',
'ASC');
        $this ->db->like('QueryID', $q);
        $this ->db->or_like('ContactName', $q);
        $this ->db->or_like('ContactNo', $q);
        $this ->db->or_like('EmailAddr', $q);
        $this ->db->or_like('Query', $q);
        $this ->db->limit($limit, $start);
            return $this ->db->get($this -
>table) ->result();
    }

    // insert data
    function insert($data)
{
    $this ->db->insert($this ->table,
$data);
}

    // update data
    function update($id, $data)
{
    $this ->db->where($this ->id, $id);
    $this ->db->update($this ->table,
$data);
}
}

```

```

        }

    // delete data
    function delete($id)
    {
        $this ->db->where($this->id, $id);
        $this ->db->delete($this ->table);
    }

}

Score Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
allowed');

class Score_model extends CI_Model
{
    public $table = 'score';
    public $id = 'ScoreID';
    public $order = 'ASC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()
    {
        $this ->db->order_by($this ->id,
        $this ->order);
        return $this ->db->get($this -
        >table) ->result();
    }

    // get data by id
    function get_by_id($id)
    {
        $this ->db->where($this->id, $id);
        return $this ->db->get($this -
        >table) ->row();
    }

    //get data by memberID
    function get_score_by_memberID($id)
    {
        $this ->db->where('MemberID', $id);
        return $this ->db->get($this -
        >table) ->row();
    }

    // get total rows
    function total_rows($q = NULL) {
        $this ->db->like('ScoreID', $q);
        $this ->db->or_like('MemberID', $q);
        $this ->db->or_like('Score', $q);
        $this ->db->from($this ->table);
    }

    // count all results
    function count_all_results()
    {
        return $this ->db-
        >count_all_results();
    }

    // get data with limit and search
    function get_limit_data($limit, $start
= 0, $q = NULL) {
        $this ->db->order_by($this ->id,
        $this ->order);
        $this ->db->like('ScoreID', $q);
        $this ->db->or_like('MemberID', $q);
        $this ->db->or_like('Score', $q);
        $this ->db->limit($limit, $start);
        return $this ->db->get($this -
        >table) ->result();
    }

    // insert data
    function insert($data)
    {
        $this ->db->insert($this ->table,
        $data);
    }

    // update data
    function update($id, $data)
    {
        $this ->db->where($this->id, $id);
        $this ->db->update($this ->table,
        $data);
    }

    // delete data
    function delete($id)
    {
        $this ->db->where($this->id, $id);
        $this ->db->delete($this ->table);
    }
}

Team Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script acc      ess
allowed');

class Team_model extends CI_Model
{
    public $table = 'team';
    public $id = 'TeamID';
    public $order = 'ASC';

    function __construct()
    {
        parent::__construct();
    }

    // get all
    function get_all()

```

```

{
    $this ->db->order_by($this ->id,
$this ->order);
    return $this ->db->get($this -
>table) ->result();
}

// get data by id
function get_by_id($id)
{
    $this ->db->where($this->id, $id);
    return $this ->db->get($this -
>table) ->row();
}

// get total rows
function total_rows($q = NULL) {
    $this ->db->like('TeamID', $q);
    $this ->db->or_like('TeamName', $q);
    $this ->db->or_like('IsSpecialTeam',
$q);
    $this ->db->or_like('Participants',
$q);
    $this ->db->from($this ->table);
    return $this ->db-
>count_all_results();
}

// get data with limit and search
function get_limit_data($limit, $start
= 0, $q = NULL) {
    $this ->db->order_by($this ->id,
$this ->order);
    $this ->db->like('TeamID', $q);
    $this ->db->or_like('TeamName', $q);
    $this ->db->or_like('IsSpecialTeam',
$q);
    $this ->db->or_like('Participants',
$q);
    $this ->db->limit($limit, $start);
    return $this ->db->get($this -
>table) ->result();
}

// get members of specific team
function get_team_members($id) {
    $this ->db->select('*');
    $this ->db->from('member');
    $this ->db->join('team',
'team.TeamID = member.TeamID');
    $this ->db->where('team.TeamID',
$id);

    return $this ->db->get() ->result();
}

// insert data
function insert($data)
{
    $this ->db->insert($this ->table,
$data);
}

// update data
function update($id, $data)
{
    $parts = explode(',',

$data['Participants']);
    foreach ($parts as $part) {
        $info = array('TeamID' => $id);
        $this ->db->where('MemberID',
$part);
        $this ->db->update('member',
$info);
    }
    $foo = array('IsTeamLeader' => 1,
'TeamID' => $id);
    $this ->db->where('MemberID',
$data['TeamLeader']);
    $this ->db->update('member', $foo);
}

// delete data
function delete($id, $data)
{
    $parts = explode(',',

$data['Participants']);
    foreach ($parts as $part) {
        $info = array('TeamID' =>
NULL);
        $this ->db->where('MemberID',
$part);
        $this ->db->update('member',
$info);
    }
    $foo = array('IsTeamLeader' => 0);
    $this ->db->where('MemberID',
$data['TeamLeader']);
    $this ->db->update('member', $foo);
}

// delete data
function delete($id, $data)
{
    $this ->db->where($this ->id, $id);
    $this ->db->delete($this ->table);
}

```

```

}

User Model
<?php

if (!defined('BASEPATH'))
    exit('No direct script access
al lowed');

class User_model extends CI_Model
{

    public $table = 'user';
    public $id = 'UserID';
    public $order = 'DESC';

    function __construct()
    {
        parent::__construct();
    }

    // get data by id
    function get_by_id($id)
    {
        $this ->db->where($this ->id, $id);
        return $this ->db->get($this -
>table) ->row();
    }

    // insert data
    function insert($data)
    {
        $this ->db->insert($this ->table,
$data);
    }

    // update data
    function update ($id, $data)
    {
        $this ->db->where($this ->id, $id);
        $this ->db->update($this ->table,
$data);
    }

    // delete data
    function delete($id)
    {
        $this ->db->where($this ->id, $id);
        $this ->db->delete($this ->table);
    }
}

Coverage.php

<!DOCTYPE html>
<head>
</head>
<body>
Good day, <?php echo $Name."!" ?><br /><br />

```

This is to inform you that your documentation request for the event: "<?php

```

echo $EventName;" has been approved by
Shoot UPM.<br /><br />
The fol lowing are the event details you
have submitted to us: <br /><br />
<b>Organization Profile</b><br />
Organization Name: <?php echo $OrgName;
?><br />
Contact Number: <?php echo $ContactNo;
?><br />
Email Address: <?php echo $Email; ?><br
/>
<br />
<b>Event Information</b> <br />
Event Name: <?php echo $EventName;
?><br />
Location: <?php echo $EventLocation;
?><br />
Date: <?php echo $EventDate; ?><br />
Start Time: <?php echo $StartTime;
?><br />
End Time: <?php echo $EndTime; ?><br />
Type of Service Requested: <?php echo
$ServiceType; ?><br /><br />
```

A representative of the team assigned to cover this event will contact you via SMS for further details/clarifications.

For any changes on the details stated above, please let the contact person/representative know immediately.

Thank you for choosing Shoot UPM's services! #ShootOn!

Yours truly,

SHOOT UPM
</body>

</html>
Email.php

```

<!DOCTYPE html>
<head>
</head>
<body>
Dear <?php echo $Name.""; ?><br /><br />
This is to inform you that an account under your name has been successfully created in the SHOOT UPM Portal.<br /><br />
The following are your credentials:      <br
/><br />
<b>Personal Details</b><br />
Name: <?php echo $Name; ?><br />
Email Address: <?php echo $Email; ?><br
/>
<b>Login Credentials</b> <br />
```

```

        Username: <?php echo $Username; ?><br
/>
        Password: <?php echo $Password; ?><br
/><br />
        <i>Please change your password as soon
as you access your account.</i><br /><br />
        Thank you!<br /><br /><br />

        Yours truly, <br /><br />
        SHOOT UPM Portal Admin
</body>

</html>
Evaluation_form.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Teammate
Evaluation</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
        <script type="text/javascript">
function ShowHideDiv(IsReplacement)
{
    var dvReplacement =
document.getElementById("dvReplacement");
    dvReplacement.style.display =
IsReplacement.checked ? "block" : "none";
}
        </script>
    </head>
    <body>
        <?php $this->load->view('nav.php')
?>

        <h2 style="margin-top:0px">Teammate
Performance Evaluation</h2>
        <br />
        <form action="<?php echo $action;
?>" method="post">
            <h3>Details</h3>
            <div class="form-group">
                <label for="int">Team name:<br />
                <?php echo $TeamID;?>
            </div><div class="form-group">
                <label for="int">member's name:<br />
                <?php echo $MemberName;?>
            </div>
<div class="form-group">
                <label for="checkbox">Event:
                <input type="checkbox"
name="IsReplacement" id="IsReplacement"
value="1" onclick="ShowHideDiv(this)" />
                Member had a replacement?
            </label>
            <div id="dvReplacement"
style="display: none">
                Replacement member:<br />
                <select name="ReplacementTo"
class="form-control">
                    <?php for each ($member_list
as $member) {
                        if (($member->FirstName
!== "admin") && ($member->TeamID !==
$TeamID)) {
                            ?>
                            <option value='<?php
echo $member->MemberID; ?>'><?php echo
$member->LastName.", ".$member->FirstName;
?></option>
                        <?php } } ?>
                    </select>
                </div>
                <br /><br />
                <h4>Minor Plus</h4>
                <div class="form-group">
                    <label for="tinyint">Early Bird
member <?php echo form_error('IsEarly')
?></label><br />
                    &nbsp;<input type="radio"
name="IsEarly" value="1" <?php echo
set_radio('IsEarly', '1'); ?> />&nbsp;Yes
                    &nbsp;<input type="radio"
name="IsEarly" value="0" <?php echo
set_radio('IsEarly', '0'); ?> />&nbsp;No
                <br /><i>the first member to
arrive at the venue at least 30 minutes
before the event starts.</i>
                </div><br />
                <h4>Major Plus</h4>
                <div class="form-group">
                    <label for="tinyint">Commended
by the client <?php echo
form_error('IsCommended') ?></label><br />
                    &nbsp;<input type="radio"
name="IsCommended" value="1" <?php echo
set_radio('IsCommended', '1'); ?>
                    &nbsp;<input type="radio"
name="IsCommended" value="0" <?php echo
set_radio('IsCommended', '0'); ?>
                    &nbsp;<input type="radio"
name="IsCommended" value="0" <?php echo
set_radio('IsCommended', '0'); ?>
                </div><br />
                <h4>Minor Errors</h4>
            </div>
        </form>
    </body>
</html>

```

```

<div class="form - group">
    <label for="tinyint">Late for
call time <?php echo form_error('IsLate')
?></label><br />
    &emsp;<input type="radio"
name="IsLate" value="1" <?php echo
set_radio('IsLate', '1'); ?> />&nbs;Yes
    &emsp;<input type="radio"
name="IsLate" value="0" <?php echo
set_radio('IsLate', '0'); ?> />&nbs;No
</div>
<div class="form - group">
    <label for="tinyint">Left
earlier than event's end time <?php echo
form_error('LeftEarly') ?></label><br />
    &emsp;<input type="radio"
name="LeftEarly" value="1" <?php echo
set_radio('LeftEarly', '1'); ?> />&nbs;Yes
    &emsp;<input type="radi o"
name="LeftEarly" value="0" <?php echo
set_radio('LeftEarly', '0'); ?> />&nbs;No
</div><br />
<h4>Errors</h4>
<div class="form - group">
    <label for="tinyint">Did not
wear required attire/uniform <?php echo
form_error('NoU niform') ?></label><br />
    &emsp;<input type="radio"
name="NoUniform" value="1" <?php echo
set_radio('NoUniform', '1'); ?> />&nbs;Yes
    &emsp;<input type="radio"
name="NoUniform" value="0" <?php echo
set_radio('NoUniform', '0'); ?> />&nbs;No
</div>
<div class="form - group">
    <label for="tinyint">Cannot
cover but found a replacement <?php echo
form_error('HasReplacement') ?></label><br />
    &emsp;<input type="radio"
name="HasReplacement" value="1" <?php echo
set_radio('HasReplacement', '1'); ?>
/>&nbs;Yes
    &emsp;<input type="radio"
name="HasReplacement" value="0" <?php echo
set_radio('HasReplacement', '0'); ?>
/>&nbs;No
    &emsp;<input type="radio"
name="HasReplacement" value="2" <?php echo
set_radio('HasReplacement', '2'); ?>
/>&nbs;Not Applicable
</div><br />
<h4>Major Error</h4>
<div class="form - group">
    <label for="tinyint">Confirmed
attendance but did not covered the event
(with no replacement) <?php echo
form_error('NoShow') ?></label><br />
    &emsp;<input type="radio"
name="NoShow" value="1" <?php echo
set_radio('NoShow', '1'); ?> />&nbs;Yes

```

```

    &emsp;<input type="radio"
name="NoShow" value="0" <?php echo
set_radio('NoShow', '0'); ?> />&nbs;No
</div>
<div class="form - group">
    <label for="Assessment">Points
of assessment </label>
    <textarea class="form - control"
rows="3" name="Assessment"
id="Assessment"><?php echo $Assessment;
?></text area>
</div>
<br />
    <input type="hidden" name="EvalID"
value="<?php echo $EvalID; ?>" />
    <input type="hidden"
name="MemberID" value="<?php echo
$MemberID; ?>" />
    <input type="hidden" name="TeamID"
value="<?php echo $T eamID; ?>" />
    <input type="hidden" name="EventID"
value="<?php echo $EventID; ?>" />

```

```

    <button type="submit" class="btn btn
primary">Submit Evaluation</button>&nbsp;
    <a href="<?php echo
site_url('evaluation') ?>" class="btn btn
default ">Cancel</a>
</form>
<?php $this ->load ->view('footer.php')
?>
</body>
</html>
Evaluation_list.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Evaluations</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/ sticky -footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php')
?>
        <h2 style="margin -
top:0px">Evaluations List</h2>
        <div class="row" style="margin -
bottom: 10px">

```

```

<div class="col - md 4"></div>
<div class="col - md 4 text - center">
    <div style="margin - top: 8px" id="message">
        <?php echo $this ->session ->userdata('message') <> ?
        $this ->session ->userdata('message') : "";
    ?>
    </div>
    </div>
    <div class="col - md 1 text - right">
        </div>
        <div class="col - md 3 text - right">
            <form action=<?php echo site_url('evaluation/index'); ?>" clas s="form- inline" method="get">
                <div class="input - group"></div>
                </form>
            </div>
        </div>
        <table class="table table - bordered" style="margin - bottom: 10px">
            <tr>
                <th></th>
                <th>Event Name</th>
                <th>Date of Event</th>
                <th>Evaluation Due Date</th>
                <th>Evaluation for</th>
                <th></th>
            </tr><?php
            $ctr = 0;
            foreach ($evaluation_data as $evaluation) {
                if (($this ->session ->userdata('IsExecomm'))!=1)) {
                    if (($evaluation ->TeamID == $this ->session ->userdata('TeamID')) && ($evaluation ->MemberID != $this ->session ->userdata('MemberID'))) {
                        $ctr++; ?>
                        <tr>
                            <td width="50px">
                                <?php if
($evaluation ->IsEvaluated == 0) { ?>
                                    <div
class="alert alert - danger" style="margin - bottom: 0" role="alert">
                                        <span
class="glyphicon glyphicon - edit" aria - hidden="true"></span>
                                    </div>
                                <?php }
                elseif ($evaluation ->IsEvaluated == 1) { ?>
                    <div
class="alert alert - success" style="margin - bottom: 0" role="alert">
                                        <span
class="glyphicon glyphicon - check" aria - hidden="true"></span>
                                    </div>
                                <?php } ?>
                            </td><?php echo
$evaluation ->EventName ?></td>
                            <td><?php echo
$evaluation ->EventDate ?></td>
                            <?php $date =
$evaluation ->EventDate; ?>
                            <td><?php echo
date('Y - m d', strtotime($date. ' + 14
days')); ?></td>
                            <td><?php echo
$evaluation ->MemberName ?></td>
                            <td
style="text - align:center" width="200px">
                                <?php
if
($evaluation ->IsEvaluated == 0) {
                            echo
anchor(site_url('evaluation/create/'.$evaluation ->EvalID),'Evaluate Member',
'class="btn btn - primary") ;
} else {
                            echo " - ";
}
                ;>
                            <?php } ?>
                        </td>
                    </tr>
                <?php } ?>
            </table>
        <?php if
($evaluation ->IsEvaluated == 0) { ?>
            <div
class="alert alert - danger" style="margin - bottom: 0" role="alert">
                <span
class="glyphicon glyphicon - edit" aria - hidden="true"></span>
            </div>
        <?php }
        elseif ($evaluation ->IsEvaluated == 1) { ?>
            <div
class="alert alert - success" style="margin - bottom: 0" role="alert">
                <span
class="glyphicon glyphicon - check" aria - hidden="true"></span>
            </div>
        <?php }
    </div>

```

```

                <?php } ?>
            </td>
            <td><?php echo
$evaluation ->EventName ?></td>
            <td><?php echo
$evaluation ->EventDate ?></td>
                <?php $date =
$evaluation ->EventDate; ?>
                <td><?php echo date('Y - m
d', strtotime($date. ' + 14 days'));
?></td>
                <td><?php echo
$evaluation ->MemberName ?></td>
                <td style="text -
align:center" width="200px">
                    <?php
                        if
($evaluation ->IsEvaluated == 1) {
                            echo
anchor(site_url('evaluation/read/'.$evaluat
ion ->EvalID),'View Evaluation', 'class="b
tn-primary");
                        } else {
                            echo
"Unaccomplished Evaluation";
                        }
                    ?>
                </td>
            </tr>
        <?php } } ?>
        <?php if ($ctr == 0) { ?>
            <tr><td
colspan="5"><center><h4><i>No evaluations
to display.</i></h4></center></td></tr>
        <?php } ?>
        </table>
        <div class="row">
            <div class="col  - md 6">
                <?php if ($ this ->session-
>userdata('IsExecomm') == 1) {?>
                    <br /><a href="#" class="btn btn  -primary">Total Evaluations :
<?php echo $total_rows ?></a>&emsp;
                <?php } ?>
            </div>
            <div class="col  - md 6 text -
right">
                <?php echo $pagination ?>
            </div>
        </div>
        <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Evaluation_read.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Evaluation
Details</title>

```

```

        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php')
?>

        <h2 style="margin -
top:0px">Evaluation Details</h2><br />
        <table class="table">
            <tr><td width="400px"><b>Member
name</b></td><td><?php echo $MemberName;
?></td></tr>
            <tr><td><b>Team name (originally
assigned)</b></td><td>Team no. <?php echo
$TeamID; ?></td></tr>
            <tr><td><b>Event
name</b></td><td><?php echo $EventName;
?></td></tr>
            <tr><td><b>With replacement
member?</b></td><td><?php echo
($IsReplacement == 1 ? "Yes" : "No");
?></td></tr>
            <?php if ($ReplacementName != NULL)
?>
            <tr><td><b>Repalced
by:</b></td><td><?php echo
($ReplacementName); ?></td></tr>
            <?php } ?>
            <tr><td><b>Early Bird
member</b></td><td><?php echo ($IsEarly ==
1 ? "Yes" : "No"); ?></td></tr>
            <tr><td><b>Commended by the
client</b></td><td>< ?php echo ($IsCommended
== 1 ? "Yes" : "No"); ?></td></tr>
            <tr><td><b>Late for call
time</b></td><td><?php echo ($IsLate == 1 ?
"Yes" : "No"); ?></td></tr>
            <tr><td><b>Left earlier than event's
end time</b></td><td><?php echo ($LeftEarly
== 1 ? "Yes" : "No"); ?></td></tr>
            <tr><td><b>Did not wear required
attire/uniform</b></td><td><?php echo
($NoUniform == 1 ? "Yes" : "No");
?></td></tr>
            <tr><td><b>Cannot cover but found a
replacement</b></td><td><?php echo
($HasReplacement == 1 ? "Ye s" : "No");
?></td></tr>

```

```

<tr><td><b>Cannot cover, no
replacement</b></td><td><?php echo ($NoShow
== 1 ? "Yes" : "No"); ?></td></tr>
<tr><td><br /><a href=<?php echo
site_url('evaluation') ?>" class="btn btn
default">Back</a></td><td></td></tr>
</table>
<?php $this ->load ->view('footer.php')
?>
</body>
</html>
Event_assign.php
<!doctype html>
<html>
<head>
    <title>Shoot UPM | Assign
Team</title>
    <link rel="shortcut icon"
href=<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
    <link rel="stylesheet" href=<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
    <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
    <style>
        body { padding: 15px; }
    </style>
</head>
<body>
    <?php $this ->load ->view('nav.php');
?>

<br /><h2 style="margin -
top:0px">Assign Team</h2><br />
<form action=<?php echo $action;
?>" method="post">
    <table class="table">
        <tr><td width="250px"><b>Event
Name</b></td><td><?php echo $EventName;
?></td></tr>
        <tr><td width="250px"><b>Event
Organizer</b></td><td><?php echo $OrgName;
?></td></tr>
        <tr><td width="250px"><b>Event
Date</b></td><td><?php echo $EventDate;
?></td></tr>
        <tr><td width="250px"><b>Event
Time</b></td><td><?php echo $StartTime." to
".$EndTime; ?></td></tr>
        <tr><td width="250px"><b>Assign
Team: </b></td><td>
            <div style="margin -
left:
0px; color:#ff0000" id="message">
                <?php echo $this -
>session ->userdata('message') <> " ?
$this ->session ->userdata('message') : ";
?>
</div>
</td>
    </tr>
</table>
<?php
foreach ($team_list as
$team) { ?>
    <input type="checkbox"
name=<?php echo 'Team' . $team ->TeamID; ?>" value=<?php echo $team -
>TeamID; ?>>&nbsp;<?php echo $team-
>TeamName?>&nbsp;&nbsp;
?>
</table>
<input type="hidden" name="EventID"
value=<?php echo $EventID; ?> />
<input type="hidden"
name="EventDate" value=<?php echo
$EventDate; ?> />
<input type="hidden"
name="StartTime" value=<?php echo
$StartTime; ?> />
<input type="hidden" na me="EndTime"
value=<?php echo $EndTime; ?> />
<input type="submit" class="btn
btn-primary" value="Assign" />
    <a href="javascript:history.back()" class="btn btn
-default">Cancel</a>
</form><br /><br />
<?php $this ->load ->view('footer.php')
?>
</body>
</html>
Event_confirm.php
<!doctype html>
<html>
<head>
    <title>Shoot UPM | Confirm Event
Attendance</title>
    <link rel="shortcut icon"
href=<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
    <link rel="stylesheet" href=<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
    <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
    <style>
        body { padding: 15px; }
    </style>
</head>
<body>
    <?php $this ->load ->view('nav.php');
?>

<h2 style="margin - top:0px">Event
Details</h2>
<br>
<table class="table">

```

```

<tr><td><b>Event
name</b></td><td><?php echo $EventName;
?></td></tr>

<tr><td><b>Organizer</b></td><td><?php echo
$OrgName; ?></td></tr>
<tr><td><b>Event
location</b></td><td><?php echo
$EventLocation; ?></td></tr>
<tr><td><b>Event
date</b></td><td><?php echo $EventDate;
?></td></tr>
<tr><td><b>Start
time</b></td><td><?php echo $StartTime;
?></td></tr>
<tr><td><b>End time</b></td><td><?php
echo $EndTime; ?></td></tr>
<tr><td><b>Service
type</b></td><td><?php echo $ServiceType;
?></td></tr>
<tr><td><b>Remarks</b></td><td><?php
echo $Remarks; ?></td></tr>
<tr><td><b>Confirm
Attendance</b></td>
<form action=<?php echo $action; ?>
method="post">
<h4><input type="radio"
name="Confirmation" value="yes">&nbsp;I
<b>will</b> cover this event</h4>
<h4><input type="radio"
name="Confirmation" value="no">&nbsp;I
<b>cannot</b> cover this event</h4>
<input type="hidden" name="EventID"
value=<?php echo $EventID; ?> />
<input type="hidden"
name="MemberID" value=<?php echo $this -
>session ->userdata('MemberID'); ?> />
<br /><button type="submit"
class="btn btn -primary">Submit</button>
&nbsp;<a href=<?php echo
site_url('query') ?> class="btn btn
default">Cancel</a>
</form>
</td></tr>
</table>
<?php $this ->load ->view('footer.php')
?>
</body>
</html>
Event_form.php
<!doctype html>
<html>
<head>
<?php if (strpos($action, 'create')
!== false)
echo '<title>Documentation
Request Form</title>';
elseif (strpos($action,
'update') !== false)
echo '<title>Shoot UPM |
Edit Event</title>';

```

```

?>
<link rel="shortcut icon"
href=<?php echo
base_url('assets/favicon.ico') ?>" type="images/icon" />
<link rel="stylesheet" href=<?php
echo base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
<link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
<style>
body { padding: 15px; }
</style>
</head>
<body>
<?php if ((strpos($action,
'create') != false) && (!this ->session -
>userdata('Username'))) { ?>
<div class="page -header">
<a class="pull -left" href="#">
<img style="max -width:50px;
margin- top: -7px;" alt="Shoot UPM"
src=<?php echo
base_url('assets/images/logo.png')?>">
</a>
<h2><b>Shoot UPM</b>
<small>Event Request and Performance
Tracking System</small></h2>
</div><br />
<?php echo '<div
class="form -group">
<h2 style="margin -
top:0px"><b>Documentation
Guidelines:</b></h2>
<ol type="1"
style="line -height: 170%">
<li>Form must
be given to any member of Shoot UPM two
weeks before said event.</li>
<li>Shoot UPM
owns all photos and videos.</li>
<ol
type="a" style="line -height: 150%">
<li>All
photos and videos will have the
' " %o f • < œ f - < ' • h • ™ f - ‡ " • f " • \ ³ u Ź <
<li>Shoot UPM will have the freedom to post
and use photos from said event in our
promotions.</li>
<li>When the pictures and videos are used,
Shoot UPM must be credited.</li>
</ol>
<li>All photos
and videos taken during the event will be
given to the organization that requested
seven working days after the event. If yo
u
wish to have the photos and videos saved in

```

a USB/CD, please give the USB/CD to us upon giving the form. The USB/CD will contain original photos and videos with our watermark.

```

        </ol>
        </div>
        <hr>;
    }
    elseif ($this ->session->userdata('Username')) {
        $this ->load->view('nav.php');
    }
}

<form action="php echo $action; ?" method="post">

    <h2 style="margin-top:0px"><span class="glyphicon glyphicon-certificate" aria-hidden="true"></span>&nbsp;Organization Profile</h2>
    <br /><div class="form-group">
        <label for="varchar">Organization Name <?php echo form_error('OrgName') ?></label>
        <input type="text" class="form-control" name="OrgName" id="OrgName" value="php echo $OrgName; ?" />
    </div>
    <div class="form-group">
        <label for="varchar">Contact Person <?php echo form_error('ContactName') ?></label>
        <input type="text" class="form-control" name="ContactName" id="ContactName" value="php echo $ContactName; ?" />
    </div>
    <div class="form-group">
        <label for="varchar">Contact No. <?php echo form_error('ContactNo') ?></label>
        <input type="text" class="form-control" name="ContactNo" id="ContactNo" value="php echo $ContactNo; ?" />
    </div>
    <div class="form-group">
        <label for="varchar">Contact's position <?php echo form_error('ContactPosition') ?></label>
        <input type="text" class="form-control" name="ContactPosition" id="ContactPosition" value="php echo $ContactPosition; ?" />
    </div>
    <div class="form-group">
        <label for="varchar">Email Address <?php echo form_error('EmailAddr') ?></label>

```

```

        <input type="text" class="form-control" name="EmailAddr" id="EmailAddr" value="php echo $EmailAddr; ?" />
    </div>

    <br>
    <h2 style="margin-top:0px"><span class="glyphicon glyphicon-calendar" aria-hidden="true"></span>&nbsp;Event Information</h2>
    <br /><div class="form-group">
        <label for="varchar">Event Name <?php echo form_error('EventName') ?></label>
        <input type="text" class="form-control" name="EventName" id="EventName" value="php echo $EventName; ?" />
    </div>
    <div class="form-group">
        <label for="varchar">Location <?php echo form_error('EventLocation') ?></label>
        <h5><i> For events outside UP Manila, transportation allowance of the team should be provided by the event organizers.</i></h5>
        <input type="text" class="form-control" name="EventLocation" id="EventLocation" value="php echo $EventLocation; ?" />
    </div>
    <div class="form-group">
        <label for="date">Date <?php echo form_error('EventDate') ?></label>
        <input type="date" class="form-control" name="EventDate" id="EventDate" value="php echo $EventDate; ?" />
    </div>
    <div class="form-group">
        <label for="time">Start Time <?php echo form_error('StartTime') ?></label>
        <input type="time" class="form-control" name="StartTime" id="StartTime" value="php echo $StartTime; ?" />
    </div>
    <div class="form-group">
        <label for="time">End Time <?php echo form_error('EndTime') ?></label>
        <h5><i> Covering team will render service until the indicated time.<br><i> However should the event still be unfinished on the indicated time, it will be the covering team's decision whether to stay or not.</i></h5>
        <input type="time" class="form-control" name="EndTime" id="EndTime" value="php echo $EndTime; ?" />
    </div>

```

```

        <label for="enum">Service Type
<?php echo form_error('ServiceType')
?></label>
        <select name="ServiceType"
class="form - control">
            <option value='Photo' <?php
echo set_select('ServiceType', 'Photo'); ?>
>Photography</option>
            <option value='Video' <?php
echo set_select('ServiceType', 'Video'); ?>
>Videography</option>
            <option value='Both' <?php
echo set_select('ServiceType', 'Both'); ?>
>Both</option>
        </select>
    </div >
    <div class="form - group">
        <label for="Remarks">Remarks
<?php echo form_error('Remarks') ?></label>
        <textarea class="form - control"
rows="3" name="Remarks" id="Remarks"
placeholder="Please indicate what type of
service we could provide for your
organization."><?php echo $Remarks;
?></textarea>
    </div>
        <input type="hidden" name="EventID"
value=<?php echo $EventID; ?>" />
        <?php if (strpos($action, 'create')
!== false)
            echo '<input type="submit"
class="btn btn - primary" value="Submit" />';
        elseif (strpos($action,
'update') !== false)
            echo '<i nput type="submit"
class="btn btn - primary" value="Save" />';
        ?>
        <a href=<?php echo
site_url('admin'); ?>" class="btn btn
default">Cancel</a>
    </form>
    <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Event_list.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Events</title>
        <link rel="shortcut icon"
href=<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href=<?php
echo
base_url('assets/bootstrap/css/boo tstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php')
?>

        <h2 style="margin - top:0px">Events
Directory</h2>
        <div class="row" style="margin
bottom: 10px">
            <div class="col - md 4"></div>
            <div class="col - md 4 text -
center">
                <div style="m argin - left:
0px" id="message">
                    <?php echo $this -
>session ->userdata('message') <> " ?
$this ->session ->userdata('message') : ";
?>
                </div>
            </div>
            <div class="col - md 1 text -
right">
                </div>
            <div class="col - md 3 text -
right">
                <form action=<?php echo
site_url('event/index'); ?>" class="form
- inline" method="get">
                    <div class="input -
group">
                        <input type="text"
class="form - control" name="q" value=<?php
echo $q; ?>">
                        <span class="input -
group-btn">
                            <?php
                                if ($q <>
") { ?>
                            <a
href=<?php echo site_url('event') ; ?>
                                class="btn btn - default">Reset</a>
                            <?php } ?>
                            <button
class="btn btn - primary"
type="submit">Search</button>
                        </span>
                    </div>
                </form>
            </div>
        </div>
        <table class="table table
-bordered"
style="margin - bottom: 10px">
            <tr>
                <th>Event No.</th>
                <th>Event Status</th>
                <th>Event Name</th>
                <th>Event Date</th>
                <th>Organizer</th>
            </tr>

```

```

<th>Team Assigned</th>
<th></th>
</tr>
<?php
    $ctr = 0;
    foreach ($event_data as
$event) {
        if (($this ->session -
>userdata('IsExecomm')!=1)) {
            $teamstr = "";
            foreach($event_teams as
$team) {
                if ($event ->EventID ==
$team >EventID) {
                    if ($teamstr == "") {
                        $teamstr = $team
>TeamID;
                    } else
                        $teamstr =
$teamstr.", ".$team ->TeamID;
                }
                if (($teamstr != "") &&
(strpos($teamstr, $this ->session -
>userdata('TeamID')) != false)) {
                    $ctr++; ?>
<tr>
<td
width="80px"><?php echo $ctr ?></td>
<td><?php foreach
($eventstatus_data as $status) {
                    if
($status->EventStatusID == $event -
>EventStatusID) {
                        if
($status ->IsActive == 0) {
                            $EventStatus = "Event Process Completed";
                        ?>
                    <div
class="progress">
                    <div
class="progress -bar progress -bar -success"
role="progressbar" aria - valuenow="100"
aria - valuemin="0" aria - valuemax="100"
style="width: 100%">
                        100%
                    </div>
                </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
                <?php }
            elseif ($status ->IsPublished == 1) {
                $EventStatus = "Deliverables Published"; ?>
            <div
class="progress">
            <div
class="progress -bar progress -bar -info"
role="progressbar" aria - valuenow="90" aria -
valuemin="0" aria - valuemax="100" style="width: 90%">
                90%
            </div>
        </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
                <?php }
            elseif ($status ->IsSubmitted == 1) {
                $EventStatus = "Deliverables Submitted (for
publishing)"; ?>
            <div
class="progress">
                <div
class ="progress - bar progress - bar - info"
role="progressbar" aria - valuenow="75" aria -
valuemin="0" aria - valuemax="100"
style="width: 75%">
                    75%
                </div>
            </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
                <?php }
            elseif ($status ->IsProcessed == 1) {
                $EventStatus = "Deliverables Processed"; ?>
            <div
class="progress">
                <div
class="progress -bar progress -bar -info"
role="progressbar" aria - valuenow="60" aria -
valuemin="0" aria - valuemax="100"
style="width: 60%">
                    60%
                </div>
            </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
                <?php }
            elseif ($status ->IsCovered == 1) {
                $EventStatus = "Event Covered"; ?>
            <div
class="progress">
                <div
class="progress -bar progress -bar - warning"
role="pr ogressbar" aria - valuenow="50" aria -
valuemin="0" aria - valuemax="100"
style="width: 50%">
                    50%
                </div>
            </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>

```

```

                <?php }
elseif ($status ->IsContacted == 1) {
$EventStatus = "Event Organizer Contacted";
?>


30%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php }
elseif ($status ->IsAccepted == 1) {
$EventStatus = "Request Accepted"; ?>


20%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php }
else {
$EventStatus = "New"; ?>


0%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php }
} ?></td>
<td><?php echo
$event->EventName ?></td>
<td><?php echo
$event->EventDate."<br />".$event -
>StartTime." - ".$event ->EndTime; ?></td>
<td><?php echo
$event->OrgName ?></td>
<td width="80px">
<?php echo
anchor(site_url('event/read/'.$event -
>EventID),'Details', 'class="btn btn -
primary"');
if (($this -
>session->userdata('IsTeamLeader') == 1) &&
(strpos($EventStatus, 'Completed') ==
false)) {
echo
"\n";
echo
anchor(site_url('eventstatus/update/'.$even -
t->EventStatusID),'Update Status',
'class="btn btn -primary"');
}
?>
</td>
</tr>
<?php } } else {
$cctr++;?>
<tr>
<td width="80px"><?php echo $ctr
?></td>
<td><?php foreach
($eventstatus_data as $status) {
if
($status ->EventStatusID == $event -
>EventStatusID) {
if
($status ->IsActive == 0) {
$EventStatus = "Event Process Completed";
?>
<div
class="progress">
<div
class="progress-bar progress-bar-success"
role="progressbar" aria-valuenow="100"
aria-valuemin="0" aria-valuemax="100"
style="width: 100%">
100%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php }
elseif ($status ->IsPublished == 1) {
$EventStatus = "Deliverables Published"; ?>
<div
class="progress">
<div
class="progress-bar progress-bar-info"


```

```

role="progressbar" aria_valuenow="90" aria_valuemin="0" aria_valuemax="100"
style="width: 90%;">
    90%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php >
elseif ($status ->IsSubmitted == 1) {

$EventStatus = "Deliverables Submitted (for
publishing)"; ?>
<div
class="progress">
    <div
class="progress -bar progress -bar -info"
role="progressbar" aria_valuenow="75" aria_valuemin="0" aria_valuemax="100"
style="width: 75%;">
        75%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php >
elseif ($status ->IsProcessed == 1) {

$EventStatus = "Deliverables Processed"; ?>
<div
class="progress">
    <div
class="progress -bar progress -bar -info"
role="progressbar" aria_valuenow="60" aria_valuemin="0" aria_valuemax="100"
style="width: 60%;">
        60%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php >
elseif ($status ->IsCovered == 1) {

$EventStatus = "Event Covered"; ?>
<div
class="progress">
    <div
class="progress -bar progress -bar -warning"
role="progressbar" aria_valuenow="50" aria_valuemin="0" aria_valuemax="100"
style="width: 50%;">
        50%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
<?php >
else {
    $EventStatus = "New"; ?>
<div
class="progress">
    <div
class="progress -bar progress -bar -danger"
role="progressbar" aria_valuenow="15" aria_valuemin="0" aria_valuemax="100"
style="width: 15%;">
        15%
</div>
</div>

```

```

valuemin="0" aria_valuemax="100"
style="width: 15%;">
    0%
    </div>
    </div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
        <?php
    }
} ?></td>
<td><?php echo $event->EventName
?></td>
    <td><?php echo $event-
>EventDate."<br />".$event->StartTime." - "
.$event->EndTime; ?></td>
        <td><?php echo $event-
>OrgName ?></td>
        <td width="80px"><?php if
($EventStatus == "New") {
                echo
"Not Assigned";
            } elseif
($EventStatus == "Request Rejected") {
                echo " - ";
            } else {
                $teamstr
= "";
}
foreach($event_teams as $team) {
        if
($event->EventID == $team->EventID) {
            if
($teamstr == "")
$teamstr = $team->TeamID;
        } else
$teamstr = $team->TeamID;
}
if($teamstr == "")
echo
anchor(site_url('e vent/assign/'.$event -
>EventID),'Assign', 'class="btn btn -
default"');
else
echo
$teamstr;
}
?>
</td>
<td style="text-align:left"
width="200px">
    <?php
        if (stripos($EventStatus,
'rejected') == false) {
            echo
anchor(site_url('event/read/'.$event -
>EventID),'Details', 'class="btn btn -
primary");
        }
        if
(stripos($EventStatus, 'new') != false) {
            echo "\n";
            echo
anchor(site_url('eventstatus/accept/'.$event -
>EventStatusID),'Accept/Reject Event',
'class="btn btn - primary"');
        }
    ?>
    </td>
</tr>
<?php } } ?>
<?php if ($ctr == 0) { ?>
<tr><td
colspan="7"><center><h4><i>No events to
display.</i></h4></center></td></tr>
<?php } ?>
</table>
<div class="row">
<br />
<div class="col - md 6">
    <?php if ($this->session-
>userdata('IsExecomm') == 1) { ?>
        <a href="#" class="btn btn -
primary">Total Events : <?php echo
$total_rows ?></a>&emsp;
    <?php } ?>
    <?php echo
anchor(site_url('event/excel'), 'Export
Excel', 'class="btn btn - primary"'); ?>
</div>
<div class="col - md 6 text -
right">
    <?php echo $pagination ?>
</div>
</div>
<?php
    //echo $ctr;
    //print_r($_SESSION);
?>
<br /><br />
<?php $this->load->view('footer.php')
?>
</body>
</html>
Event_read.php
<!doctype html>
<html>
    <head>
        <title> Shoot UPM | Event
Details</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo

```

```

base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
    <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
    <style>
        body { padding: 15px; }
    </style>
</head>
<body>
    <?php $this ->load ->view('nav.php')
?>

        <h2 style="margin -
top:0px"><b>Event: </b><?php echo
$EventName; ?></h2>
    <br>
        <table class="table">
            <?php if ($IsActive == 0)
                $EventStatus = "Event
Process Completed";
            elseif ($IsPublished == 1)
                $EventStatus =
"Deliverables Published";
            elseif ($IsSubmitted == 1)
                $EventStatus =
"Deliverables Submitted (for publishing)";
            elseif ($IsProcessed == 1)
                $EventStatus =
"Deliverables Processed";
            elseif ($IsCovered == 1)
                $EventStatus = "Event
Covered";
            elseif ($IsContacted == 1)
                $EventStatus = "Event
Organizer Contacted";
            elseif ($IsAccepted == 1)
                $EventStatus = "Request
Accepted";
            else
                $EventStatus = "New";

            if ($IsCovered == 1) {
                if ($IsEvaluated == 1)
                    $EvaluationStatus =
"Evaluations Submitted";
                else
                    $EvaluationStatus =
"Evaluations Not Submitted";
            } else
                $EvaluationStatus = "Not
Applicable";
        ?>
        <tr><td><b>Team
assigned</b></td><td><?php if ($TeamID ==
NULL)
                                echo
'Not Assigned';
                        else
                            echo
$TeamID; ?></td></tr>
    <tr><td><b>Event
status</b></td><td><?php echo $EventStatus;
?></td></tr>
        <tr><td><b>Team evaluation
status</b></td><td><?php echo
$EvaluationStatus; ?></td></tr>
        <tr><td><b>Event
name</b></td><td><?php echo $EventName;
?></td></tr>

        <tr><td><b>Organizer</b></td><td><?php echo
$OrgName; ?></td></tr>
        <tr><td><b>Contact
person</b></td><td><?php echo $ContactName;
?></td></tr>
        <tr><td><b>Contact
no.</b></td><td><?php echo $ContactNo;
?></td></tr>
        <tr><td><b>Position</b></td><td><?php
echo $ContactPosition; ?></td></tr>
        <tr><td><b>Email
address</b></td><td><?php echo $EmailAddr;
?></td></tr>
        <tr><td><b>Event
location</b></td><td><?php echo
$EventLocation; ?></td></tr>
        <tr><td><b>Event
date</b></td><td><?php echo $EventDate;
?></td></tr>
        <tr><td><b>Start
time</b></td><td><?php echo $StartTime;
?></td></tr>
        <tr><td><b>End time</b></td><td><?php
echo $EndTime; ?></td></tr>
        <tr><td><b>Service
type</b></td><td><?php echo $ServiceType;
?></td></tr>
        <tr><td><b>Remarks</b></td><td><?php
echo $Remarks; ?></td></tr>
        <tr><td></td><td><br />
<?php
        $marker = 0;
        foreach ($event_members as $member)
{
            if ($member ->MemberID == $this-
>session ->userdata('MemberID')) {
                $marker = 1;
                //echo "";
            }
            if ($marker == 0) {
                echo
anchor(site_url('event/confirm/'.$EventID),
'Confirm Attendance', 'class="btn btn -
primary"');
            }
            if (($this ->session -
>userdata('IsExecomm') == 1) || ($this -
>session ->userdata('IsTeamLeader') == 1)) {
                echo "&nbsp;";
            }
}

```

```

echo
anchor(site_url('event/update/'.$EventID),
Update Details', 'class="btn btn - primary'");
} ?>
    &emsp;<a href="<?php echo
site_url('event') ?>" class="btn btn - default">Back</a></td></tr>
</table>
<?php $this->load->view('footer.php')
?>
</body>
</html>
Eventstatus_accept.php
<!doctype html>
<html>
    <head>
        <title>Accept/Reject Event</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this->load->view('nav.php')
?>

        <h2 style="margin-top:0px">Event
Details</h2>
        <br />
        <form action="<?php echo $action; ?>"
method="post">
            <input type="hidden"
name="EventStatusID" value="<?php echo
$EventStatusID;?>" />
            <table class="table">
                <tr><td><b>Event
Organizer</b></td><td><?php echo $OrgName;
?></td></tr>
                <tr><td><b>Event
Name</b></td><td><?php echo $EventName;
?></td></tr>
                <tr><td><b>Event
Date</b></td><td><?php echo $EventDate;
?></td></tr>
                <tr><td><b>Event
Location</b></td><td><?php echo
$EventLocation; ?></td></tr>
<tr><td><b>Time</b></td><td><?php echo
$StartTime." to ".$EndTime; ?></td></tr>

```

```

<tr><td><b>Service
Type</b></td><td>
<?php if ($ServiceType ==
"Both")
    echo "Photography &
Videography";
elseif($ServiceType ==
"Photo")
    echo "Photography
only";
else
    echo "Videography
only"; ?>
</td></tr>

<tr><td><b>Remarks</b></td><td><?php echo
$Remarks ?></td></tr>
<tr>
    <td><h4><input type="radio"
name="AcceptReject"
value="yes">&nbsp;Accept Documentation
Request</h4></td>
    <td><h4><input type="radio"
name="AcceptReject" value="no">&nbsp;Reject
Documentation Request</h4></td>
</tr>

</table>

<button type="submit" class="btn btn - primary">Confirm</button>
<a href="<?php echo
site_url('event') ?>" class="btn btn - default">Cancel</a>

</form>
<?php $this->load->view('footer.php')
?>
</body>
</html>
Eventstatus_form.php
<!doctype html>
<html>
    <head>
        <title>Update Event Status</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>

```

```

<?php $this ->load ->view('nav.php')
?>

    <?php if ($IsActive == 0)
        $EventStatus = "Event
Process Completed";
        elseif ($IsPublished == 1)
            $EventStatus =
"Deliverables Published";
            elseif ($IsSubmitted == 1)
                $EventStatus =
"Deliverables Submitted (for publishing)";
                elseif ($IsProcessed == 1)
                    $EventStatus =
"Deliverables Processed";
                    elseif ($IsCovered == 1)
                        $EventStatus = "Event
Covered";
                        elseif ($IsContacted == 1)
                            $EventStatus = "Event
Organizer Contacted";
                            elseif ($IsAccepted == 1)
                                $EventStatus = "Request
Accepted";
                            else
                                $EventStatus = "New";
?>
    <h2 style="margin - top:0px">Event
Details</h2>
    <br />
    <form action=<?php echo $action; ?>" method="post">
        <input type="hidden"
name="EventStatusID" value=<?php echo
$EventStatusID;?> />
        <table class="table">
            <tr><td><b>Event
Name</b></td><td><?php echo $EventName;
?></td></tr>
            <tr><td><b>Event
Date</b></td><td><?php echo $EventDate;
?></td></tr>
            <tr><td><b>Event
Organizer</b></td><td><?php echo $OrgName;
?></td></tr>
            <?php if
(stripos($EventStatus, "new") !== false) {
?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-danger"
role="progressbar" aria - valuenow="5" aria -
valuemin="0" aria - valuemax="100"
style="width: 5%">
                            0%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "accepted") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-success"
role="progressbar" aria - valuenow="15" aria -
valuemin="0" aria - valuemax="100"
style="width: 15%">
                            15%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "published") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-warning"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "covered") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-primary"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "processCompleted") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-success"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "organizerContacted") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-warning"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "deliverablesPublished") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-success"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "eventCovered") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-primary"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "submitted") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-success"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "completed") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-success"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "contacted") !==
false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-warning"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } elseif
(stripos($EventStatus, "new") === false) { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-primary"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } else { ?>
                <tr><td><b>Current
Event Status</b></td><td>
                    <div
class="progress">
                        <div
class="progress-bar progress-bar-primary"
role="progressbar" aria - valuenow="100" aria -
valuemin="0" aria - valuemax="100"
style="width: 100%">
                            100%
                        </div>
                    </div>
                </tr>
            <?php } ?>
        </table>
    </form>

```

```

value="processed">& emsp;Deliverables
Processed<br />
    <input type="radio"
name="StatusUpdate"
value="submitted">&emsp;Deliverables
Submitted<br />
    <input type="radio"
name="StatusUpdate"
value="published">&emsp;Deliverables
Published<br />
    <input type="radio"
name="StatusUpdate"
value="completed">&emsp;Event Process
Completed<br />
    <?php } elseif
(stripos($EventStatus, "contacted") !==
false) { ?>
        <tr><td><b>Current
Event Status</b></td><td>
            <div
class="progress">
                <div
class="progress - bar progress - bar - warning"
role="progressbar" aria - valuenow="50" aria -
valuemin="0" aria - valuemax="100"
style="width: 50%">
                    50%
                </div>
            </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
</td></tr>
<tr><td><b>Change Event
Status To:</b></td><td>
            <input type="checkbox"
checked disabled>&emsp;Event Organizer
Contacted<br />
            <input type="checkbox"
checked disabled>&emsp;Event Covered<br />
            <input type="radio"
name="StatusUpdate"
value="processed">&emsp;Deliverables
Processed<br />
            <input type="radio"
name="StatusUpdate"
value="submitted">&emsp;Deliverables
Submitted<br />
            <input type="radio"
name="StatusUpdate"
value="published">&emsp;Deliverables
Published<br />
            <input type="radio"
name="StatusUpdate"
value="completed">&emsp;Event Process
Completed<br />
            <?php } elseif
(stripos($EventStatus, "covered") !==
false) { ?>
        <tr><td><b>Current
Event Status</b></td><td>
            <div
class="progress">
                <div
class="progress - bar progress - bar - info"
role="progressbar" aria - valuenow="60" aria -
valuemin="0" aria - valuemax="100"
style="width: 60%">
                    60%
                </div>
            </div>
<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
</td></tr>
<tr><td><b>Change Event
Status To:</b></td><td>

```

```

<input type="checkbox"
checked disabled>&nbsp;Event Organizer
Contacted<br />
<input type="checkbox"
checked disabled>&nbsp;Event Covered<br />
<input type="checkbox"
checked disabled>&nbsp;Deliverables
Processed<br />
<input type="radio"
name="StatusUpdate"
value="submitted">&nbsp;Deliverables
Submitted<br />
<input type="radio"
name="StatusUpdate"
value="published">&nbsp;Deliverables
Published<br />
<input type="radio"
name="StatusUpdate"
value="completed">&nbsp;Event Process
Completed<br />
<?php } elseif
(stripos($EventStatus, "submitted") !==
false) { ?>
<tr><td><b>Current
Event Status</b></td><td>
<div
class="progress">
<div
class="progress -bar progress -bar -info"
role="progressbar" aria - valuenow="90" aria -
valuemin="0" aria - valuemax="100"
style="width: 90%">
90%
</div>
</div>

<h6><i><center><?php echo $EventStatus;
?></center></i></h6>
</td></tr>
<tr><td><b>Change Event
Status To:</b></td><td>
<input type="checkbox"
checked disabled>&nbsp;Event Organizer
Contacted<br />
<input type="checkbox"
checked disabled>&nbsp;Event Covered<br />
<input type="checkbox"
checked disabled>&nbsp;Deliverables
Processed<br />
<input type="checkbox"
checked disabled>&nbsp;Deliverables
Submitted<br />
<input type="checkbox"
checked disabled>&nbsp;Deliverables
Published<br />
<input type="radio"
name="StatusUpdate"
value="completed">&nbsp;Event Process
Completed (including evaluations)<br />
<?php } else { ?>
<tr><td><b>Current
Event Status</b></td><td>
<div
class="progress">
<div
class="progress -bar progress -bar -success"
role="progressbar" aria - valuenow="100"
aria - valuemin="0" aria - valuemax="100"
style="width: 100%">
100%
</div>
</div>

<h6><i><center>Event Process
Completed</center></i></h6>
</td></tr>
<?php } ?>
</table>

```

```

<input type="hidden"
name="EventStatusID" value=<?php echo
$EventStatusID; ?>" />
    <input type="hidden"
name="IsAccepted" value=<?php echo
$IsAccepted; ?>" />
        <input type="hidden"
name="IsContacted" value=<?php echo
$IsContacted; ?>" />
            <input type="hidden"
name="IsCovered" value=<?php echo
$IsCovered; ?>" />
                <input type="hidden"
name="IsProcessed" value=<?php echo
$IsProcessed; ?>" />
                    <input type="hidden"
name="IsSubmitted" value=<?php echo
$IsSubmitted; ?>" />
                        <input type="hidden"
name="IsPublished" value=<?php echo
$IsPublished; ?>" />
                            <input type="hidden"
name="IsActive" value=<?php echo
$IsActive; ?>" />

    <?php if (strpos($EventStatus,
"completed") === false) { ?>
        <button type="submit" class="btn btn
primary"><?php echo $button ?></but ton>
            <a href=<?php echo
site_url('event') ?>" class="btn btn
default">Cancel</a>
        <?php } else { ?>
            <a href=<?php echo site_url('event')
?>" class="btn btn
-default">Back</a>
        </form>
        <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Footer.php
<footer class="footer">
    <div class="container">
        <p class="text - muted">
            <span class="glyphicon
glyphicon - thumbs up" aria -
hidden="true"></span>&nbsp;facebook.com/Sho
otUPM
            &emsp;<span class="glyphicon
glyphicon - plus - sign" aria -
hidden="true"></span>&nbsp;twitter.com/Shoo
tUPM
            &emsp;<span class="glyphicon
glyphicon - camera" aria -
hidden="true"></span>&nbsp;instagram.com/Sh
ootUPM
        </p>
    </div>
</footer>
Home.php

```

```

<html>
    <head>
        <title>Shoot UPM Portal</title>
        <link rel="shortcut icon" href=<?php
echo base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
        <link rel="stylesheet" href=<?php echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>/>
        <style>
            body { padding: 15px; }
        </style>
    </head>
    <body>
        <div class="page - header">
            <a class="pull - left" href="#">
                <img style="max - width:50px;
margin- top: - 7px;" alt="Shoot UPM"
src=<?php echo
base_url('assets/images/logo.png')?>">
            </a>
            <h2><b>&nbsp;Shoot UPM</b>
<small>Event Request and Performance
Tracking Syst em</small></h2>
        </div>
        <div class="jumbotron">
            <h2>Let <b>SHOOT UPM</b> cover your
events!</h2>
            <p>We cover events inside and outside
the university. Submit a request form
now!</p>
            <p><a class="btn btn
-primary btn - lg"
href=<?php echo b ase_url().'event/create'
?>" role="button">Submit request</a></p>
            <p>For any questions of inquiries, <a
class="btn btn
-primary btn - lg" href=<?php
echo base_url().'query/create' ; ?>" role="button">Ask away!</a></p>
            <p>For official members, <a cl ass="btn
btn-primary btn - lg" href=<?php echo
base_url().'login'; ?>" role="button">
login here</a></p>
        </div>
        <footer class="footer">
            <div class="container">
                <p class="text - muted">
                    <span class="glyphicon
glyphicon - thumbs up" aria -
hidden="true"></span>&nbsp;facebook.com/Sho
otUPM
                    &emsp;<span class="glyphicon
glyphicon - plus - sign" aria -
hidden="true"></span>&nbsp;twitter.com/Shoo
tUPM
                    &emsp;<span class="glyphicon
glyphicon - camera" aria -
hidden="true"></span>&nbsp;instagram.com/Sh
ootUPM
                    &emsp;<span class="glyphicon
glyphicon - camera" aria -
hidden="true"></span>&nbsp;instagram.com/Sh
ootUPM
                </p>
            </div>
        </footer>
    </body>
</html>

```

```

        </p>
    </div>
</footer>
</body>
</html>
Internal_form.php
<!doctype html>
<html>
    <head>
        <?php if (strpos($action, 'create') != false)
            echo '<title>Shoot UPM | Post Announcement</title>';
        elseif (strpos($action, 'update') != false)
            echo '<title>Shoot UPM | Update Announcement</title>';
        ?>
        <link rel="shortcut icon" href="<?php echo base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?>"/>
        <link rel="stylesheet" href="http://getbootstrap.com/examples/sticky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this->load->view('nav.php'); ?>
        <h2 style="margin-top:0px">Announcement Details</h2>
        <form action="<?php echo $action; ?>" method="post">
            <br />
            <?php if ($ForReplacement == 1) { ?>
                <input type="checkbox" name="ForReplacement" id="ForReplacement" value="1" checked />&nbsp;<i>Posting for replacement</i>
                <?php } else { ?>
                <input type="checkbox" name="ForReplacement" id="ForReplacement" value="1" />&nbsp;<i>Posting for replacement</i>
                <?php } ?>
                <br /><br />
                <div class="form - group">
                    <label for="varchar">Name/Description <?php echo form_error('Name') ?></label>
                    <input type="text" class="form - control" name="Name" id="Name" value="<?php echo $Name; ?>" />
                    </div>
                <div class="form - group">
                    <label for="date">Date <?php echo form_error('Date') ?></label>
                    <input type="date" class="form - control" name="Date" id="Date" value="<?php echo $Date; ?>" />
                </div>
                <div class="form - group">
                    <label for="time">Start Time <?php echo form_error('StartTime') ?></label>
                    <input type="time" class="form - control" name="StartTime" id="StartTime" value="<?php echo $StartTime; ?>" />
                </div>
                <div class="form - group">
                    <label for="time">End Time <?php echo form_error('EndTime') ?></label>
                    <input type="time" class="form - control" name="EndTime" id="EndTime" value="<?php echo $EndTime; ?>" />
                </div>
                <div class="form - group">
                    <label for="varchar">Location <?php echo form_error('Location') ?></label>
                    <input type="text" class="form - control" name="Location" id="Location" value="<?php echo $Location; ?>" />
                </div>
                <div class="form - group">
                    <label for="Remarks">Remarks <?php echo form_error('Remarks') ?></label>
                    <textarea class="form - control" rows="3" name="Remarks" id="Remarks"><?php echo $Remarks; ?></textarea>
                </div>
                <input type="hidden" name="InternalID" value="<?php echo $InternalID; ?>" />
                <?php if (strpos($action, 'create') != false)
                    echo '<input type="submit" class="btn btn - primary" value="Post Announcement" />';
                elseif (strpos($action, 'update') != false)
                    echo '<input type="submit" class="btn btn - primary" value="Save" />';
                ?>
                <a href="javascript:history.back()" class="btn btn - default">Cancel</a>
            </form>
            <?php $this->load->view('footer.php') ?>
        </body>
    </html>
Internal_list.php
<!doctype html>

```

```

<html>
    <head>
        <title>Shoot UPM | Announcements</title>
        <link rel="shortcut icon" href="php echo base_url('assets/favicon.ico') ?" type="image/icon" />
        <link rel="stylesheet" href="php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?"/&gt;
            &lt;link rel="stylesheet" href="http://getbootstrap.com/examples/sticky-footer/sticky-footer.css"/&gt;
            &lt;style&gt;
                body{ padding: 15px; }
            &lt;/style&gt;
    &lt;/head&gt;
    &lt;body&gt;
        &lt;?php $this-&gt;load-&gt;view('nav.php'); ?&gt;
        &lt;h2 style="margin - top:0px"&gt;Announcements&lt;/h2&gt;&lt;br /&gt;
        &lt;div class="row" style="margin - bottom: 10px"&gt;
            &lt;div class="col - md 4"&gt;
                &lt;?php echo anchor(site_url('internal/create'), 'Post Announcement', 'class="btn btn - primary"'); ?&gt;
            &lt;/div&gt;
            &lt;div class="col - md 4 text - center"&gt;
                &lt;div style="margin - top: 8px" id="message"&gt;
                    &lt;?php echo $this-&gt;session-&gt;userdata('message') &lt;&gt; " ?&gt;
                    &lt;?php echo $this-&gt;session-&gt;userdata('message') : ?&gt;
                &lt;/div&gt;
                &lt;/div&gt;
                &lt;div class="col - md 1 text - right"&gt;
                &lt;/div&gt;
                &lt;div class="col - md 3 text - right"&gt;
                    &lt;form action="<?php echo site_url('internal/index'); ?&gt;" class="form - inline" method="get"&gt;
                        &lt;div class="input - group"&gt;
                            &lt;input type="text" class="form - control" name="q" value="<?php echo $q; ?&gt;"&gt;
                            &lt;span class="input - group-btn"&gt;
                                &lt;?php if ($q &lt;&gt; "") { ?&gt;
                            &lt;/div&gt;
                    &lt;/form&gt;
                &lt;/div&gt;
            &lt;/div&gt;
        &lt;/div&gt;
        &lt;?php echo $this-&gt;load-&gt;view('internal/footer'); ?&gt;
    &lt;/body&gt;
&lt;/html&gt;
    ?&gt;
    &lt;a href="<?php echo site_url('internal'); ?&gt;" class="btn btn - default"&gt;Reset&lt;/a&gt;
    &lt;?php
    }
    ?&gt;
    &lt;button class="btn btn - primary" type="submit"&gt;Search&lt;/button&gt;
        &lt;/span&gt;
    &lt;/div&gt;
    &lt;/form&gt;
    &lt;/div&gt;
    &lt;table class="table table - bordered" style="margin - bottom: 10px"&gt;
        &lt;tr&gt;
            &lt;th&gt;&lt;/th&gt;
            &lt;th&gt;Description&lt;/th&gt;
            &lt;th&gt;Date&lt;/th&gt;
            &lt;th&gt;Time&lt;/th&gt;
            &lt;th&gt;Location&lt;/th&gt;
            &lt;th&gt;&lt;/th&gt;
        &lt;/tr&gt;
        &lt;?php foreach ($internal_data as $internal) { ?&gt;
            &lt;tr&gt;
                &lt;td width="50px"&gt;
                    &lt;?php if ($internal - &gt;ForReplacement == 1) { ?&gt;
                        &lt;div class="alert alert - danger" style="margin - bottom: 0" role="alert"&gt;
                            &lt;span class="glyphicon glyphicon - camera" aria - hidden="true"&gt;&lt;/span&gt;
                        &lt;/div&gt;
                    &lt;?php } else { ?&gt;
                        &lt;div class="alert alert - warning" style="margin - bottom: 0" role="alert"&gt;
                            &lt;span class="glyphicon glyphicon - calendar" aria - hidden="true"&gt;&lt;/span&gt;
                        &lt;/div&gt;
                    &lt;?php } ?&gt;
                &lt;/td&gt;
                &lt;td&gt;&lt;?php echo $internal - &gt;Name ?&gt;&lt;/td&gt;
                &lt;td&gt;&lt;?php echo $internal - &gt;Date ?&gt;&lt;/td&gt;
                &lt;td&gt;&lt;?php echo $internal - &gt;StartTime ?&gt;&lt;/td&gt;
                &lt;td&gt;&lt;?php echo $internal - &gt;Location ?&gt;&lt;/td&gt;
                &lt;td style="text - align:center" width="200px"&gt;
                    &lt;?php echo anchor(site_url('internal/read/'.$internal - &gt;id), 'Read') . ' ' . anchor(site_url('internal/edit/'.$internal - &gt;id), 'Edit') . ' ' . anchor(site_url('internal/delete/'.$internal - &gt;id), 'Delete', array('confirm' - &gt; true)) . '&lt;/td&gt;
            &lt;/tr&gt;
        &lt;?php } ?&gt;
    &lt;/table&gt;
</pre

```

```

>InternalID,'More Details', 'class="btn
btn-primary");
        if ($this ->session -
>userdata('IsExecomm') == 1) {
            echo "\n";
            echo
anchor(site_url('internal/update/'.$internalID ->InternalID,'Update', 'class="btn btn
primary");
            //echo ' | ';
            //echo
anchor(site_url('internal/delete/'.$internalID ->InternalID,'Delete','onclick="javascript:
return confirm( \'Are You Sure ? \')');
            } ?
        </td>
    </tr>
        <?php
    }
    ?>
</table>
<div class="row">
    <div class="col - md 6"></div>
    <div class="col - md 6 text -
right">
        <?php echo $pagination ?>
    </div>
</div>
<?php $this ->load ->view('footer.php')
?>
</body>
</html>
Internal_read.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | View
Announcement</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky -footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php');
?>
        <h3 style="margin -
top:0px">Announcement Details</h3>
        <table class="table">
            <?php if ($ForReplacement == 1) {
?>
                <tr><td colspan="2"
align="center"><h5><b> [FOR
REPALCEMENT]</b></h5></td></tr>
                <?php } ?>
                <tr><td><b>Description</b></td><td><?php
echo $Name; ?></td></tr>
                <tr><td><b>Date</b></td><td><?php
echo $Date; ?></td></tr>
                <tr><td><b>Start
Time</b></td><td><?php echo $StartTime;
?></td></tr>
                <tr><td><b>End Time</b></td><td><?php
echo $EndTime; ?></td></tr>
                <tr><td><b>Location</b></td><td><?php
echo $Location; ?></td></tr>
                <tr><td><b>Remarks</b></td><td><?php
echo $Remarks; ?></td></tr>
                <tr><td><?php echo
site_url('internal') ?>" class="btn btn
default">Back</a></td></tr>
            </table>
            <?php $this ->load ->view('footer.php')
?>
        </body>
    </html>
Login_view.php
<html>
    <head>
        <title>Shoot UPM | Login</title>
        <link rel="shortcut icon" href="<?php
echo base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="https://getbootstrap.com/examples/sig
nin/s ignin.css" />
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky -footer.css"/>
        <style>
            body { padding: 15px; }
        </style>
    </head>
    <body>
        <div class="page -header">
            <a class="pull -left" href="#">
                
            </a>
            <h2><b>&nbsp;Shoot UPM</b></h2>
            <small>Event Request and Performance
Tracking Syst em</small></h2>
        </div>

```

```

<div class="container">
    <form class="form - signin" action="login"
method="post">
        <h3 class="form - signin -
heading"><b>Login</b></h3>
        <?php
            if (!empty($error_message)) {
                echo '<span style = "color:
red;">< b>'.$error_message.'</b></span><br>';
            }
        ?>
        <label for="varchar" class="sr      -
only">Username <?php echo
form_error('username') ?></label>
        <input type="text" class="form      -
control" name="username" id="username"
placeholder="Usernam e" value="<?php echo
$this ->input ->post('username') ?>"
autofocus />
        <br />
        <label for="varchar" class="sr      -
only">Password <?php echo
form_error('password') ?></label>
        <input type="password"
class="form - control" name="password"
id= "password" placeholder="Password" />
    </div>

    <center>
        <input type="submit" name="login"
class="btn btn - lg btn - primary btn - block"
style="width: 30%" value="Login" />
    </center>
</form>
</div>
<?php $this ->load ->view('foote r.php')
?>
</body>
</html>
Member_form.php
<!doctype html>
<html>
    <head>
        <?php if (strpos($action, 'create')
!== false)
            echo '<title>Shoot UPM |'
Add Member</title>';
            elseif (strpos($action,
'update') !== false)
            echo '<title>Shoot UPM |'
Update Profile</title>';
        ?>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>

```

```

<link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
<style>
    body{ padding: 15px; }
</style>
</head>
<body>
    <?php $this ->load ->view('nav.php');
?>
    <h2 style="margin - top:0px">
        <?php if (strpos($action,
'create') !== false)
            echo "Member's Login
Details";
            elseif (strpos($action,
'update') !== false)
            echo $FirstName."s
Information";
        ?>
    </h2><br />
    <form action="<?php echo $action;
?>" method="post">
        <?php
            if (strpos($action, 'create')
!== false) {
                echo '<div class="form -
group">
                    <label
for="varchar">Username
'.form_error('Username') .</label>
                    <input type="text"
class="form - control" name="Username"
id="Username" />
                </div>';
                echo "<p><i>*this, t ogether
with a randomly - generated password, will be
sent to the user's email address.</i></p>";
                echo "<h3 style='margin -
top:0px'><span class='glyphicon glyphicon      -
user' aria -
hidden=true'></span>&emsp;Member's Primary
Information</h3>";
                echo '<div class="form -
group">
                    <label
for="varchar">First Name
'.form_error('FirstName') .</label>
                    <input type="text"
class="form - control" name="FirstName"
id="FirstName" value=".{$FirstName}." />
                </div>';
                echo '<div class="form -
group">
                    <label
for="varchar">Last Name
'.form_error('LastName') .</label>
                    <input type="text"
class="form - control" name="LastName"
id="LastName" value=".{$LastName}." />

```

```

                </div>';
            echo '<div class="form - group">
                    <label
for="varchar">Email Address
'.form_error('EmailAddr') .</label>
                    <input type="text"
class="form - control" name="EmailAddr"
id="EmailAddr" value=".{$EmailAddr}." />
                </div>';
            } elseif (strpos($action,
'update') !== false) {
                echo '<h3><span
class="glyphicon glyphicon - user" aria - hidden="true"></span>&nbsp;Basic
Information</h3>';
                echo '<div class="form - group">
                    <label
for="varchar">Profile Photo</label>
                    <input type="file"
accept="image/*" class="form - control"
name="ProfilePicture" id="ProfileP icture" />
                </div>';
                echo '<div class="form - group">
                    <label
for="varchar">First Name
'.form_error('FirstName') .</label>
                    <input type="text"
class="form - control" name="FirstName"
id="FirstName" value=".{$FirstName}." />
                </div>';
                echo '<div class="form - group">
                    <label
for="varchar">Last Name
'.form_error('LastName') .</label>
                    <input type="text"
class="form - control" name="LastName"
id="LastName" value=".{$LastName}." />
                </div>';
                echo '<div class="form - group">
                    <label
for="varchar">Middle N ame
'.form_error('MiddleName') .</label>
                    <input type="text"
class="form - control" name="MiddleName"
id="MiddleName" value=".{$MiddleName}." />
                </div>';
                echo '<div class="form - group">
                    <label
for="varchar">Year Level
'.form_error('YearLevel') .</label>
                    <input type="text"
class="form - control" name="YearLevel"
id="YearLevel" value=".{$YearLevel}." />
                </div>';
            }
        }
    }
}
echo '<di v class="form - group">
        <label
for="varchar">Course '.form_error('Course')
.</label>
        <input type="text"
class="form - control" name="Course"
id="Course" value=".{$Course}." />
    </div>';
echo '<div class="form - group">
        <label
for="varchar">Current Address
'.form_error('CurrAddr') .</label>
        <input type="text"
class="form - control" name="CurrAddr"
id="CurrAddr" value=".{$CurrAddr}." />
    </div>';
echo '<div class="form - group">
        <label
for="varchar">Contact No.
'.form_error('ContactNo') .</label>
        <input type="text"
class="form - control" name="ContactNo"
id="ContactNo" value=".{$ContactNo}." />
    </div>';
echo '<div class="form - group">
        <label
for="varchar">Email Address
'.form_error('EmailAddr') .</label>
        <input type="text"
class="form - control" name="EmailAddr"
id="EmailAddr" value=".{$EmailAddr}." />
    </div>';
echo '<div class="form - group">
        <label
for="varchar">Birthdate
'.form_error('Birthdate') .</label>
        <input type="date"
class="form - control" name="Birthdate"
id="Birthdate" value=".{$Birthdate}." />
    </div>';
echo '<div class="form - group">
        <label
for="varchar">Sche dule
'.form_error('Schedule') .</label>
        <input type="file"
accept="image/*" class="form - control"
name="Schedule" id="Schedule" />
        <i>*
(screenshot/image file)</i>
    </div>';
echo '<br /><h3><span
class="glyphicon glyphicon - camera" aria - hidden="true"></span>&nbsp;Camera &
Gears</h3>';

```

```

echo '<div class="form - group">
    <label
for="varchar">Camera Brand</label>
    <input type="text"
class="form - control" name="CameraBrand"
id="CameraBrand" value="'. $CameraBrand .'"
/>
    </div>';
echo '<div class="form - group">
    <label
for="varchar">Camera Model</label>
    <input type="text"
class="form - control" name="CameraModel"
id="CameraModel" value="'. $CameraModel .'"
/>
    </div>';
echo '<div class="form - group">
    <label
for="varchar">Lenses</label>
    <input type="text"
class="form - control" name="Lenses"
id="Lenses" value="'. $Lenses .'"
/>
    </div>';
echo '<div class="form - group">
    <label
for="varchar">Other Accessories</label>
    <input
type="textarea" class="form - control"
name="OtherAccessories"
id="OtherAccessories"
value="'. $OtherAccessories .'"
/>
    </div>';
}

?>
<?php if ($this ->session ->userdata('IsAdmin') == 1) {
    if ($IsExecomm == 1) { ?>
        <input type="checkbox"
name="IsExecomm" id="IsExecomm" value="1"
checked />&nbsp;<i>Executive Committee
Member?</i>
        <br /><br />
    <?php } else { ?>
        <input type="checkbox"
name="IsExecomm" id="IsExecomm" value="1"
/>&nbsp;<i>Executive Committee Member?</i>
        <br /><br />
    <?php } } ?>
        <input type="hidden" name="MemberID"
value="<?php echo $MemberID; ?>" /><br />
        <?php if (strpos($action, 'create')
!== false)
            echo '<input type="submit"
class="btn btn - primary" value="Add Member"
/>';

elseif (strpos($action,
'update') !== false)
            echo '<input type="submit"
class="btn btn - primary" val ue="Save" />';
        ?>
        &emsp;<a
href="javascript:history.back()" class="btn
btn-default">Cancel</a>
    </form><br /><br />
    <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Member_list.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Members</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php');
?>
        <h2 style="margin - top:0px">Members'
Directory</h2>
        <div class="row" style="margin -
bottom: 10px">
            <div class="col - md 4"></div>
            <div class="col - md 4 text -
right">
                <div style="margin - top:
8px" id="message">
                    <?php echo $this -
>session ->userdata('message') <> " ?
$this ->session ->userdata('message') : ";
?>
                    </div>
                </div>
                <div class="col - md 1 text -
right">
                    </div>
                <div class="col - md 3 text -
right">
                    <form action="<?php echo
site_url('member/index'); ?>" class="form
inline" method="get">
                        <div class="input - group">

```

```

<input type="text"
class="form-control" name="q" value=<?php
echo $q; ?>>
        <span class="input-group-btn">
            <?php
                if ($q <>
                    "") {
                ?>
                <a href=<?php echo site_url('member'); ?>">
                    class="btn btn-default">Reset</a>
                <?php
            }
        ?>
        <button class="btn btn-primary" type="submit">Search</button>
    </span>
    </div>
    </form>
</div>
<table class="table table-bordered" style="margin-bottom: 10px">
    <tr>
        <th></th>
        <th>Full Name</th>
        <th>Team No.</th>
        <th>Year - Course</th>
        <th>Mobile</th>
        <th></th>
    </tr>
    <?php
        $ctr = 0;
        foreach ($member_data as $member) {
            if ($member
                >FirstName!=='admin') { ?>
                <tr>
                    <td width="50px">
                        <?php if ($member
                            >IsExecomm == 1) { ?>
                            <div class="alert alert-danger" style="margin-bottom: 0" role="alert">
                                <span class="glyphicon glyphicon-heart" aria-hidden="true"></span>
                            </div>
                        <?php } elseif
                            ($member>IsTeamLeader == 1) { ?>
                            <div class="alert alert-warning" style="margin-bottom: 0" role="alert">
                                <span class="glyphicon glyphicon-star" aria-hidden="true"></span>
                            </div>
                        <?php } else { ?>
                <td><?php echo $member
                    >LastName.' '. $member>FirstName.' '.$member->MiddleName; ?></td>
                    <td width="80px"><?php echo $member
                    >TeamID; ?></td>
                    <td><?php echo $member
                    >YearLevel.' - '.$member->Course; ?></td>
                    <td><?php echo $member
                    >ContactNo; ?></td>
                    <td style="text-align:center" width="200px">
                        <?php
                            echo anchor(site_url('member/read/'.$member
                                >MemberID), "More Details", 'class="btn btn-primary");
                        if ($this->session
                            >userdata('IsAdmin') == 1) {
                            //echo "\n";
                            //echo anchor(site_url('member/update/'.$member
                                >MemberID), 'Update Details', 'class="btn
                                btn-primary');
                        }
                    ?>
                    </td>
                </tr>
            <?php
        }
    </table><br>
    <div class="row">
        <div class="col-md-6"></div>
        <div class="col-md-6 text-right">
            <div class="alert alert-info" style="margin-bottom: 0" role="alert">
                <span class="glyphicon glyphicon-heart" aria-hidden="true">&nbsp;ExeComm Member&nbsp;<span class="glyphicon glyphicon-star" aria-hidden="true">&nbsp;Team Leader&nbsp;<span class="glyphicon glyphicon-camera" aria-hidden="true">&nbsp;Regular Member
            </div>
        </div><br /><br />
        <div class="row">
            <div class="col-md-6">

```

```

        <a href="#" class="btn btn - primary">Total Members : <?php echo ($total_rows - 1) ?></a>
        <?php echo anchor(site_url('member/excel'), 'Export Excel', 'class="btn btn - primary"'); ?>
            </div>
            <div class="col - md 6 text - right"><?php echo $pagination ?></div>
            </div>
            <?php $this ->load ->view('footer.php') ?>
        </body>
    </html>
Member_read.php
<!doctype html>
<html>
    <head>
        <title><?php echo $FirstName.".$LastName ;?></title>
        <link rel="shortcut icon" href="<?php echo base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?>"/>
        <link rel="stylesheet" href="http://getbootstrap.com/examples/sticky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php'); ?>
        <h2 style="margin - top:0px"><?php echo $FirstName ;?>'s Information</h2><br />
        <table class="table">
            <tr><td colspan = "2"><h3><span class="glyphicon glyphicon - user" aria - hidden="true"></span>&emsp;Basic Information</h3></td></tr>
            <tr><td><b>Team No.</b></td><td><?php echo $TeamID; ?></td></tr>
            <tr><td><b>Name</b></td><td><?php echo $LastName; '$FirstName.' . $MiddleName; ?></td></tr>
            <tr><td><b>Year & Course</b></td><td><?php echo $YearLevel.' - '.$Course; ?></td></tr>
            <tr><td><b>Current Address</b></td><td><?php echo $CurrAddr; ?></td></tr>
            <tr><td><b>Contact No.</b></td><td><?php echo $ContactNo; ?></td></tr>

```

```

        <tr><td><b>Email Address</b></td><td><?php echo $EmailAddr; ?></td></tr>
        <tr><td><b>Birthdate</b></td><td><?php echo $Birthdate; ?></td></tr>
        <tr><td><b>Schedule</b></td><td><?php echo $Schedule; ?></td></tr>
        <tr><td colspan = "2"><br /><h3><span class="glyphicon on glyphicon - camera" aria - hidden="true"></span>&emsp;Camera & Gears</h3></td></tr>
        <tr><td><b>Camera Brand</b></td><td><?php echo $CameraBrand; ?></td></tr>
        <tr><td><b>Camera Model</b></td><td><?php echo $CameraModel; ?></td></tr>
        <tr><td><b>Lenses</b></td><td><?php echo $Lenses; ?></td></tr>
        <tr><td><b>Other Accessories</b></td><td><?php echo $OtherAccessories; ?></td></tr>
        <tr><td><td><a href="<?php echo site_url('member') ?>" class="btn btn - default">Back</a> </td></tr>
        </table>
        <?php $this ->load ->view('footer.php') ?>
    </body>
</html>
Nav.php
<!-- SP- ShootUPM EWN2D4atYv7aEUV9 Marquee Mae Enriquez-- >
<!-- NAVBAR-- >
<script src="//ajax.googleapis.com/ajax/libs/jquery/1.11.0/jquery.min.js"></script>
<script src="//netdna.bootstrapcdn.com/bootstrap/3.1.1/js/bootstrap.min.js"></script>
<?php
    $firstName = $this ->session ->userdata('FirstName');
    $lastName = $this ->session ->userdata('LastName');
    $isExeccomm = $this ->session ->userdata('IsExecom m');
    $isTeamLeader = $this ->session ->userdata('IsTeamLeader');
    $isAdmin = $this ->session ->userdata('IsAdmin');

    if ($isAdmin != 1) {
        <nav class="navbar navbar - default">
            <div class="container - fluid">
                <!-- Brand and toggle get grouped for better mobile display -->

```

```

<div class="page -header">
  <a class="pull -left" href="#">
    
  </a>
  <h2><b>&nbsp;Shoot UPM</b></h2>
  <small>Event Request and Performance Tracking System</small></h2>
</div>
<div class="navbar -header">
  <button type="button" class="navbar - toggle collapsed" data - toggle="collapse" data-target="#bs - example- navbar - collapse - 1" aria - expanded="false">
    <span class="sr - only">Toggle navigation</span>
    <span class="icon - bar"></span>
    <span class="icon - bar"></span>
    <span class="icon - bar"></span>
  </button>
</div>

<!-- Collect the nav links, forms, and other content for toggling -->
<div class="collapse navbar - collapse" id="bs - example- navbar - collapse - 1">
  <ul class="nav navbar - nav">
    <li><a href="<?php echo site_url('event'); ?>">Events</a></li>
    <li><a href="<?php echo site_url('evaluation'); ?>">Evaluations</a></li>
    <?php if ($isExecomm == 1) { ?>
      <li><a href="<?php echo site_url('query'); ?>">Queries</a></li>
    <?php } ?>
    <li class="dropdown">
      <a href="#" class="dropdown - toggle" data - toggle="dropdown" role="button" aria - haspopup="true" aria - expanded="false">Shoot UPM <span class="caret"></span></a>
      <ul class="dropdown - menu">
        <li><a href="<?php echo site_url('internal'); ?>">Announcements</a></li>
        <li><a href="#">Team Covers</a></li>
        <li role="separator" class="divider"></li>
        <li><a href="<?php echo site_url('team'); ?>">Teams</a></li>
        <li><a href="<?php echo site_url('member'); ?>">Members</a></li>
        <?php if ($isExecomm == 1) { ?>
          <li role="separator" class="divider"></li>
          <li><a href="<?php echo site_url('score'); ?>">Members' Performance</a></li>
        <?php } ?>
      </ul>
    </li>
  </ul>
</div>
<?php } else { ?>
<nav class="navbar navbar - default">
  <div class="container - fluid">
    <!-- Brand and toggle get grouped for better mobile display -->
    <div class="page - header">
      <a class="pull - left" href="#">
        
      </a>
      <h2><b>&nbsp;Shoot UPM</b></h2>
      <small>Event Request and Performance Tracking System</small></h2>
    </div>
    <div class="navbar - header">
      <button type="button" class="navbar - toggle collapsed" data - toggle="collapse" data-target="#bs - example- navbar - collapse - 2" aria - expanded="false">
        <span class="sr - only">Toggle navigation</span>
        <span class="icon - bar"></span>
        <span class="icon - bar"></span>
        <span class="icon - bar"></span>
      </button>
    </div>
    <ul class="nav navbar - nav">
      <li><a href="<?php echo site_url('member/read/'.$this ->userdata('MemberID')); ?>">View Profile</a></li>
      <li><a href="<?php echo site_url('member/update/'.$this ->userdata('MemberID')); ?>">Update Profile</a></li>
      <li><a href="<?php echo site_url('score/read/'.$this ->userdata('MemberID')); ?>">Performance Tracker</a></li>
      <li role="separator" class="divider"></li>
      <li><a href="<?php echo site_url('user/update/'.$this ->userdata('UserID')); ?>">Change Password</a></li>
      <li role="separator" class="divider"></li>
      <li><a href="<?php echo site_url('logout'); ?>">Logout</a></li>
    </ul>
  </div>
</nav>
<?php } else { ?>
<div class="page - header">
  
  <h2><b>&nbsp;Shoot UPM</b></h2>
  <small>Event Request and Performance Tracking System</small></h2>
</div>
<div class="navbar - header">
  <button type="button" class="navbar - toggle collapsed" data - toggle="collapse" data-target="#bs - example- navbar - collapse - 3" aria - expanded="false">
    <span class="sr - only">Toggle navigation</span>
    <span class="icon - bar"></span>
    <span class="icon - bar"></span>
    <span class="icon - bar"></span>
  </button>
</div>
<ul class="nav navbar - nav">
  <li><a href="<?php echo site_url('event'); ?>">Events</a></li>
  <li><a href="<?php echo site_url('evaluation'); ?>">Evaluations</a></li>
  <li><a href="<?php echo site_url('query'); ?>">Queries</a></li>
  <li><a href="<?php echo site_url('internal'); ?>">Announcements</a></li>
  <li><a href="#">Team Covers</a></li>
  <li role="separator" class="divider"></li>
  <li><a href="<?php echo site_url('team'); ?>">Teams</a></li>
  <li><a href="<?php echo site_url('member'); ?>">Members</a></li>
  <li><a href="<?php echo site_url('score'); ?>">Members' Performance</a></li>
</ul>
</div>

```

```

data-target="#bs-example-navbar-collapse-1"
aria-expanded="false">
Toggle navigation





```

```

<!-- Collect the nav links, forms, and
other content for toggling -->


- Members
- Add Member
- Manage Teams


- Logout


</div><!-- /.navbar-collapse -->
</div><!-- /.container-fluid -->
</nav>
<?php } ?>
Query_form.php
<!doctype html>
<html>
  <head>
    <title>Inquiry Form</title>
    <link rel="shortcut icon" href="php echo base_url('assets/favicon.ico'); ?" type="image/icon" />
    <link rel="stylesheet" href="php echo base_url('assets/bootstrap/css/bootstrap.min.css'); ?" />
    <link rel="stylesheet" href="http://getbootstrap.com/examples/sticky-footer/sticky-footer.css"/>
    <style>
      body{ padding: 15px; }
    </style>
  </head>
  <body>
    <div class="page-header">
      <a class="pull-left" href="#">
        
      </a>
    </div>

```

```

      <h2><b>&nbsp;Shoot UPM</b></h2>
      <small>Event Request and Performance
      Tracking System</small></h2>
      </div><br />
      <h3 style="margin-top:0px"><b>Inquiry Form</b></h3>
      <p>Should you have any questions,
      inquiries, comments, or suggestions
      regarding Shoot UPM's services, feel free
      to submit an inquiry form below.<br />
      Please indicate your current
      and active contact number and email address
      so we can respond to your inquiries
      properly. <br />
      Thank you!</p>
      <form action="php echo $action; ?"
      method="post">
        <div class="form-group">
          <label for="varchar">Name <?php
          echo form_error('ContactName') ?></label>
          <input type="text" class="form-control" name="ContactName"
          id="ContactName" value="php echo
          $ContactName; ?" />
        </div>
        <div class="form-group">
          <label for="varchar">Contact
          No. <?php echo form_error('ContactNo') ?></label>
          <input type="text" class="form-control" name="ContactNo"
          id="ContactNo" value="php echo
          $ContactNo; ?" />
        </div>
        <div class="form-group">
          <label for="varchar">Email
          Address <?php echo form_error('EmailAddr') ?></label>
          <input type="text" class="form-control" name="EmailAddr"
          id="EmailAddr" value="php echo
          $EmailAddr; ?" />
        </div>
        <div class="form-group">
          <label for="Query">Inquiry
          <?php echo form_error('Query') ?></label>
          <textarea class="form-control" rows="3" name="Query"
          id="Query"><?php echo
          $Query; ?></textarea>
        </div>
        <input type="hidden" name="QueryID"
        value="php echo $QueryID; ?" />
        <button type="submit" class="btn btn-primary">Submit Inquiry</button>
        <a href="php echo site_url('query') ?&gt;
        &lt;button class="btn btn-default"&gt;Cancel&lt;/button&gt;
      &lt;/form&gt;
      &lt;?php $this-&gt;load-&gt;view('footer.php') ?&gt;
    &lt;/body&gt;
&lt;/html&gt;
Query_list.php
&lt;!doctype html&gt;</pre

```

```

<html>
    <head>
        <title>Shoot UPM | Client
Inquiries</title>
        <link rel="shortcut icon" href="<?php echo base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?>"/>
            <link rel="stylesheet" href="http://getbootstrap.com/examples/sticky-footer/sticky-footer.css"/>
                <style>
                    body{ padding: 15px; }
                </style>
            </head>
            <body>
                <?php $this ->load ->view('nav.php'); ?>
                <h2 style="margin - top:0px">Client Inquiries</h2>
                <div class="row" style="margin - bottom: 10px">
                    <div class="col - md 4">
                    </div>
                    <div class="col - md 4 text - center">
                        <div style="margin - top: 8px" id="message">
                            <?php echo $this ->session ->userdata('message') <> "? " . $this ->session ->userdata('message') : ">" ;
                        </div>
                        </div>
                        <div class="col - md 1 text - right">
                        </div>
                        <div class="col - md 3 text - right">
                            <form action="<?php echo site_url('query/index'); ?>" class="form - inline" method="get">
                                <div class="input - group">
                                    <input type="text" class="form - control" name="q" value="<?php echo $q; ?>">
                                    <span class="input - group-btn">
                                        <?php
                                            if ($q <> "") {
                                                <a href="<?php echo site_url('query'); ?>" class="btn btn - default">Reset</a>
                                            }
                                        </?php
                                    >
                                </div>
                            </form>
                        </div>
                    </div>
                </div>
                <div class="table table - bordered" style="margin - bottom: 10px">
                    <tr>
                        <th>Sender's Name</th>
                        <th>Contact No.</th>
                        <th>Email Address</th>
                        <th></th>
                    </tr>
                    <?php foreach ($query_data as $query) { ?>
                        <tr>
                            <td width="50px"><?php if ($query ->ResponseSent == 0) { ?>
                                <div class="alert - danger" style="margin - bottom: 0" role="alert">
                                    <span class="glyphicon glyphicon - edit" aria - hidden="true"></span>
                                </div>
                            <?php } elseif ($query ->ResponseSent == 1) { ?>
                                <div class="alert - success" style="margin - bottom: 0" role="alert">
                                    <span class="glyphicon glyphicon - check" aria - hidden="true"></span>
                                </div>
                            <?php } ?></td>
                            <td><?php echo $query ->ContactName ?></td>
                            <td><?php echo $query ->ContactNo ?></td>
                            <td><?php echo $query ->EmailAddr ?></td>
                            <td style="text - align:center" width="200px">
                                <?php
                                    echo anchor(site_url('query/read/'.$query ->QueryID), 'Open Inquiry', 'class="btn btn - primary"');
                                </?php
                            </td>
                        </tr>
                    <?php } ?>
                </table>
                <div class="row">
                    <div class="col - md 6"></div>
                    <div class="col - md 6 text - right">

```

```

        <?php echo $pagination ?>
        </div>
        </div>
        <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Query_read.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Inquiry
Details</title>
        <link rel="shortcut icon" href="<?php echo site_url('query') ?>" class="btn btn - default">Back</a>
        </td></tr>
    </table>
        <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Reject.php

<!DOCTYPE html>
<head>
</head>
<body>
Good day, < ?php echo $Name."!" ?><br /><br />
This is to inform you that your documentation request for the event: "<?php echo $EventName;?" cannot be covered by Shoot UPM. :(<br /><br />
This is because the org is either already fully booked on the date of your event, or there are particular details on your event that does not quite meet with Shoot UPM's social relevance views.<br />
Inspite of this, we would like to thank you for choosing our services. We hope you would still choose Shoot UPM to document your future events.<br /><br />
For any questions, feel free to send a query on our portal. Thank you very much!<br />
<b>#ShootOn!</b><br /><br /><br />
Yours truly,<br /><br />
SHOOT UPM
</body>

</html>
Response_form.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Inquiry
Response</title>
        <link rel="shortcut icon" href="<?php echo site_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?>"/>
    </head>
    <body>
        <h2 style="margin - top:0px">Inquiry
Details</h2><br />
        <table class="tbl - e">
            <tr><td><b>Sender's Name</b></td><td><?php echo $ContactName; ?></td></tr>
            <tr><td><b>Contact No.</b></td><td><?php echo $ContactNo; ?></td></tr>
            <tr><td><b>Email Address</b></td><td><?php echo $EmailAddress; ?></td></tr>
            <tr><td><b>Inquiry Message</b></td><td><?php echo $Query; ?></td></tr>
            <tr><td></td><td><br />
                <?php
                    if ($this ->session ->userdata('IsExecomm') != 0) {
                        if($ResponseSent==0){
                            echo anchor(site_url('query/respond/'.$QueryID), 'Respond to Inquiry', 'class="btn btn - primary"');
                        } else {
                            echo '<a href="" class="btn btn - default" disabled >Response sent to client</a>';
                        }
                    }
                </?php
            </td></tr>
        </table>
    </body>
</html>

```

```

        </style>
    </head>
    <body>
        <?php $this->load->view('nav.php');
?>
        <h2 style="margin-top:0px">Respond
to Client Inquiry</h2><br />
        <h3><span class="glyphicon
glyphicon-envelope" aria-
hidden="true"></span>&nbsp;Inquiry
Details</h3>
        <table class="table">
            <tr><td><b>Sender's
Name</b></td><td><?php echo $ContactName;
?></td></tr>
            <tr><td><b>Contact
No.</b></td><td><?php echo $ContactNo;
?></td></tr>
            <tr><td><b>Email
Address</b></td><td><?php echo $EmailAddr;
?></td></tr>

            <tr><td><b>Inquiry</b></td><td><?php echo
$query; ?></td></tr>
        </table>
        <form action=<?php echo $action;
?>" method="post">
            <div class="form-group">
                <h3><span class="glyphicon
glyphicon-send" aria-
hidden="true"></span>&nbsp;Response to
Inquiry</h3>
                <textarea class="form-control"
rows="5" name="Response"
id="Response"></textarea>
            </div>
            <input type="hidden" name="QueryID"
value=<?php echo $QueryID; ?> />
            <input type="hidden"
name="EmailAddr" value=<?php echo
$EmailAddr; ?> />
            <br /><button type="submit"
class="btn btn-primary">Send</button>
            <a href=<?php echo site_url('query')
?>" class="btn btn-default">Cancel</a>
        </form>
        <?php $this->load->view('footer.php')
?>
    </body>
</html>
Score_list.php
<!DOCTYPE html>
<html>
    <head>
        <title>Shoot UPM | Member's
Performance</title>
        <link rel="shortcut icon"
href=<?php echo
base_url('assets/favicon.ico') ?>">
        <img alt="Shoot UPM logo" />
    </head>
    <body>
        <link rel="stylesheet" href=<?php
echo base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this->load->view('nav.php')
?>
        <h2 style="margin-top:0px">Member's
Performance List</h2><br /><br />
        <table class="table table-bordered"
style="margin-bottom: 10px">
            <tr>
                <th></th>
                <th>Member Name</th>
                <th>Average Performance
Score</th>
                <th></th>
            </tr>
            <?php foreach ($member_data as
$member) {
                $scorectr = 0;
                $scorept = 0;
                foreach
($partial_scores as $pscore) {
                    if ($pscore->MemberID
== $member->MemberID) {
                        $pt = $pscore-
>PartialScore;
                        $scorept = $scorept +
$pt;
                        $scorectr++;
                        $scorept =
$scorept/$scorectr;
                        $scorestr =
$scorept."/100 points";
                        break;
                    } else {
                        $scorestr = " - ";
                    }
                } ?>
                <?php if ($member->FirstName !=
"admin") { ?>
                    <tr>
                        <td width="40px">
                            <?php if ($scorept >= 80) {
?>
                                <div class="alert
alert-success" style="margin-bottom: 0
role="alert">
                                    <span class="glyphicon
glyphicon-thumbs-up" aria-
hidden="true"></span>
                                </div>
                            </td>
                            <td>$member->FirstName . " "
$member->LastName
                            </td>
                            <td>$scorestr
                            </td>
                        </tr>
                    <?php } ?>
                <?php } ?>
            </table>
        <?php if ($scorept >= 80) {
?>
            <div class="alert
alert-success" style="margin-bottom: 0
role="alert">
                <span class="glyphicon
glyphicon-thumbs-up" aria-
hidden="true"></span>
            </div>
        <?php } ?>
    </body>
</html>

```

```

        <?php } elseif ($scorept >=
60) { ?>
            <div class="alert
alert - warning" style="margin - bottom: 0"
role="alert">
                <span class="glyphicon
glyphicon - glyphicon glyphicon - thumbs up"
aria - hidden="true"></span>
            </div>
        <?php } elseif ($scorectr
== 0) { ?>
            <div class="alert
alert - info" style="margin - bottom: 0"
role="alert">
                <span class="glyphicon
glyphicon - glyphicon glyphicon - info - sign"
aria - hidden="true"></span>
            </div>
        <?php } else { ?>
            <div class="alert
alert - danger" style="margin - bottom: 0"
role="alert">
                <span class="glyphicon
glyphicon - glyphicon glyphicon - thumbs down"
aria - hidden="true"></span>
            </div>
        <?php }?></td>
    <td width="300px"><?php
        if ($member ->FirstName !=
"admin") {
            echo $member>LastName.",",
".$member->FirstName;
        } ?></td>
    <td width="180px"><?php echo
$scorestr ?></td>
    <td style="text - align:center"
width="200px">
        <?php echo
anchor(site_url('score/read/'.$member -
>MemberID),'View Summary', 'class="btn btn
primary"); ?>
    </td>
</tr>
        <?php
    } }
    ?>
</table><br />
<div class="row">
    <div class="col - md 6"></div>
    <div class="col - md 6 text -
right">
        <div class="alert alert - info"
style="margin - bottom: 0" role="alert">
            <span class="glyphicon
glyphicon - info - sign" aria -
hidden="true"></span>&nbsp;No event
evaluation reference for score
        </div></div>
    </div><br /><br />
    <div class="row">
        <div class="col - md 6"></div>

```

```

<div class="col - md 6 text -
right">
        <br /><?php echo
$pagination ?>
        </div>
    <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Score_read.php
<!doctype html>

<html>
    <head>
        <title>Shoot UPM | Member's
Performance</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('asset_s/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php')
?>
        <h2 style="margin - top:0px"><span
class="glyphicon glyphicon - stats" aria -
hidden="true"></span>&nbsp;Performance
Summary</h2><br />
        <?php
            $scorectr = 0;
            $scorept = 0;
            foreach ($score_list as
$pscore) {
                if ($pscore ->MemberID ==
$MemberID) {
                    $pt = $pscore -
>PartialScore;
                    $scorept = $scorept +
$pt;
                    $scorectr++;
                    $scorept =
$scorept/$scorectr;
                    $scorestr =
$scorept."/100 points";
                } else {
                    $scorestr = "No event
evaluation reference f or score yet.";
                }
            }

```

```

?>
<table class="table">
<tr><td><b>Member
Name</b></td><td><?php echo $MemberName;
?></td></tr>
<tr><td><b>Performance
Score</b></td><td><?php echo $scorestr;
?></td></tr>
<tr><td><b>Performance
Standing</b></td><td>
<?php if ($scorectr > 0) {
    if ($scorept >= 80) {
        echo "Good
Performance Standing";
    } elseif ($scorept >=
60) {
        echo "Fair
Performance Standing";
    } else {
        echo "Poor
Performance Standing";
    }
} else { echo " - ";
?></td></tr>
</table>
<hr />
<h2 style="margin - top:0px"><span
class="glyphicon glyphicon - dashboard" aria
hidden="true"></span>&nbsp;Performance
Tracker</h2><br />
<table class="table">
<?php
$cctr = 0;
$ptscore = 0;
foreach ($eval_s_list as $eval)
{
    foreach ($score_list as
$score) {
        if ($eval ->EventID ==
$score->EventID) {
            $ctr++;
            $ptscore =
($ptscore + $score ->PartialScore)/$ctr; ?>
<tr><td><b>Score as
of event cover <?php echo
$cctr.";"?></td><td><?php echo
$ptscore." points"; ?></td></tr>

<tr><td><b>&nbsp;&nbsp;Event
Details:</b></td><td><?php echo $eval -
>EventName." | ".$eval -
>EventDate;?></td></tr>
<?php }
}
?>
<tr><td><br /></td><td><a
href=<?php echo site_url('score') ?>""
class="btn btn - default">Back</a></td></tr>
</table>
<?php $this ->load -
>view('footer.php') ?>
</body>
</html>
Submit.php
<html>
<head>
<title>Shoot UPM Portal</title>
<link rel="shortcut icon" href=<?php
echo base_url('assets/favicon.ico') ?>
type="images/icon" />
<link rel="stylesheet" href=<?php echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>/>
<link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
<style>
    body { padding: 15px; }
</style>
</head>
<body>
<div class="page - header">
<a class="pull - left" href="#">
<img style="max - width:50px;
margin- top: - 7px;" alt="Shoot UPM"
src=<?php echo
base_url('assets/images/logo.png')?>">
</a>
<h2><b>&nbsp;Shoot UPM</b>
<small>Event Request and Performance
Tracking System</small></h2>
</div>
<div class="jumbotron">
<h3>Request Submitted!</h3>
<p>Please wait for a response on your
email regarding your submission.</p>
<p>Thank you for choosing Shoot UPM's
services! <b>#ShootOn</b></p>
<p><a class="btn btn - primary btn - lg"
href=<?php echo site_url('admin'); ?>""
role="button">Home</a></p>
</div>
<footer class="footer">
<div class="container">
<p class="text - muted">
<span class="glyphicon
glyphicon - thumbs up" aria -
hidden="true"></span>&nbsp;facebook.com/Sho
otUPM
&nbsp;<span class="glyphicon
glyphicon - plus - sign" aria -
hidden="true"></span>&nbsp;twitter.com/Shoo
tUPM
&nbsp;<span class="glyphicon
glyphicon - camera" aria -
hidden="true"></span>&nbsp;instagram.com/Sh
ootUPM
</p>
</div>
</footer>
</body>
</html>

```

```

Team_form.php
<!doctype html>
<html>
    <head>
        <?php if (strpos($action, 'create') != false)
            echo '<title>Shoot UPM | Add Team</title>';
        elseif (strpos($action, 'update') != false)
            echo '<title>Shoot UPM | Edit Team</title>';
        ?>
        <link rel="shortcut icon" href="<?php echo base_url('assets/favicon.ico') ?>" type="images/icon" />
        <link rel="stylesheet" href="<?php echo base_url('assets/bootstrap/css/bootstrap.min.css') ?>"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php');?>
        <h3 style="margin-top:0px">
            <?php if (strpos($action, 'create') != false)
                echo "Add Team";
            elseif (strpos($action, 'update') != false)
                echo $TeamName."s Details";
            ?>
        </h3>
        <form action="<?php echo $action;?>" method="post">
            <div class="form-group">
                <label for="TeamName">Team Name/ Team No. <?php echo form_error('TeamName') ?></label>
                <input type="text" class="form-control" name="TeamName" id="TeamName" value="<?php echo $TeamName;?>" />
            </div>
            <div class="form-group">
                <?php if ($IsSpecialTeam == 1) {?>
                    <input type="checkbox" name="IsSpecialTeam" id="IsSpecialTeam" value="1" checked />&nbsp;<i>Special team</i>
                <?php } else { ?>

```

 <i>Special team</i>
 <?php } ?>
 </div>
 <div class="form-group">
 <label for="Participants">Check Team Members <?php echo form_error('Participants') ?></label> <i>*including the team leader</i>

 <table class="table" style="margin-bottom: 10px"><?php
 \$partsArray = explode(':', \$Participants);
 \$ctr = 1;
 echo "<tr>";
 foreach (\$member_list as \$member) {
 \$checker = "";
 foreach (\$partsArray as \$part) {
 if (\$member->MemberID == \$part) {
 \$checker = "checked";
 break;
 }
 }
 if (strpos(\$action, 'create') != false) {
 if ((\$member->FirstName != "admin") && (\$member->TeamID === NULL)) { ?>
 <td><input type="checkbox" name="<?php echo "Member". \$member->MemberID ?>" value="<?php echo \$member->MemberID; ?>" <?php echo \$checker;?> /> <?php echo \$member->LastName.", ".\$member->FirstName;?></td>
 <?php \$ctr++;
 if (\$ctr % 5 == 0) echo "</tr><tr>";
 }
 } else {
 if (\$member->FirstName != "admin") { ?>
 <td><input type="checkbox" name="<?php echo "Member". \$member->MemberID ?>" value="<?php echo \$member->MemberID; ?>" <?php echo \$checker;?> /> <?php echo \$member->LastName.", ".\$member->FirstName;?></td>
 <?php \$ctr++;
 if (\$ctr % 5 == 0) echo "</tr><tr>";
 }
 }
 ?>
 </tr>

```

        </table>
    </div>
    <div class="form - group">
        <label for="varchar">Assign
Team Leader <?php echo
form_error('TeamLeader') ?></label><br />
        <select name="TeamLeader"
class="form - control">
            <?php if (strpos($action,
'create') !== false) {
                foreach ($member_list
as $member) {
                    if (($member ->FirstName
!== "admin") && ($member ->TeamID === NULL)
&& ($member->IsTeamLeader !== 1)) {
                        ?
                            <option value='<?php
echo $member>MemberID; ?>' <?php echo
($member>MemberID == $TeamLeader ?
"selected" : ""); ?>><?php echo $member
->LastName.", ".$member ->FirstName;
?></option>
                    <?php } } else {
                        foreach ($team_members
as $tmember) { ?
                            <option value='<?php
echo $tmember>MemberID; ?>' <?php echo
($tmember>MemberID == $TeamLeader ?
"selected" : ""); ?>><?php echo $tmember
->LastName.", ".$tmember ->FirstName;
?></option>
                    <?php } ?>
                }
            }
        </select>
    </div>
    <input type="hidden" name="TeamID"
value="<?php echo $TeamID; ?>" />
        <?php if (strpos($action, 'create')
!== false)
            echo '<input type="submit"
class ="btn btn - primary" value="Add Team"
/>';
        elseif (strpos($action,
'update') !== false)
            echo '<input type="submit"
class="btn btn - primary" value="Save" />';
        ?
            <a href="javascript:history.back()"
class="btn btn - default">Cancel</a>
        </form>
        <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
Team_list.php
<!doctype html>
<html>
    <head>
        <title>Shoot UPM | Teams</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon .ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky - footer.css"/>
        <style e>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php');
?>
        <h2 style="margin - top:0px">Team
Directory</h2><br />
        <div class="row" style="margin -
bottom: 10px">
            <div class="col - md 4">
                <?php if ($this ->session -
>userdata('IsAdmin') == 1) {
                    echo
anchor(site_url('team/create'), 'Add Team',
'class="btn btn - primary"');
                }
            ?
        </div>
        <div class="col - md 4 text -
center">
            <div style="margin - top:
8px" id="message">
                <?php echo $this -
>session ->userdata('message') <> " ?
                $this ->session ->userdata('message') : ";
?>
            </div>
        </div >
        <div class="col - md 1 text -
right"></div>
        <div class="col - md 3 text -
right"></div>
            </div>
            <table class="table table - bordered"
style="margin - bottom: 10px">
                <tr>
                    <th>Team No.</th>
                    <th>Team Leader</th>
                    <th>Members</th>
                    <?php if ($this ->session -
>userdata('IsAdmin') == 1) { ?>
                        <th></th>
                    <?php } ?>
                </tr>
                <?php
                    foreach ($team_data as $team)
                    { ?>
                        <tr>
                            <td><?php echo $team >TeamID
?></td>

```

```

        <td>
            <?php foreach
($member_data as $member) {
                if ($member-
>MemberID == $team>TeamLeader) {
                    echo $member
>FirstName." ".$member ->LastName;
                }
            } ?>
        </td><ul>
            <?php
                $partsArray =
explode(',',$team ->Participa_nnts);
                foreach ($member_data
as $member) {
                    foreach
($partsArray as $part) {
                        //if ($member -
>FirstName != "admin") {
                            if
($member>MemberID == $part && $part !=
$team>TeamLeader) {
                                echo
"<li>".$member ->FirstName." ".$member -
>LastName."</li>";
                                break;
                            }
                        }
                    } ?>
                </ul></td>

                <?php if ($this ->session -
>userdata('IsAdmin') == 1) { ?>
                    <td style="text -
align:center" width="200px">
                        <?php
                            echo
anchor(site_url('team/update/'.$team -
>TeamID),'Update', 'class="btn btn -
primary"');
                            echo "\n";
                            echo
anchor(site_url('team/delete/'.$team -
>TeamID),'Delete','class="btn btn -
primary" onclick=" javascript: return confirm( 'Are
you sure you want to delete this team from
the database?' )"); ?
                        </td>
                    <?php } ?>
                </tr>
                <?php } ?>
            </table>
            <div class="row">
                <div class="col - md 6"></div>
                <div class="col - md 6 text -
right">
                    <?php echo $pagination ?>
                </div>
            </div>
        </div>
    <?php $this ->load ->view('footer.php')
?>
    </body>
</html>
User_form.php
<!doctype html>
<html>
    <head>
        <title>Change Password</title>
        <link rel="shortcut icon"
href="<?php echo
base_url('assets/favicon.ico') ?>" type="image/icon" />
        <link rel="stylesheet" href="<?php
echo
base_url('assets/bootstrap/css/bootstrap.mi
n.css') ?>"/>
        <link rel="stylesheet"
href="http://getbootstrap.com/examples/stic
ky-footer/sticky-footer.css"/>
        <style>
            body{ padding: 15px; }
        </style>
    </head>
    <body>
        <?php $this ->load ->view('nav.php')
?>
        <h2 style="margin - top:0px"><span
class="glyphicon glyphicon - info - sign" aria -
hidden="true"></span>&nbsp;Login
Credentials</h2><br />
        <form action="<?php echo $action;
?>" method="post">
            <?php if (!empty($this ->session -
>userdata('erro_r_message'))) {
                echo '<span style = "color:
red;"><b>' . $this ->session -
>userdata('error_message') . '</b></span><br
><br>';
                $this ->session -
>set_userdata('error_message', '');
            }
        ?>
            <div class="form - group">
                <label for="varchar">Username
<?php echo form_error('Username')
?></label>
                <input type="text" class="form -
control" name="Username" id="Username"
placeholder="Username" value="<?php echo
$username; ?>" disabled />
            </div>
            <div class="form - group">
                <label for="varchar">Current
Password <?php echo
form_error('CurrentPassword') ?></label>
                <input type="password"
class="form - control" name="CurrentPassword"

```

```

        id="CurrentPassword" placeholder="Enter
        current password" />
    </div>
    <div class="form - group">
        <label for="varchar">New
        Password <?php echo
        form_error('NewPassword') ?></label>
        <input type="password"
        class="form - control" name="NewPassword"
        id="NewPassword" placeholder="Enter new
        password" />
    </div>
    <div class="form - group">
        <label for="varchar">Confirm
        New Password <?php echo
        form_error('ConfirmPassword') ?></label>

```

```

        <input type="password"
        class="form - control" name="ConfirmP assword"
        id="ConfirmPassword" placeholder="Enter new
        password again to confirm" />
    </div><br />
    <input type="hidden" name="UserID"
    value="<?php echo $UserID; ?>" />
    <button type="submit" class="btn btn - primary">Change Password</button>
    <a href="<?php echo site_url('admin')
    ?>" class="btn btn - default">Cancel</a>
</form>
<?php $this ->load ->view('footer.php')
?>
</body>
</html>

```

XI. ACKNOWLEDGEMENT

As much as I am thankful that I was able to reach this part of my special problem, I would like to keep this page short and sweet.

Thanks to the following for making me reach this far:

- My very supportive parents
- My trusty netbook for not giving up on me
- Caffeine, for */the/* feeling
- My org, Shoot UPM, for a stressful yet fulfilling year that inspired me to push for this topic.
- My block mates, who are though as tired as me, kept on cheering for one another 'til the end.
- My supportive adviser
- S/O for trying so hard
- And dogs – pictures, gifs, vines, videos of dogs -- for keeping me sane when I most wanted to just cry because of the stress.

Hey four-year-ago-self, we made it!