

I. INTRODUCTION

A. Background of the Study

An archive is a way of sorting and organizing documents, be it digitally or manually [1]. Consequently, a nursing research archive is a repository of nursing research articles that were critically reviewed by professionals in the field to ensure their correctness and relevance, and thus make them reliable sources of information. Data that make up the database of information must be maintained with optimal assurance that quality data exist [2].

Research is of utmost importance to nursing profession. Research evidence determines if the current nursing practice is the optimum one [3]. Various institutions essentially make use of shelves as storage of research papers produced by nursing students, professors and practitioners. As technology has progressed over the years, so too has the ability to archive data using electronics, and with the explosion of the internet, archiving has begun to make its way online [1]. Today, advanced countries like Canada and UK manage to take nursing research archiving to the next level using digital copies of documents.

These technological advances in medical science and clinical knowledge cannot go unnoticed by the nursing personnel in the Philippines and increasingly embraced web-based systems in the search for opportunities for quality care through access to health care information. The Philippine Nursing Research Society proposed the creation of a system called Philippine Nursing Research Archive with the aim of making a great leap to the enhancement of access to health care information in the country including all related texts, reference materials, prior cases, and latest knowledge in articles and medical literature. The analysis could quickly help physicians, together with nurses, determine the best options for diagnosis

and treatment of illnesses. To contribute to the content of the system, submission of soft copies of research papers is greatly encouraged in many health care institutions in the country.

B. Statement of the Problem

The idea of integrating all nursing research articles in the Philippines into an online archive started from a complaint coming from a researcher who's currently conducting a study abroad. The problem emerged when she found no reliable source of nursing research articles in the Philippines available on the internet.

The Philippine Nursing Research Society is the organization responsible for critiquing and disseminating nursing research studies made by nursing enthusiasts in the Philippines for educational and clinical purposes [4]. For this reason, they need to make the articles accessible online as a response to the issue.

Organizing, collecting and archiving information using physical documents without the use of electronics are daunting tasks [1]. Searching and retrieving documents are even more difficult on the researcher's side. Imagine a researcher going around every institution looking for related studies and literature for his research. It would take so much effort, fund and time solely for gathering information. If soft copies of these documents would be made and integrated into one online location, the search and retrieval process would be a lot easier. The risks of misplacing the document or having it get destroyed by water or fire would also be eliminated.

C. Objectives

The main goal of this project is to create the Philippine Nursing Research Archive. This system focuses on information dissemination and centralization. As a repository of empirical

studies conducted by students, professors, nurse practitioners and research enthusiasts, this online archive showcases various researches in the Philippines that provide evidence to guide and improve nursing practice.

The following are the system functionalities:

1. Allows the general users (unregistered users) to:

a. Browse and Search through the archive with the following filters:

i. Title of the article

ii. Author/s

iii. Year of Publication

iv. Research Type

v. Category

vi. Specialization

b. Download abstracts in pdf format

c. Register

2. Allows the subscribers (registered users) to:

a.. Browse and Search through the archive with the following filters:

i. Title of the article

ii. Author/s

iii. Year of Publication

iv. Research Type

v. Category

- vi. Specialization
- b. Download abstracts in pdf format
- c. Update personal account information such as:
 - i. Full Name
 - ii. Email Address
 - iii. Password
 - iv. Institution
- d. Submit nursing research articles to critique
- f. View status of submitted articles

3. Allows the critics to:

- a. Update personal account information such as:
 - i. Full Name
 - ii. Email Address
 - iii. Password
 - iv. Institution
- b. Download submitted articles in MS Word format
- c. Change status of unpublished articles (Approved/Disapproved)
- d. Assign research type, category and specialization to approved articles
- e. Upload approved articles

4. Allows the system administrator to:

- a. Update personal account information such as:
 - i. Full Name
 - ii. Email Address
 - iii. Password
 - iv. Institution
- b. Map submitted article to critic
- c. Create user accounts
- d. View all user accounts

D. Significance of the Study

Every bit of information can save a life. Findings on research when used by nurses in clinical setting can contribute to patient recovery, reducing health care cost, and improvement of nursing practice. With the use of Philippine Nursing Research Archive, the information we need is within our reach.

The ability to access information from almost anywhere is one of the advantages of online archiving. As long as one has access to the internet, they can obtain the information they are looking for [1]. The Philippine Nursing Research Archive is a breakthrough in optimizing search and retrieval of nursing research articles.

Internet-based paperless services are faster, cheaper, more efficient, and friendlier to the environment [5]. The system is very beneficial for the Philippine Nursing Research Society since the process of adding and retrieving researches all over the country becomes easier. The system solves the two major problem areas for PNRS – the centralization of nursing research articles and the paper-based archiving system vulnerabilities.

Promoting excellence in the nursing field is achievable through PNRA. Exchange and submission of research information among researchers, educators and students is greatly encouraged. The existence of this system is also a proof that the Filipino health workers are trying their best to improve the quality of health care in our country.

E. Scope and Limitations

- a. Assigning critics and critiquing of submitted articles are outside the system.
- b. There is no fixed list of critics for they are only volunteers who work on their convenient time.
- c. Submissions not yet approved cannot be viewed on the front end of the system .
- d. Access to full text articles is allowed upon approval of PNRS and payment of prescribed fees.

F. Assumptions

In the utilization of the proposed system, taken into consideration are the following assumptions:

- a. The initial input articles are from the University of the Philippines Manila - College of Nursing.
- b. The application to convert a Word document to Pdf format upon download is installed in the system.
- c. The system stores the articles in MS Word format.

- d. The verification of the authenticity of a paper's publication details is done outside of the system by the administrator.

II. REVIEW OF RELATED LITERATURE

Health care is an information intensive industry, in which quality and timely information is a critical resource. Computer systems are used within most health care entities such as pharmacies and hospitals. However, many of the information exchanges between health care providers are still paper based with the attendant inefficiencies of data entry, the difficulty of sharing paper based records between clinicians, loss of the physical record, difficulties in reading handwriting, the potential for error, and the difficulties in extracting information from large paper files [6].

Computer technology by its very nature is a new and intriguing phenomenon to work with. In contrast, nursing by its very nature is an older and most trusted profession to be part of. Uncovering the secrets of combining this media and that profession became the challenge to study the impact of computer technology in the clinical setting [7].

Computer systems enable healthcare professionals to access patient databases, research databases, clinical guidelines, and care protocols. The internet has emerged as a formidable medium for information provision and exchange. The next challenge for the software industry is to devise an effective means of organizing the available information so that users can access it effectively [8].

General practitioners and community nurses rely on easily accessible, evidence-based online information to guide practice. To date, the methods that underpin the scoping of user-identified online information needs in palliative care have remained under-explored. This paper describes the benefits and challenges of a collaborative approach involving users and experts that informed the first stage of the development of a palliative care website [9].

The Usage of Online Information Resources by Nurses Project was designed by Wozar and Worona to provide clinical nurses with accurate medical information at the point of care by introducing them to existing online library resources through instructional classes. Actual usage of the resources was then monitored for a set period of time. Participants were instructed in the content and use of several different online resources. A special webpage was designed for this project serving as an access point to the resources [10].

Online health information is commonly used by patients with chronic illness to support their education needs. Nurses have a critical role in assisting patients to access and use this information. The findings of this study highlight that while online resources add to education opportunities, the ongoing nursing assessment required to determine online information needs is not always incorporated into nursing practice. Patient misunderstandings of online material were also identified; developing patient competency in evaluating open access health information should now be recognized as an integral aspect of illness management education [11].

One way to assist access to information is to provide electronic information resources at the point of care. A large-scale survey of nurses working in the public health system in New South Wales, Australia, was undertaken as part of a 2-year evaluation of the Clinical Information Access Program (CIAP). This is a website which provides 24 hour, online access to a range of evidence sources at the point of care [12].

In 2001, self-report surveys were sent to the hospital's 573 nurses during implementation of access to online resources with a post-implementation survey sent 1 year later. At the initiation of access to the library's electronic resources, nurses turned to colleagues and print textbooks or journals to satisfy their information needs. After 1 year of access, 20% of the nurses had begun to use the library's electronic resources. The study outcome suggests ready access to knowledge-based electronic information resources can lead to changes in behavior among some nurses [13].

A study was conducted to report on a course developed for school nurses. The course focused on locating reliable and high-quality medical information resources on the Internet. The Health Sciences Library System (HSLS) of the University of Pittsburgh formed a partnership with the Pennsylvania Association of School Nurses and Practitioners (PASNAP). Through this partnership, a hands-on course was offered at the PASNAP annual conference. As one component of the Health Information for the Public Project, a subcontract of the National Library of Medicine, HSLS collaborated with PASNAP [14].

Electronic emergency department reporting provides the potential for enhancing local and state surveillance capabilities for a wide variety of syndromes and reportable conditions. The task of protecting data confidentiality and integrity while developing electronic data interchange between a hospital emergency department and a state public health department proved more complex than expected. This case study reports on the significant challenges that had to be

resolved to accomplish this goal; these included application restrictions and incompatibilities, technical malfunctions, changing standards, and insufficient dedicated resources. One of the key administrative challenges was that of coordinating project security with enterprise security. The original project has evolved into an ongoing pilot, with the health department currently receiving secure data from the emergency department at four-hour intervals. Currently, planning is underway to add more emergency departments to the project [15].

A vast body of literature supports the potential for IT to improve healthcare safety, access, efficiency, and quality and its importance for nursing education. McBride's integrative review describes the evolution of IT in nursing and its implications for nursing education. This discussion focuses on clinical agencies' expectations and experiences with regard to nursing student IT learning and practice, which has received relatively little study. Experts contend that nursing education has embraced instructional technologies, particularly clinical simulation, distance, and online instruction, as cost-effective alternatives to traditional teaching methods [16].

III. CONCEPTUAL FRAMEWORK

Philippine Nursing Research Society, Inc.

PNRS is the first and only specialty group of nurse researchers in the Philippines. The purposes of this group are to promote recognition of nursing as a scientific discipline, link nurses with similar interest on nursing and nursing related thrusts in the academe and health care setting, provide a forum for dissemination and critique of nursing research, publication, continuing education and training, foster ethical standards in research in nursing with particular focus in the academe and health care setting [4].

Nursing Research Critique

Nursing research is a systematic inquiry designed to develop trustworthy evidence about issues of importance to the nursing profession, including nursing practice, education, administration, and informatics [17].

Nursing research critique is a careful, complete examination of a study to judge its strengths, weaknesses, logical links, meaning and significance. It is the process of objectivity and critically evaluating a research report's content for scientific merit and application to practice, theory or education [18].

Steps in Conducting Nursing Research Critique

1. Read and critique the entire study. A research critique involves examining the quality of all steps of the research process.
2. Examine the organization and presentation of the research report.
 - Completeness
 - Conciseness
 - Clarity of presentation
 - Logical organization
 - Jargons
 - Reference
3. Examine the significance of the problem studied for nursing practice.
4. Identify strengths and weakness of a study.
5. Be objective and realistic in identifying the study's strength and weaknesses.
6. Be balanced in the critique.
7. Provide specific examples of the strengths and weaknesses of a study.
8. Provide a rationale for your critique.
9. Suggest modifications for future studies.
10. Discuss the feasibility of replication of the study.
11. Discuss the usefulness of the findings for practice. [18]

Researchers in the Philippines submit nursing research articles to PNRS for critique. PNRS then looks for credible people to critique the paper. The critic approves or disapproves the study depending on provided evidence to prove its claim. Studies are often disapproved

when there are issues regarding the correctness and authenticity of collected data, process of gathering data and interpretation of results of tests or experiments. The critic also determines the research type, category and specialization of studies once they are approved.

Database Management System

A database is an organized collection of data for different uses [19]. Digital databases are managed using database management systems (DBMS), which are software that handles storage and retrieval of data [20]. It allows organizations to place control of database development in the hands of database administrators (DBAs) and other specialists. A DBMS is a system software package that helps the use of integrated collection of data records and files known as databases. It allows different user application programs to easily access the same database. [21].




Fig. 1: Entity Relationship Diagram

The ERD above shows that the system is composed of entities and relationships between these entities. Here are entities USER and RESEARCH DOCUMENT. SUBSCRIBER, CRITIC and SYSTEM ADMINISTRATOR are disjoint entities from USER which means they inherit all attributes of entity USER but differ in their role in the system. EVALUATION is a relationship that turned into an entity because after a critic has evaluated a research document, it acquires new attributes for itself.

Data Dictionary

The following tables contain the different entities and attributes shown in Figure 1 as well as their respective descriptions. The database consists of tables containing user information, research document information and evaluation information.

USER TABLE – contains general information about the user

Field name	Data Type	Description
<u>User_ID</u>	AutoNumber	Unique ID; Primary key
FirstName	Text (required)	User's first name
LastName	Text (required)	User's last name
EmailAddress	Text (required)	User's email address; to be

		used when logging in
Password	Text (required)	User's password
Institution	Text (required)	User's institution
Role	Enum	Type of user: Administrator, Critic, Subscriber

RESEARCH DOCUMENT – contains information about a submitted article for critique

Field Name	Data Type	Description
<u>Document_ID</u>	AutoNumber	Unique ID; Primary key
Title	Text (required)	Title of the research article
Authors	Text (required)	Authors of the research article
Institution	Text (required)	Institution of the research article
DateSubmitted	Date	Date of submission of research
Status	Enum	Status: Under evaluation, Approved, Disapproved
FullTextFileAddress	Text (required)	File address of the full text article
AbstractFileAddress	Text (required)	File address of the abstract of the article
Published	Yes/No (required)	Indicates if the article has already been published
YearOfPublication	Number	Year of publication of the research article
NameOfPublication	Text	Name of publication of the research article
Publisher	Text	Publisher of the research article


EVALUATION TABLE – contains information on approved research documents

Field Name	Data Type	Description
<u>Evaluation_ID</u>	AutoNumber	Unique ID; Primary key
ResearchType	Enum (required)	Research's types: Quantitative, Qualitative,

		Quanti-Quali Mix
Category	Text (required)	Category of the research article
Specialization	Text (required)	Specialization of the article
DateEvaluated	Date	Date that the research is posted on the site

Context Diagram

Fig. 2: Context Diagram



The subscribers can access all the functionalities that an unregistered user can access. The subscribers' advantage is that they can submit research articles for critique and view the status of their submitted articles. The system administrator can validate the document to see if the publication information provided is correct. The critics can approve or disapprove submitted articles and categorize them if they are approved. The critics can also upload the articles for viewing.

Top Level Data Flow Diagram




Fig. 3: Top Level Data Flow Diagram

The figure above traces the movement of data in the system and shows how the data is being processed by each kind of user.

Technical Architecture

The Philippine Nursing Research Archive is a web-based system that follows the client-server architecture - a convenient way to interconnect programs that are distributed efficiently across different locations [22]. The system is made available online so it can be accessed by the users anywhere as long as there is an internet connection.

The following shows the minimum configuration for developers to execute the program:

Hardware:

- 2GHz processor or faster
- 512 MB of RAM or higher
- 10 GB available hard disk space or bigger

Software:

- Microsoft Windows XP/ Vista/ 7
- web browser (preferably latest version of Mozilla Firefox)
- ASP.Net 3.5
- Microsoft Access 2010
- Visual Basic 6.0
- Visual Studio Professional Edition

V. RESULTS

The Philippine Nursing Research Archive's home page as shown in Fig. 4 provides a short description of the system and the latest articles in the database. When the 'See More Articles' is clicked, it redirects to the Browse page.

In the menu at the upper part, links are provided for unregistered users to search, advanced search and browse documents from the archive. They can also download abstracts of research articles. On the same page, subscribers can login and access their accounts and submit research articles for critique. The contact information of contact person of PNRS is also provided. Links to the official PNRS website, membership form of PNRS and official PNRS facebook page are located at the lower part of the left sidebar.



Fig. 4: PNRA home page

The system has two kinds of search: Basic Search (Fig. 5.1) and Advanced Search (Fig. 6.1). The only difference is that in the Advanced Search, the Research Type, Category, Specialization and Year of Publication can be filtered.



Fig. 5.1: Basic Search with search results



Fig. 5.2: Basic Search with no search results



Fig. 6.1: Advanced Search with search results




Fig. 6.2: Advanced Search with no search results

The search results are designed in such a way that relevant information about the article is already visible to give the viewer a hint of what the article is all about. The title, authors, year of publication, institution, research type, category and specialization.

In the browse page, articles are sorted. Users can click on the criteria they want to view and all the articles under that criteria will be displayed.



Fig. 7: Browse

When user clicks on any letter on the 'Titles (A-Z)' criterion, it displays all articles with titles that start on the selected letter.

Fig. 7.1: Browse >> Titles (A-Z) with search results



However, there can be no articles that start with a chosen letter.



Fig. 7.2: Browse >> Titles (A-Z) with no search results

The rest of the Browse criteria such as Research Types, Categories, Specializations, Institutions and Year of Publication are databound, which means that a member of a certain criterion is added to the list when there is an article under that. In effect, all of these criteria cannot be empty.



Fi

g. 7.3: Browse >> Research Types

The figure below shows how it looks like when an article is clicked. It displays the relevant information from the search results and reveals Download Abstract and Full Text Article linkbuttons. There is also a link to go back to the browse criteria which is the Browse page.

Fig.7.3.1: Browse >> Categories >> Research Article

When the Download Abstract is clicked, the adobe reader opens the pdf form of the

The screenshot displays the website interface for the Philippine Nursing Research Archive. At the top, there is a navigation menu with buttons for HOME, SEARCH, ADVANCED SEARCH, BROWSE, SUBMIT A RESEARCH, MY ACCOUNT, and CONTACT US. The main header features the site's logo and the title "Philippine Nursing Research Archive". Below the navigation, there is a "LOG IN" section with fields for Email and Password, and a "Log in" button. A "REGISTER" link is provided for users without a PNRA account. A "SEARCH" section includes a search input field with a ">>GO!" button and a link to "Advanced Search". A promotional banner encourages users to "BE A MEMBER NOW!" and provides a Facebook link. The main content area is titled "Explore the Archive" and includes a note about access to full text copies. A "Back to Browse Criteria" button is visible. The article title is "Disclosure Perspectives on Cancer Diagnosis and Treatment" by Peter Paul De Leon Go, published in 2000 at the University of the Philippines Manila. The article type is Quantitative, and the specialization is Community Health. There are two buttons: "Download Abstract PDF" and "Full Text Article". The article text is displayed in a scrollable window, detailing the study's objectives, methodology, and results.

article which can be saved in the computer.

Fig. 7.3.1.1: Download Abstract



However, when the Full Text Article is clicked, it redirects to a page that states that there needs to be permission from PNRS before having access to the full text copy of the article.

Fig. 7.3.1.2: Full Text Article

When the Submit Research and My Account are clicked by an unregistered user, it redirects to the following pages:





Fig. 8: Submit Research



Fig. 9: My Account


Fig. 10 displays the contact details of contact persons regarding PNRA and PNRS matters.

Fig. 10: Contact Us



When the link to the official site of PNRS is clicked, it opens in a new tab as shown in Fig. 11.

Fig. 11: PNRS official site



Any interested individual can be a member of PNRS by filling up and submitting the membership form. The form can be downloaded from the site.

Fig. 12: PNRS Membership Form

The pdf form of the membership form is shown in Fig. 12.1.




Fig. 12.1: PNRS Membership form pdf

When an unregistered user click the Register link, it redirects to the Create account page.




Fig. 13: Create Account

The following are the error control functions for registration:

The screenshot shows a form titled "Create a PNRA Account" on a yellow background. It contains two input fields: "Email Address:" and "Password:". The "Email Address:" field is empty and has a red asterisk and the text "*Required Field" to its right. The "Password:" field is also empty and has a red asterisk and the text "*Required Field" to its right, with a subtext "(must be at least 6 characters long)" below it. A blue "Continue" button is centered below the fields.

Fig. 13.1: Create Account >> required fields

The screenshot shows the same "Create a PNRA Account" form. The "Email Address:" field now contains the text "mina@yahoo" and has a red asterisk and the text "*Invalid Email Address" to its right. The "Password:" field is empty and has a red asterisk and the text "*Required Field" to its right, with a subtext "(must be at least 6 characters long)" below it. A grey "Continue" button is centered below the fields.

Fig. 13.2: Create Account >> invalid email address

Fig. 13.3: Create Account >> no password provided

The screenshot shows the "Create a PNRA Account" form with two error messages. The "Email Address:" field contains "guminalai@yahoo.com" and has a red asterisk and the text "*Email address already registered" to its right. The "Password:" field contains three dots "●●●" and has a red asterisk and the text "*Password too short" to its right, with a subtext "(must be at least 6 characters long)" below it. A grey "Continue" button is centered below the fields.

Fig. 13.4: Create Account >> email already registered

and password too short

When the email address and password have been both valid, the creation of account will continue to this part:

Fig. 13.4: Create Account >> continuation



When the fields are left blank, a null checker interrupts and highlights required fields.

Also, when the captcha code is incorrect, a validator interrupts.

Fig. 13.5: Create Account >> invalid captcha code

When the form has been filled up correctly, the user is now a subscriber and is redirected to his account.



Fig. 14: Subscriber Account

When the Edit linkbutton is clicked, the subscriber can update his personal account information.

PERSONAL DETAILS:	
FirstName	Wilma
LastName	Laylo
EmailAddress	minabellegutierrez@yal
Institution	UP Manila
<u>Update</u> <u>Cancel</u>	

Fig. 14.1: Subscriber Account >> Edit

The email address is changed from minabellegutierrez@yahoo.com to wilmalaylo@yahoo.com after clicking the Update command.

PERSONAL DETAILS:	
FirstName	Wilma
LastName	Laylo
EmailAddress	wilmalaylo@yahoo.com
Institution	UP Manila
<u>Edit</u>	

Fig. 14.2: Subscriber Account >> Update

The subscriber can also change his password by clicking the button at the side bar.

Fig. 15: Change Password



The following are the error controls for changing password:

Fig. 15.1: Change Password >> incorrect password

Fig. 15.2: Change Password >> empty new password and current password

Fig. 15.3: Change Password >> new and confirm password did not match



Fig. 15.4: Change Password >> password too short

When the current password is correct and the new password and confirm password are not null, not too short and not mismatched, the password is successfully changed.




Fig. 15.5: Change Password >> password successfully changed

The subscriber can submit articles for critique by clicking the Submit Research at the left side bar of his account page.




Fig. 16: Submit Research

In submitting an article, the subscriber can add another author or remove the entered author. When the Published is set to Yes, it posts back the Name of Publication, Year of Publication and Publisher fields to be filled up. When the submission is done, the subscriber can view the status of his submitted articles by clicking the View Submitted Articles button.

Submit a Nursing Research

All fields are required

Title:

Author/s:

Institution:

Published:

Full Research Document:

Abstract:

Fig. 16.1: Submit Research >> Authors add/remove

Submit a Nursing Research

All fields are required

Title:

Author/s:

Institution:

Published:

Name of Publication:

Year of Publication:

Publisher:

Full Research Document:

Abstract:

Fig. 16.2: Submit Research >> Published Yes




Fig. 16.3: Submit Research >> Submission successful



Fig. 17: View Submitted Articles

When the administrator logs in, his account page looks like this:



Fig. 18: Administrator Account page

The admin can create critic accounts by clicking the Create New in the Manage User Accounts. The process is similar to that of the create account for unregistered users except for the assignment of Role as shown in Fig. 20.



Fig. 19: Manage User Accounts

The screenshot shows the 'Create a PNRA Account' form. The form is titled 'Create a PNRA Account' and has a red asterisk indicating that all fields are required. The form contains the following fields:

- First Name: Emilia
- Last Name: Macasaet
- Institution/Organization: Candelaria Institute
- Role: Critic (selected from a dropdown menu)

At the bottom of the form is a 'Create Account' button.

Fig. 20: Manage User Accounts >> Create New

Once a critic account is made, the administrator can now map an article to the critic by clicking the Manage Submitted Articles button.




Fig. 20.1: Manage Submitted Articles: published



Fig. 20.2: Manage Submitted Articles: unpublished

The administrator can view all submitted articles. The published and unpublished articles are separated since published articles need not be critiqued. They just need to be categorized and by default, are approved, unlike in unpublished articles that need to be critiqued before deciding whether to approve or not.

The administrator validates the publication details first before mapping to the critic which is done outside the system.



Fig. 21.1: Map Articles to Critic >> Select Article to map

Submitted Articles

View Published Articles

View Unpublished Articles

Published Articles:

Critic:

Update

Cancel

Bala bala

Institution: UPM

Name of Publication: The Maroonettes

Year of Publication: 2012

Publisher: UPM Publisher

Date of Submission: 4/9/2012

Fig. 21.2: Map Articles to Critic >> Update

Submitted Articles

Update

X

You have successfully mapped this article to a critic.

Published Articles

Pub

Criti

Update

Cancel

Bala bala

Institution: UPM

Name of Publication: The Maroonettes

Year of Publication: 2012

Publisher: UPM Publisher

Date of Submission: 4/9/2012

Fig. 21.3: Map Articles to Critic >> Mapping successful

When the critic logs in, he can now critique the submitted articles mapped to him. In the datalist of published articles, the critic only needs to edit the document's research type, category and specialization. He can download the articles in Microsoft Word format to be able to categorize it accordingly. He doesn't need to approve or disapprove it. Published articles are by default approved once the administrator validates its publication details.



Fig. 22: Critic Account



Fig. 23: Critique Submitted Articles



Fig. 23.1: Critique Submitted Articles>> Edit



Fig. 23.2: Critique Submitted Articles>> Save



Fig. 23.3: Critique Submitted Article>> successfully uploaded



Fig. 24: Unpublished Articles



Fig. 24: Unpublished Articles >> Approve/Disapprove



Fig. 24: Unpublished Articles >> successfully uploaded

In the datalist of unpublished articles, the critic can download the articles in Microsoft Word format for critiquing then decide whether to approve or disapprove it. When an article is disapproved, it is removed from the database. If it gets approved, the critic set its research type, category and specialization, and uploads it to the archive for viewing. In effect, the article can now be viewed along with all the approved articles in the archive.

VI. DISCUSSION

The Philippine Nursing Research Archive contains nursing research articles submitted by researchers and approved by critics who are professionals in the nursing field. As an archive, general users of the system can search, view and download nursing research documents in pdf form. However, only the abstracts are readily available for download since access to full text copies are granted upon request. They can also view the contact details of contact persons of PNRS and go to various links regarding PNRS.

Browsing research documents is made easier in this archive. Users can view articles on selected research type, category, specialization or year of publication. They can also view articles alphabetically. The research type, category, specialization and year of publication are indicated in every article. They give users a clue as to what the study is all about even without reading the entire article.

Registered users are called subscribers in this system. They can submit research articles for critique. Subscribers can also monitor the status of the articles they submitted. If the

subscriber indicates that the article has already been published, he is asked to provide the publication details. The system administrator validates the given information which is done outside the system.

If the validation is done, the critic can download and evaluate the article, and give the final judgment whether to approve or disapprove posting the article into the online archive. Once an article is approved, the critic identifies its research type, category and specialization and uploads the final copy of the document for the public.

The system administrator can create critic accounts. He can also update the contents of the home page and make changes to the contact details or contact persons if necessary.

VII. CONCLUSION

The Philippine Nursing Research Archive is a web-based system that stores nursing researches that can be used as references for future studies and researches by health care workers. This system can be of great help to the health care industry in such a way that information from the conducted researches can be used in clinical settings and treatment of various diseases. In other words, the system can be used to integrate clinical data about patient treatments and preferences, available resources, expert opinion, and research evidence to provide nurses with current information to address complex clinical issues.

Since the intended users of this system are nursing related people with basic knowledge of information systems, PNRA is designed to have a user- friendly environment to link the clinical nurses to a variety of information, healthcare literature and other evidence-based resources.

With the help of this online archive, nursing researches from all around the Philippines is centralized in a single site. The system has a two-way benefit. For the Philippine Nursing Research Society's side, information can be easily disseminated. For the researchers' side, information can be easily fetched. Submission and evaluation of research is also made easier as it goes online.

This system is indeed a great way to promote nursing research in the country. Nursing enthusiasts are greatly encouraged to submit their studies to include in the archive.

VIII. RECOMMENDATION

The current system is designed in such a way that only one critic is assigned to evaluate a submitted article. However, it has been suggested to make the system capable of allowing several

critics to evaluate the same article. Since there might be conflicts when they evaluate the same article at the same time, it is therefore recommended to improve the system to address this issue. The creation of an interface where the critics can see the evaluation of each other and one of them makes the final decision can settle the possible conflicts.

IX. BIBLIOGRAPHY

- [1] Archival Research. (2009). *Wikipedia, The Free Encyclopedia*. Retrieved February 9, 2010, from http://en.wikipedia.org/wiki/Archival_research
- [2] McHaney, D. F. (2008). *Information Management and Technology*. Burlington, MA: Jones and Bartlett Publishers, LCC.
- [3] Nursing Research. (2009). *Nursing Research and Its Background*. Retrieved February 9, 2010, from <http://www.scribd.com/doc/13239797/NURSING-RESEARCH-and-Its-Background>

- [4] Babate, J. (2010). *Philippine Nursing Research Society, Inc.: About Us*. Retrieved February 9, 2010, from <http://www.pnrs.net/p/about-us.html>
- [5] Mathieu, M., & Capozzoli, E. (2001). *The Paperless Office: Accepting Digitized Data*. Cabinet NG, Inc.
- [6] Hegney, D., et. al. (2007). *Nurses and Information Technology*. Retrieved January 9, 2010, from http://www.anf.org.au/it_project/PDF/IT_Project.pdf
- [7] Alexander, P. J. (2007). The Impact Of Computer Technology In The Clinical Setting: A Nursing Perspective. *University of Southern Queensland ePrints Archive*.
- [8] Royle, J. & Blythe, J. (1998). Promoting Research Utilisation In Nursing: The Role Of The Individual, Organisation, And Environment. *Evidence-based nursing*, 1(3), 71-72. doi:10.1136/ebn.1.3.71
- [9] Gosling, A., Westbrook, J. & Spencer, R. (2004). Nurses' Use Of Online Clinical Evidence. *Journal Of Advanced Nursing*, 47(2), 201–211.
- [10] **Wozar, J. & Worona, P. (2003). The Use of Online Information Resources by Nurses. *Journal of the Medical Library Association*, 91(2), 216–221.**
- [11] Street, A., et. al. (n.d.). Developing A Web-Based Information Resource For Palliative Care: An Action-Research Inspired Approach. *BMC Medical Informatics and Decision Making*, 7(26). doi:10.1186/1472-6947-7-26
- [12] Gilmour, J., et. al. (2011). Nurses' Use of Online Health Information in Medical Wards. *Journal of Advanced Nursing*. doi:10.1111/j.1365-2648.2011.05845.x
- [13] Tannery, N., et. al. (2007). Hospital Nurses' Use Of Knowledge-Based Information Resources. *Nurse Outlook*, 55(1), 9–15.

- [14] Gregg, A., & Wozar, J. (2003). Delivering Internet Health Resources To An Underserved Health Care Profession: School Nurses. *J Med Library Association*, 91(4), 398–403.
- [15] Gaumer, G., et.al. (2007). Use of Information Technology by Advanced Practice Nurses. *CIN: Computers, Informatics, Nursing*, 25(6), 344-352.
- [16] Swan, B., et.al. (2005) Access to Quality Health Care: Links Between Evidence, Nursing Language, and Informatics. *Nursing Economics*, 22(6), 325-332.
- [17] Polit, D. & Beck, C. (2008). Introduction to Nursing Research and Evidence-Based Practice Environment. *Nursing Research*. New Delhi: Williams and Wilkins.
- [18] Nursing Research. (n.d.). Evaluating and Critiquing Nursing Research. Retrieved August 21, 2011, from http://nursingplanet.com/Nursing_Research/critiquing_nursing_research.html
- [19] O'Brien, J. and Marakas, G. (2008). Management Information Systems. *Computer Software* (p. 185). New York, New York: McGraw-Hill.
- [20] Peter, R., and Coronel, C. (2009). *Database Systems: Design, Implementation and Management*. Boston: Thomson Course Technology.
- [21] Database Management System. (2011). *Database management system*. Retrieved October 8, 2011, from http://www.sccs.swarthmore.edu/users/08/ajb/tmve/wiki100k/docs/Database-management_system.html
- [22] Client/Server. (2000). *Search Networking*. Retrieved October 8, 2011, from <http://search-networking.techtarget.com/definition/client-server>

X. APPENDIX

Source Code

```
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Admin_MyAccount.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
  <style type="text/css">
    .style18
    {
      width: 216px;
    }
    .style19
    {
      font-family: "High Tower Text";
      font-size: xx-large;
    }
    .style32
    {
      font-family: Arial, Helvetica, sans-serif;
      font-size: small;
      color: #333333;
    }
    .style36
    {
      font-size: x-large;
      color: #333333;
    }
    .style38
    {
      text-align: left;
    }
  </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
  <table class="style1">
    <tr>
      <td bgcolor="#FFFFCC">
        <table class="style1">
          <tr>
            <td class="style18" valign="top">
              <table class="style1">
                <tr>
                  <td>
                    <table class="style1">
                      <tr>
                        <td bgcolor="#33629B">
```



```

        ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
        <br />
        <asp:HyperLink ID="HyperLink2" runat="server"
        ImageUrl="~/App_Themes/Images/down.jpg"
        NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
        <br />
        <asp:HyperLink ID="HyperLink3" runat="server"
        ImageUrl="~/App_Themes/Images/fb.jpg"
        NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
        </td>
        </tr>
    </table>
    </td>
    </tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
    <asp:Panel ID="Panel6" runat="server">
        <span class="style36" style="color: #003366">
        <br />
        My Account</span>
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32">
        <div class="style38">
        <br />
        <asp:Label ID="Label8" runat="server" Text="Label"
Visible="False"></asp:Label>
        <asp:Label ID="Label9" runat="server" Text="Label"
Visible="False"></asp:Label>
        <br />
        <br />
        <asp:DetailsView ID="DetailsView1" runat="server"
AutoGenerateRows="False"
        BackColor="LightGoldenrodYellow" BorderColor="Tan"
BorderWidth="1px"
        CellPadding="2" DataKeyNames="ID"
DataSourceID="AccessDataSource2"
        ForeColor="Black" GridLines="None" Height="40px"
HorizontalAlign="Center"
        style="text-align: left; font-size: medium;"
Width="600px">
        <FooterStyle BackColor="Tan" />
        <PagerStyle BackColor="PaleGoldenrod"
ForeColor="DarkSlateBlue"
        HorizontalAlign="Center" />
        <Fields>
        <asp:BoundField DataField="ID" HeaderText="ID"
SortExpression="ID" InsertVisible="False"
ReadOnly="True" />
        <asp:BoundField DataField="FirstName"
HeaderText="FirstName"
SortExpression="FirstName" />
        <asp:BoundField DataField="LastName"
HeaderText="LastName"
SortExpression="LastName" />
        <asp:BoundField DataField="EmailAddress"
HeaderText="EmailAddress"
SortExpression="EmailAddress" />
        <asp:BoundField Visible="False" />

```

```

                                <asp:BoundField DataField="Institution"
HeaderText="Institution"
                                SortExpression="Institution" />
                                <asp:BoundField DataField="RoleId"
HeaderText="RoleId" ReadOnly="True"
                                SortExpression="RoleId" Visible="False" />
                                <asp:CommandField ShowEditButton="True">
                                    <ControlStyle Font-Bold="True" />
                                </asp:CommandField>
                                </Fields>
                                <HeaderStyle BackColor="Tan" Font-Bold="True" />
                                <HeaderTemplate>
                                    PERSONAL DETAILS:
                                </HeaderTemplate>
                                <EditRowStyle BackColor="#336699"
ForeColor="GhostWhite" />
                                <AlternatingRowStyle BackColor="PaleGoldenrod" />
                                </asp:DetailsView>
                                <asp:AccessDataSource ID="AccessDataSource2"
runat="server"
                                ConflictDetection="CompareAllValues"
DataFile="~/App_Data/PNRA_Database.mdb"
                                DeleteCommand="DELETE FROM [tblRegister] WHERE
[ID] = ? AND (([FirstName] = ?) OR ([FirstName] IS NULL AND ? IS NULL)) AND
(([LastName] = ?) OR ([LastName] IS NULL AND ? IS NULL)) AND ([EmailAddress] = ?) OR
([EmailAddress] IS NULL AND ? IS NULL)) AND (([Password] = ?) OR ([Password] IS NULL
AND ? IS NULL)) AND (([Gender] = ?) OR ([Gender] IS NULL AND ? IS NULL)) AND
(([BirthDay] = ?) OR ([BirthDay] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([RoleId] = ?) OR ([RoleId] IS NULL AND ?
IS NULL))"
                                InsertCommand="INSERT INTO [tblRegister] ([ID],
[FirstName], [LastName], [EmailAddress], [Password], [Gender], [BirthDay],
[Institution], [RoleId]) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?)"
                                OldValuesParameterFormatString="original_{0}"
                                SelectCommand="SELECT * FROM [tblRegister] WHERE
([EmailAddress] = ?)"
                                UpdateCommand="UPDATE [tblRegister] SET
[FirstName] = ?, [LastName] = ?, [EmailAddress] = ?, [Password] = ?, [Gender] = ?,
[BirthDay] = ?, [Institution] = ?, [RoleId] = ? WHERE [ID] = ? ">
                                <SelectParameters>
                                    <asp:ControlParameter ControlID="Label8"
Name="EmailAddress"
                                    PropertyName="Text" Type="String" />
                                </SelectParameters>
                                <DeleteParameters>
                                    <asp:Parameter Name="original_ID" Type="Int32"
/>
                                    <asp:Parameter Name="original_FirstName"
Type="String" />
                                    <asp:Parameter Name="original_LastName"
Type="String" />
                                    <asp:Parameter Name="original_EmailAddress"
Type="String" />
                                    <asp:Parameter Name="original_Password"
Type="String" />
                                    <asp:Parameter Name="original_Gender"
Type="String" />
                                    <asp:Parameter Name="original_Birthday"
Type="String" />
                                    <asp:Parameter Name="original_Institution"
Type="String" />

```



```

                                <asp:Parameter Name="original_RoleId"
Type="Int32" />
                                </DeleteParameters>
                                <UpdateParameters>
                                    <asp:Parameter Name="FirstName"
Type="String" />
                                    <asp:Parameter Name="LastName"
Type="String" />
                                    <asp:Parameter Name="EmailAddress"
Type="String" />
                                    <asp:Parameter Name="Password"
Type="String" />
                                    <asp:Parameter Name="Gender" Type="String" />
                                    <asp:Parameter Name="Birthday"
Type="String" />
                                    <asp:Parameter Name="Institution"
Type="String" />
                                    <asp:Parameter Name="RoleId" Type="Int32" />
                                    <asp:Parameter Name="original_ID" Type="Int32"
/>>
                                    <asp:Parameter Name="original_FirstName"
Type="String" />
                                    <asp:Parameter Name="original_LastName"
Type="String" />
                                    <asp:Parameter Name="original_EmailAddress"
Type="String" />
                                    <asp:Parameter Name="original_Password"
Type="String" />
                                    <asp:Parameter Name="original_Gender"
Type="String" />
                                    <asp:Parameter Name="original_Birthday"
Type="String" />
                                    <asp:Parameter Name="original_Institution"
Type="String" />
                                    <asp:Parameter Name="original_RoleId"
Type="Int32" />
                                </UpdateParameters>
                                <InsertParameters>
                                    <asp:Parameter Name="ID" Type="Int32" />
                                    <asp:Parameter Name="FirstName"
Type="String" />
                                    <asp:Parameter Name="LastName"
Type="String" />
                                    <asp:Parameter Name="EmailAddress"
Type="String" />
                                    <asp:Parameter Name="Password"
Type="String" />
                                    <asp:Parameter Name="Gender" Type="String" />
                                    <asp:Parameter Name="Birthday"
Type="String" />
                                    <asp:Parameter Name="Institution"
Type="String" />
                                    <asp:Parameter Name="RoleId" Type="Int32" />
                                </InsertParameters>
                                </asp:AccessDataSource>
                                <br />
                            </div>
                        </asp:Panel>
                        <asp:Panel ID="Panel9" runat="server" CssClass="style32"
Visible="False">
                            </asp:Panel>
                        </td>
                    </tr>

```

```

        </table>
    </td>
</tr>
</table>
</asp:Content>
Imports System.Web.Mail
Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Label8.Text = Session("EmailAddress")
        Label9.Text = Session("RoleID")
    End Sub

    Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
        Session("searchinput") = TextBox3.Text
        Response.Redirect("~/Search.aspx")
        Session.Clear()
    End Sub

    Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
        Label9.Text = ""
        Session.RemoveAll()
    End Sub
End Class

<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="AdminCreateAccount.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }

        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
            text-align: left;
        }

        .style36
        {
            font-size: x-large;
            color: #333333;
        }

        .style37
        {
            font-size: xx-small;

```

```

    }
    .style38
    {
        font-size: x-small;
    }
    .style41
    {
        color: #FF0000;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
            <tr>
                <td class="style18" valign="top">
                    <table class="style1">
                    <tr>
                        <td>
                            <table class="style1">
                            <tr>
                                <td bgcolor="#33629B">
                                    <asp:LinkB
                                    style=
                                    <br />
                                    <br />
                                    <img
                                    style=
                                    <asp:Panel
                                    ID="Panel1" runat="server" BackColor="#4AC8EE"
                                    BorderColor="#4AC8EE"
                                    BorderStyle="None" BorderWidth="0px"
                                    Width="213px" style="font-size: xx-small">
                                        &nbsp;
                                        &nbsp;
                                        &nbsp;
                                        <asp:T
                                        <asp:B
                                        Te
                                        <br />
                                        <br />
                                        &nbsp;
                                        <asp:HyperLink ID="HyperLink4" runat="server"
                                        NavigateUrl="~/AdvancedSearch.aspx">Advanc
                                        ed Search</asp:HyperLink>
                                        <br />
                                        </asp:Panel>
                                    <img
                                    style=
                                    <br />

```



```

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click
    con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from tblRegister where emailaddress = '" & TextBox6.Text &
"'", con)

    If rs.BOF And rs.EOF Then
        rs.Close()
        Label9.Visible = False
    Else
        rs.Close()
        Label9.Visible = True
        Exit Sub
    End If

    If TextBox7.Text.Length < 6 Then
        Label8.Visible = True
        Exit Sub
    Else
        Label8.Visible = False
        Panel8.Visible = False
        Panel9.Visible = True

    End If

    Label13.Text = TextBox6.Text
    Label14.Text = TextBox7.Text

End Sub

Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button7.Click
    Session("EmailAddress") = TextBox6.Text

    con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("tblRegister", con, ADODB.CursorTypeEnum.adOpenDynamic,
ADODB.LockTypeEnum.adLockOptimistic)
    rs.AddNew()
    If DropDownList5.SelectedValue = "Administrator" Then
        Label18.Text = "1"
    ElseIf DropDownList5.SelectedValue = "Critic" Then
        Label18.Text = "2"
    ElseIf DropDownList5.SelectedValue = "Subscriber" Then
        Label18.Text = "3"
    End If
    rs.Fields("EmailAddress").Value = Label13.Text
    rs.Fields("Password").Value = Label14.Text
    rs.Fields("FirstName").Value = TextBox8.Text
    rs.Fields("LastName").Value = TextBox9.Text
    rs.Fields("Institution").Value = TextBox10.Text
    rs.Fields("RoleId").Value = Label18.Text
    rs.Update()
    rs.Close()
    con.Close()

```



```

        If Label18.Text = "1" Then
            Response.Redirect("~/Admin_MyAccount.aspx")
        ElseIf Label18.Text = "2" Then
            Response.Redirect("~/Critic_MyAccount.aspx")
        ElseIf Label18.Text = "3" Then
            Response.Redirect("~/Subscriber_MyAccount.aspx")
        End If
    End Sub

    Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
        Label17.Text = ""
        Session.RemoveAll()
    End Sub

End Class

<%@ Page Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="AdminUpload.aspx.vb" Inherits="Admin_real_upload"
title="Untitled Page" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style20
        {
            font-family: "High Tower Text";
            font-size: xx-large;
            color: #336699;
            text-align: center;
            width: 641px;
            height: 130px;
        }
    .style9
    {
        font-family: Arial, Helvetica, sans-serif;
        font-size: small;
        color: #336699;
        text-align: center;
        width: 641px;
    }
    .style10
    {
        color: #000000;
    }
    .style13
    {
        font-family: Arial, Helvetica, sans-serif;
    }
        .style18
        {
            color: #000000;
        }
    .style16
    {
        font-family: Arial, Helvetica, sans-serif;
        font-size: small;
    }
    .style17
    {
        font-size: small;
    }

```

```

}
.style19
{
color: #CC0000;
}

.style26
{
width: 262px;
}
.style27
{
font-family: "Lucida Fax";
font-weight: bold;
color: #003399;
}
#Text1
{
height: 69px;
width: 257px;
}
#Inputbox1
{
height: 99px;
width: 265px;
}
.style32
{
font-family: Arial, Helvetica, sans-serif;
font-size: small;
color: #333333;
}
.style33
{
color: #003366;
font-size: x-large;
}
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<table class="style1" bgcolor="#FFFFCC" style="background-color: #FFFFCC">
<tr>
<td class="style26" rowspan="2" valign="top">
<table class="style1" style="margin-right: 0px">
<tr>
<td>
<table class="style1">
<tr>
<td>
<table class="style1" style="width: 86%">
<tr>
<td bgcolor="#33629B">
<asp:LinkB
utton ID="LinkButton5" runat="server" PostBackUrl="~/Default.aspx"
style=
"font-weight: 700; color: #FFFFFF">LOG OUT</asp:LinkButton>
<br />
<br />
<br />

```



```

        <asp:RequiredFieldValidator ID="RequiredFieldValidator6"
runat="server"
        ControlToValidate="TextBox9" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel5" runat="server" Visible="False">
        <span class="style10">
            <asp:TextBox ID="TextBox10" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
            <span class="style10">
                <asp:Button ID="Button24" runat="server" Text="Remove" />
            </span>
            <asp:Button ID="Button5" runat="server" Text="Add Author" />
            <asp:RequiredFieldValidator ID="RequiredFieldValidator7"
runat="server"
            ControlToValidate="TextBox10" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
            </span>
        </asp:Panel>
        <asp:Panel ID="Panel6" runat="server" Visible="False">
            <span class="style10">
                <asp:TextBox ID="TextBox11" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                <span class="style10">
                    <asp:Button ID="Button25" runat="server" Text="Remove" />
                </span>
                <asp:Button ID="Button6" runat="server" Text="Add Author" />
                <asp:RequiredFieldValidator ID="RequiredFieldValidator8"
runat="server"
                ControlToValidate="TextBox11" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                </span>
            </asp:Panel>
            <asp:Panel ID="Panel7" runat="server" Height="29px" Visible="False">
                <span class="style10">
                    <asp:TextBox ID="TextBox12" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                    <span class="style10">
                        <asp:Button ID="Button26" runat="server" Text="Remove" />
                    </span>
                    <asp:Button ID="Button7" runat="server" Text="Add Author" />
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator9"
runat="server"
                    ControlToValidate="TextBox12" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                    </span>
                </asp:Panel>
                <asp:Panel ID="Panel8" runat="server" Visible="False">
                    <span class="style10">
                        <asp:TextBox ID="TextBox13" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                        <span class="style10">
                            <asp:Button ID="Button27" runat="server" Text="Remove" />
                        </span>
                        <asp:Button ID="Button8" runat="server" Text="Add Author" />
                        <asp:RequiredFieldValidator ID="RequiredFieldValidator10"
runat="server"
                        ControlToValidate="TextBox13" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                        </span>
                    </asp:Panel>
                    <asp:Panel ID="Panel9" runat="server" Visible="False">

```

```

        <span class="style10">
        <asp:TextBox ID="TextBox14" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button28" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button9" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator11"
runat="server"
        ControlToValidate="TextBox14" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel10" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox15" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button29" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button10" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator12"
runat="server"
        ControlToValidate="TextBox15" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel14" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox17" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button30" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button11" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator14"
runat="server"
        ControlToValidate="TextBox17" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel15" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox18" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button31" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button12" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator15"
runat="server"
        ControlToValidate="TextBox18" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel16" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox19" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button32" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button13" runat="server" Text="Add Author" />

```

```

        <asp:RequiredFieldValidator ID="RequiredFieldValidator16"
runat="server"
        ControlToValidate="TextBox19" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel17" runat="server" Visible="False">
        <span class="style10">
            <asp:TextBox ID="TextBox20" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
            <span class="style10">
                <asp:Button ID="Button33" runat="server" Text="Remove" />
            </span>
            <asp:Button ID="Button14" runat="server" Text="Add Author" />
            <asp:RequiredFieldValidator ID="RequiredFieldValidator17"
runat="server"
            ControlToValidate="TextBox20" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
            </span>
        </asp:Panel>
        <asp:Panel ID="Panel18" runat="server" Visible="False">
            <span class="style10">
                <asp:TextBox ID="TextBox21" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                <span class="style10">
                    <asp:Button ID="Button34" runat="server" Text="Remove" />
                </span>
                <asp:Button ID="Button15" runat="server" Text="Add Author" />
                <asp:RequiredFieldValidator ID="RequiredFieldValidator18"
runat="server"
                ControlToValidate="TextBox21" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                </span>
            </asp:Panel>
            <asp:Panel ID="Panel19" runat="server" Visible="False">
                <span class="style10">
                    <asp:TextBox ID="TextBox22" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                    <span class="style10">
                        <asp:Button ID="Button35" runat="server" Text="Remove" />
                    </span>
                    <asp:Button ID="Button16" runat="server" Text="Add Author" />
                    <asp:RequiredFieldValidator ID="RequiredFieldValidator19"
runat="server"
                    ControlToValidate="TextBox22" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                    </span>
                </asp:Panel>
                <asp:Panel ID="Panel20" runat="server" Visible="False">
                    <span class="style10">
                        <asp:TextBox ID="TextBox23" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
                        <span class="style10">
                            <asp:Button ID="Button36" runat="server" Text="Remove" />
                        </span>
                        <asp:Button ID="Button17" runat="server" Text="Add Author" />
                        <asp:RequiredFieldValidator ID="RequiredFieldValidator20"
runat="server"
                        ControlToValidate="TextBox23" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
                        </span>
                    </asp:Panel>
                    <asp:Panel ID="Panel21" runat="server" Visible="False">

```

```

        <span class="style10">
        <asp:TextBox ID="TextBox24" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button37" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button18" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator21"
runat="server"
        ControlToValidate="TextBox24" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel22" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox25" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button38" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button19" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator22"
runat="server"
        ControlToValidate="TextBox25" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel23" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox26" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button39" runat="server" Text="Remove" />
        </span>
        <asp:Button ID="Button20" runat="server" Text="Add Author" />
        <asp:RequiredFieldValidator ID="RequiredFieldValidator23"
runat="server"
        ControlToValidate="TextBox26" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel11" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox16" runat="server" Width="217px"
MaxLength="50"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button40" runat="server" Text="Remove" />
        </span>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator13"
runat="server"
        ControlToValidate="TextBox16" ErrorMessage="*Required
Field"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel12" runat="server">
        <span class="style10"><span class="style13"><span class="style18">
<br />
<br />
Research Type: </span></span>
        <asp:DropDownList ID="txtResearchType" runat="server"
CssClass="style16"
        Height="25px" Width="195px">
            <asp:ListItem>Quantitative</asp:ListItem>

```



```

        rs.Open("UploadedFiles", con,
ADODB.CursorTypeEnum.adOpenDynamic, ADODB.LockTypeEnum.adLockOptimistic)
        rs.AddNew()
        rs.Fields("Title").Value = TextBox1.Text
        rs.Fields("Authors").Value = TextBox2.Text + "," +
TextBox8.Text + "," + TextBox9.Text + "," + TextBox10.Text + "," + TextBox11.Text
        Dim authors As String =
rs.Fields("Authors").Value.ToString.Trim(",")
        rs.Update("Authors", authors)
        rs.Fields("Authors2").Value = "," + TextBox12.Text + "," +
TextBox13.Text + "," + TextBox14.Text + "," + TextBox15.Text + "," + TextBox17.Text
        Dim authors2 As String =
rs.Fields("Authors2").Value.ToString.TrimEnd(",")
        rs.Update("Authors2", authors2)
        rs.Fields("Authors3").Value = "," + TextBox18.Text + "," +
TextBox19.Text + "," + TextBox20.Text + "," + TextBox21.Text + "," + TextBox22.Text
        Dim authors3 As String =
rs.Fields("Authors3").Value.ToString.TrimEnd(",")
        rs.Update("Authors3", authors3)
        rs.Fields("Authors4").Value = "," + TextBox23.Text + "," +
TextBox24.Text + "," + TextBox25.Text + "," + TextBox26.Text + "," + TextBox16.Text
        Dim authors4 As String =
rs.Fields("Authors4").Value.ToString.TrimEnd(",")
        rs.Update("Authors4", authors4)
        rs.Fields("ResearchType").Value = txtResearchType.Text
        rs.Fields("Category").Value = TextBox27.Text
        rs.Fields("Specialization").Value = TextBox28.Text
        rs.Fields("Institution").Value = TextBox7.Text
        rs.Fields("Publication").Value = DropDownList7.Text
        rs.Fields("FileAddress").Value = "~/Uploads/" &
FileUpload1.PostedFile.FileName
        rs.Update()
        rs.Close()
        con.Close()

        Label11.Text = "File name: " & _
        FileUpload1.PostedFile.FileName & "<br>" & "File Size: " &
-
        FileUpload1.PostedFile.ContentLength & " kb<br>" & "Content
type: " & _
        FileUpload1.PostedFile.ContentType & "<br>" & "File
uploaded successfully."

```

```

Panel13.Visible = True
Panel1.Visible = False
Panel2.Visible = False
Panel3.Visible = False
Panel4.Visible = False
Panel5.Visible = False
Panel6.Visible = False
Panel7.Visible = False
Panel8.Visible = False
Panel9.Visible = False
Panel10.Visible = False
Panel14.Visible = False
Panel15.Visible = False
Panel16.Visible = False
Panel17.Visible = False
Panel18.Visible = False
Panel11.Visible = False
Panel12.Visible = False
Panel19.Visible = False

```

```

        Panel20.Visible = False
        Panel21.Visible = False
        Panel22.Visible = False
        Panel23.Visible = False

        Catch ex As Exception
            Label4.Text = "ERROR: " & ex.Message.ToString()
            Label4.Visible = True
        End Try

    Else
        Label4.Text = "You have not specified a file."
        Label4.Visible = True
        Exit Sub
    End If

    Else
        Label4.Text = "File already exists."
        Label4.Visible = True
        rs1.Close()
        Exit Sub
    End If

    Else
        Label3.Text = "File with this title already exists."
        Label3.Visible = True
        rs.Close()
        Exit Sub
    End If

End Sub

Protected Sub Button2_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button2.Click
    Panel3.Visible = True
End Sub

Protected Sub Button3_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button3.Click
    Panel4.Visible = True
End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Panel5.Visible = True
End Sub

Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
    Panel6.Visible = True
End Sub

Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click
    Panel7.Visible = True
End Sub

Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button7.Click
    Panel8.Visible = True
End Sub

```

```

Protected Sub Button8_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button8.Click
    Panel9.Visible = True
End Sub

Protected Sub Button9_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button9.Click
    Panel10.Visible = True
End Sub

Protected Sub Button10_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button10.Click
    Panel14.Visible = True
End Sub

Protected Sub LinkButton1_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton1.Click
    Panel13.Visible = False
    Panel11.Visible = True
    Panel2.Visible = True
    Panel12.Visible = True
End Sub

Protected Sub Button11_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button11.Click
    Panel15.Visible = True
End Sub

Protected Sub Button12_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button12.Click
    Panel16.Visible = True
End Sub

Protected Sub Button13_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button13.Click
    Panel17.Visible = True
End Sub

Protected Sub Button14_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button14.Click
    Panel18.Visible = True
End Sub

Protected Sub Button15_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button15.Click
    Panel19.Visible = True
End Sub

Protected Sub Button16_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button16.Click
    Panel20.Visible = True
End Sub

Protected Sub Button17_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button17.Click
    Panel21.Visible = True
End Sub

Protected Sub Button18_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button18.Click
    Panel22.Visible = True
End Sub

```

```

Protected Sub Button19_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button19.Click
    Panel23.Visible = True
End Sub

Protected Sub Button20_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button20.Click
    Panel11.Visible = True
End Sub

Protected Sub Button22_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button22.Click
    Panel3.Visible = False
End Sub

Protected Sub Button23_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button23.Click
    Panel4.Visible = False
End Sub

Protected Sub Button24_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button24.Click
    Panel5.Visible = False
End Sub

Protected Sub Button25_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button25.Click
    Panel6.Visible = False
End Sub

Protected Sub Button26_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button26.Click
    Panel7.Visible = False
End Sub

Protected Sub Button27_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button27.Click
    Panel8.Visible = False
End Sub

Protected Sub Button28_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button28.Click
    Panel9.Visible = False
End Sub

Protected Sub Button29_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button29.Click
    Panel10.Visible = False
End Sub

Protected Sub Button30_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button30.Click
    Panel14.Visible = False
End Sub

Protected Sub Button31_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button31.Click
    Panel15.Visible = False
End Sub

Protected Sub Button32_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button32.Click
    Panel16.Visible = False

```

```

End Sub

Protected Sub Button33_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button33.Click
    Panel17.Visible = False
End Sub

Protected Sub Button34_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button34.Click
    Panel18.Visible = False
End Sub

Protected Sub Button35_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button35.Click
    Panel19.Visible = False
End Sub

Protected Sub Button36_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button36.Click
    Panel20.Visible = False
End Sub

Protected Sub Button37_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button37.Click
    Panel21.Visible = False
End Sub

Protected Sub Button38_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button38.Click
    Panel22.Visible = False
End Sub

Protected Sub Button39_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button39.Click
    Panel23.Visible = False
End Sub

Protected Sub Button40_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button40.Click
    Panel11.Visible = False
End Sub

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
    Label5.Text = Session("EmailAddress")
    Label6.Text = Session("RoleID")
End Sub

Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
    Label6.Text = ""
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="AdvancedSearch.aspx.vb" Inherits="Default2" %>

<%@ Import Namespace="System.Data" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

```

```

.style18
{
    width: 216px;
}
.style19
{
    font-family: "High Tower Text";
    font-size: xx-large;
    width: 1217px;
}
.style32
{
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
    color: #333333;
    text-align: center;
    width: 690px;
}
.style36
{
    font-size: x-large;
    color: #333333;
}
.style39
{
    text-align: left;
}
.style40
{
    text-align: left;
    width: 178px;
}
.style17
{
    font-size: small;
}
.style16
{
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
}
.style37
{
    font-size: medium;
}
.style38
{
    color: #003366;
}
.style48
{
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
    color: #333333;
    text-align: left;
    height: 36px;
}
.style50
{
    text-align: left;
    width: 200px;
    height: 36px;
}

```



```

NavigateUrl="~/CreateAccount.aspx"
ForeColor="#003366">REGISTER</asp:HyperLink>
&n
bsp;<br />
Panel>
</asp:

</asp:Pane
l>
<br />
<asp:HyperLink
ID="HyperLink1" runat="server"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
ImageUrl="~/App_Themes/Images/up.jpg"
<br />
<asp:HyperLink ID="HyperLink2" runat="server"
ImageUrl="~/App_Themes/Images/down.jpg"
NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
<br />
<asp:HyperLink ID="HyperLink3" runat="server"
ImageUrl="~/App_Themes/Images/fb.jpg"
NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
<asp:Panel ID="Panel6" runat="server">
<span class="style36" style="color: #003366">
<br />
Advanced Search</span><div class="style41">
Nursing research articles in this archive are
available without charge.<br />
However, access to full text copies require permission
from Philippine Nursing
Research Society.</div>
</asp:Panel>
<asp:Panel ID="Panel7" runat="server" CssClass="style32"
Width="752px">
<br />
<asp:Label ID="Label16" runat="server" Text="Label"
Visible="False"></asp:Label>
<asp:Label ID="Label17" runat="server" Text="Label"
Visible="False"></asp:Label>
<br />
<table class="style32" align="center">
<tr>
<td class="style57">
Research Type:</td>
<td class="style50">
Category:</td>
<td class="style55">
Specialization:</td>
<td class="style48">

```

```

        Year of Publication:</td>
</tr>
<tr align="left" valign="top">
    <td class="style57">
        <asp:DropDownList ID="DropDownList9"
runat="server" AppendDataBoundItems="True"
        DataSourceID="AccessDataSource2"
DataTextField="ResearchType"
        DataValueField="ResearchType">
    </asp:DropDownList>
    </td>
    <td class="style50">
        <span class="style10"><span class="style17">
runat="server"
        AppendDataBoundItems="True"
CssClass="style16" DataSourceID="AccessDataSource3"
        DataTextField="Category"
DataValueField="Category">
    </asp:DropDownList>
    </span></span>
    </td>
    <td class="style55">
        <span class="style18"><span class="style10">
runat="server"
        AppendDataBoundItems="True"
DataSourceID="AccessDataSource4"
        DataTextField="Specialization"
DataValueField="Specialization">
    </asp:DropDownList>
    </span></span>
    </td>
    <td class="style48">
        <asp:DropDownList ID="DropDownList13"
runat="server"
        AppendDataBoundItems="True"
DataSourceID="AccessDataSource5"
        DataTextField="Publication"
DataValueField="Publication">
    </asp:DropDownList>
    </td>
</tr>
</table>
<span class="style10"><span class="style17"><span
class="style18">
    <span class="style10">
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
SelectCommand="SELECT DISTINCT [Publication] FROM
[UploadedFiles] ORDER BY [Publication] DESC">
    </asp:AccessDataSource>
    <asp:AccessDataSource ID="AccessDataSource4"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
SelectCommand="SELECT DISTINCT [Specialization] FROM
[UploadedFiles] ORDER BY [Specialization]">
    </asp:AccessDataSource>
    <asp:AccessDataSource ID="AccessDataSource3"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"

```

```

                                SelectCommand="SELECT DISTINCT [Category] FROM
[UploadedFiles] ORDER BY [Category]">
                                </asp:AccessDataSource>
                                </span></span></span></span>
                                <asp:AccessDataSource ID="AccessDataSource2"
runat="server"
                                DataFile="~/App_Data/PNRA_Database.mdb"
                                SelectCommand="SELECT DISTINCT [ResearchType] FROM
[UploadedFiles] ORDER BY [ResearchType]">
                                </asp:AccessDataSource>
                                <br />
                                <br />
                                Keyword/s:
                                <asp:TextBox ID="TextBox6" runat="server"
Width="200px"></asp:TextBox>
                                <asp:Button ID="Button6" runat="server" Text="Search" />
                                <br />
                                <br />
                                &nbsp;<asp:Label ID="Label11" runat="server"
Visible="False"
                                style="font-weight: 700; color: #003366"></asp:Label>
                                <br />
                                <br />
                                </asp:Panel>
                                <asp:Panel ID="Panel8" runat="server" CssClass="style32"
                                style="text-align: center" Width="752px">
                                <br />
                                <asp:DataList ID="DataList1" runat="server"
BorderStyle="None" CellPadding="10"
                                CssClass="style32" DataSourceID="AccessDataSource1"
Font-Bold="False"
                                Font-Italic="False" Font-Overline="False" Font-
Strikeout="False"
                                Font-Underline="False" ForeColor="#333333"
HorizontalAlign="Center"
                                TabIndex="20" UseAccessibleHeader="True"
Width="702px">
                                <FooterStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White"
                                HorizontalAlign="Left" VerticalAlign="Top" />
                                <EditItemStyle Font-Bold="False" Font-Italic="False"
Font-Overline="False"
                                Font-Strikeout="False" Font-Underline="False"
HorizontalAlign="Left"
                                VerticalAlign="Top" />
                                <AlternatingItemStyle BackColor="White" Font-
Bold="False" Font-Italic="False"
                                Font-Overline="False" Font-Strikeout="False" Font-
Underline="False"
                                ForeColor="#333333" HorizontalAlign="Left"
VerticalAlign="Top" />
                                <ItemStyle BackColor="#F7F6F3" ForeColor="#333333"
HorizontalAlign="Left"
                                VerticalAlign="Top" />
                                <SelectedItemStyle BackColor="#E2DED6" Font-
Bold="True" ForeColor="#333333"
                                HorizontalAlign="Left" VerticalAlign="Top" />
                                <HeaderTemplate>
                                <div class="style39">
                                Search Result/s:</div>
                                </HeaderTemplate>
                                <HeaderStyle BackColor="#5D7B9D" Font-Bold="True"
ForeColor="White"

```

```

HorizontalAlign="Left" VerticalAlign="Top" />
<ItemTemplate>
  <asp:Label ID="TitleLabel" runat="server" Text='<
%# Eval("Title") %>'
  Visible="False" />
  <asp:LinkButton ID="LinkButton6" runat="server"
onclick="LinkButton6_Click1"
  style="font-weight: 700; color: #000099;"
Text='<# Eval("Title") %>'></asp:LinkButton>
  <br />
  By:
  <asp:Label ID="AuthorsLabel" runat="server"
Text='<# Eval("Authors") %>' />
  <asp:Label ID="Authors2Label" runat="server"
Text='<# Eval("Authors2") %>' />
  <asp:Label ID="Authors3Label" runat="server"
Text='<# Eval("Authors3") %>' />
  <asp:Label ID="Authors4Label" runat="server"
Text='<# Eval("Authors4") %>' />
  <br />
  (
  <asp:Label ID="PublicationLabel" runat="server"
Text='<# Eval("Publication") %>' />
  )
  <asp:Label ID="InstitutionLabel" runat="server"
Text='<# Eval("Institution") %>' />
  <br />
  Research Type:
  <asp:Label ID="ResearchTypeLabel" runat="server"
Text='<# Eval("ResearchType") %>' />
  <br />
  Category:
  <asp:Label ID="CategoryLabel" runat="server"
Text='<# Eval("Category") %>' />
  <br />
  Specialization:
  <asp:Label ID="SpecializationLabel" runat="server"
Text='<# Eval("Specialization") %>' />
  <asp:Label ID="FileAddressLabel" runat="server"
Text='<# Eval("FileAddress") %>'
Visible="False" />
  <br />
  <asp:LinkButton ID="LinkButton7" runat="server"
Font-Underline="False"
  onclick="LinkButton7_Click" style="font-
weight: 700; color: #003366">Abstract</asp:LinkButton>
  &nbsp; | &nbsp;
  <asp:HyperLink ID="HyperLink7" runat="server"
Font-Underline="False"
  NavigateUrl="~/FullText.aspx" style="font-
weight: 700; color: #003366">Full
Text Article</asp:HyperLink>
  </ItemTemplate>
</asp:DataList>
<asp:AccessDataSource ID="AccessDataSource1"
runat="server"
  DataFile="~/App_Data/PNRA_Database.mdb"
  SelectCommand="SELECT * FROM [UploadedFiles] WHERE
(((Title] LIKE '%' + ? + '%') OR ([Institution] LIKE '%' + ? + '%')) AND
([ResearchType] = ?) AND ([Category] = ?) AND ([Specialization] = ?) AND
([Publication] = ?))">

```

```

        <SelectParameters>
            <asp:ControlParameter ControlID="TextBox6"
Name="Title" PropertyName="Text"
                Type="String" />
            <asp:ControlParameter ControlID="TextBox6"
Name="Institution"
                PropertyName="Text" Type="String" />
            <asp:ControlParameter ControlID="DropDownList9"
Name="ResearchType" PropertyName="SelectedValue"
                Type="String" />
            <asp:ControlParameter ControlID="DropDownList11"
Name="Category"
                PropertyName="SelectedValue" Type="String" />
            <asp:ControlParameter ControlID="DropDownList13"
Name="Specialization"
                PropertyName="SelectedValue" Type="String" />
            <asp:ControlParameter ControlID="DropDownList14"
Name="Publication"
                PropertyName="SelectedValue" Type="Int32" />
        </SelectParameters>
    </asp:AccessDataSource>
    <br />
    <br />
    <br />
</asp:Panel>
<asp:Panel ID="Panel9" runat="server" CssClass="style32"
Visible="False" HorizontalAlign="Center" Width="753px">
    <br />
    <div class="style39" style="padding-left: 22px; padding-
right: 22px;">
        <span class="style40"><i>Research Article</i><br />
        <br />
        <asp:Label ID="Label8" runat="server"
            style="font-size: large; font-weight: 700; color:
#003366;" Text="Label"></asp:Label>
        <br />
        By: <span class="style37">
        <asp:Label ID="Label9" runat="server" style="font-
size: small; " Text="Label"></asp:Label>
        <br />
        (
        <asp:Label ID="Label10" runat="server" style="font-
size: small" Text="Label"></asp:Label>
        ) </span><span><span class="style40">
        <asp:Label ID="Label15" runat="server"
Text="Label"></asp:Label>
        </span></span>
        <br />
        </span><span class="style40">Research Type:
        <asp:Label ID="Label12" runat="server"
Text="Label"></asp:Label>
        <br />
        Category:
        <asp:Label ID="Label13" runat="server"
Text="Label"></asp:Label>
        <br />
        Specialization:
        <asp:Label ID="Label14" runat="server"
Text="Label"></asp:Label>
        &nbsp;  <asp:LinkButton ID="LinkButton5" runat="server"
Visible="False">LinkButton</asp:LinkButton>
        <br />
    </span>

```

```

                <br />
                <asp:LinkButton ID="LinkButton4" runat="server" Font-
Underline="False"
                    style="font-weight: 700; color: #003366">Download
Abstract PDF</asp:LinkButton>
                &nbsp;<b> </b><span class="style38"><b>|
</b></span>&nbsp;<asp:LinkButton
                    ID="LinkButton3" runat="server" Font-
Underline="False"
                    PostBackUrl="~/FullText.aspx"
                    style="font-weight: 700; font-size: small; color:
#003366">Full Text Article</asp:LinkButton>
                </div>
                <br />
                <div align="center">
                    <asp:TextBox ID="TextBox8" runat="server"
Height="500px" ReadOnly="True"
                        TextMode="MultiLine" Width="700px"></asp:TextBox>
                </div>
                <asp:TextBox ID="TextBox7" runat="server"
Visible="False"></asp:TextBox>
                <br />
                <br />
                </asp:Panel>
                <br />
            </td>
        </tr>
    </table>
</td>
</tr>
</table>
</asp:Content>

```

```

Imports System.Data
Imports RustemSoft.ExportToPDF
Imports System.IO
Imports System.Text
Imports Microsoft.Office.Interop.Word
Imports Microsoft.Office.Interop
Imports Microsoft.Office

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Labell16.Text = Session("EmailAddress")
        Labell17.Text = Session("RoleID")
        If Labell17.Text = "" Then
            LinkButton8.Visible = False
            Panell10.Visible = True
        Else
            LinkButton8.Visible = True
            Panell10.Visible = False
        End If
    End Sub

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click

```



```

con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"", con)
If rs.EOF And rs.BOF Then
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True

    Label4.ForeColor = Drawing.Color.Red
    rs.Close()
Else
    Label5.Text = rs.Fields("Password").Value
    Label6.Text = rs.Fields("RoleId").Value
    rs.Close()
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

End If

If TextBox5.Text = Label5.Text Then
    If Label6.Text = "1" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "1"
        Server.Transfer("Admin_MyAccount.aspx")
        Server.Transfer("AdminUpload.aspx")
        Server.Transfer("AdminCreateAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("UserAccounts.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Admin_MyAccount.aspx")
    ElseIf Label6.Text = "2" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "2"
        Server.Transfer("Critic_MyAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
    End If
End If

```

```

        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Critic_MyAccount.aspx")

    ElseIf Label6.Text = "3" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "3"

        Server.Transfer("Subscriber_MyAccount.aspx")
        Server.Transfer("Subscriber_SubmitResearch.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub DataList1_SelectedIndexChanged(ByVal sender As Object, ByVal e As System.EventArgs) Handles DataList1.SelectedIndexChanged

End Sub

Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs) Handles Button6.Click
    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then

```

```

        Label11.Text = "Your search returned " + DataList1.Items.Count.ToString()
+ " result/s."
        Label11.Visible = True
        Panel8.Visible = True
    Else
        Label11.Text = "No Results Found."
        Label11.Visible = True
        Panel8.Visible = False
    End If
    DataList1.DataBind()

End Sub

```

```

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    DataList1.SelectedIndex = e.Item.ItemIndex
    DataList1.DataBind()
    Label8.Text = CType(DataList1.SelectedItem.FindControl("TitleLabel"),
Label).Text
    Label9.Text = CType(DataList1.SelectedItem.FindControl("AuthorsLabel"),
Label).Text &
    CType(DataList1.SelectedItem.FindControl("Authors2Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors3Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors4Label"), Label).Text
    Label15.Text = CType(DataList1.SelectedItem.FindControl("InstitutionLabel"),
Label).Text
    Label10.Text = CType(DataList1.SelectedItem.FindControl("PublicationLabel"),
Label).Text
    Label12.Text = CType(DataList1.SelectedItem.FindControl("ResearchTypeLabel"),
Label).Text
    Label13.Text = CType(DataList1.SelectedItem.FindControl("CategoryLabel"),
Label).Text
    Label14.Text =
CType(DataList1.SelectedItem.FindControl("SpecializationLabel"), Label).Text
    LinkButton5.Text =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
    TextBox7.Text = Server.MapPath("~/Uploads\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddressLabel"),
Label).Text))

```

```

    Dim objWord = CreateObject("Word.Application")
    objWord.Visible = False ' Don't show word '
    objWord.Documents.Open(TextBox7.Text) ' Open document '
    objWord.Selection.WholeStory() ' Select everything in the doc '
    TextBox8.Text = objWord.Selection.Text ' Assign document contents to
var'
    objWord.Quit(False) ' Close Word, don't save '
End Sub

```

```

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel9.Visible = True
    Panel6.Visible = False
    Panel7.Visible = False
    Panel8.Visible = False
End Sub

```

```

Protected Sub LinkButton4_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton4.Click
    Dim value As String =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
    Dim wordApplication As ApplicationClass = New ApplicationClass()

```

```

Dim wordDocument As Document = Nothing

Dim paramSourceDocPath As String = TextBox7.Text
Dim paramExportFilePath As String = "D:\\" +
Path.GetFileNameWithoutExtension(value) + ".pdf"
Dim paramExportFormat As WdExportFormat = _
    WdExportFormat.wdExportFormatPDF
Dim paramOpenAfterExport As Boolean = True
Dim paramExportOptimizeFor As WdExportOptimizeFor = _
    WdExportOptimizeFor.wdExportOptimizeForPrint
Dim paramExportRange As WdExportRange = _
    WdExportRange.wdExportAllDocument
Dim paramStartPage As Int32 = 0
Dim paramEndPage As Int32 = 0
Dim paramExportItem As WdExportItem = _
    WdExportItem.wdExportDocumentContent
Dim paramIncludeDocProps As Boolean = True
Dim paramKeepIRM As Boolean = True
Dim paramCreateBookmarks As WdExportCreateBookmarks = _
    WdExportCreateBookmarks.wdExportCreateWordBookmarks
Dim paramDocStructureTags As Boolean = True
Dim paramBitmapMissingFonts As Boolean = True
Dim paramUseISO19005_1 As Boolean = False
Try
    ' Open the source document.
    wordDocument = wordApplication.Documents.Open(paramSourceDocPath)

    ' Export it in the specified format.
    If Not wordDocument Is Nothing Then
        wordDocument.ExportAsFixedFormat(paramExportFilePath, _
            paramExportFormat, paramOpenAfterExport, _
            paramExportOptimizeFor, paramExportRange, paramStartPage, _
            paramEndPage, paramExportItem, paramIncludeDocProps, _
            paramKeepIRM, paramCreateBookmarks, _
            paramDocStructureTags, paramBitmapMissingFonts, _
            paramUseISO19005_1)
    End If
Catch ex As Exception
    ' Respond to the error
Finally
    ' Close and release the Document object.
    If Not wordDocument Is Nothing Then
        wordDocument.Close(False)
        wordDocument = Nothing
    End If

    ' Quit Word and release the ApplicationClass object.
    If Not wordApplication Is Nothing Then
        wordApplication.Quit()
        wordApplication = Nothing
    End If

    GC.Collect()
    GC.WaitForPendingFinalizers()
    GC.Collect()
    GC.WaitForPendingFinalizers()
End Try
End Sub

```

```

Protected Sub LinkButton6_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel9.Visible = True
    Panel6.Visible = False

```

```

        Panel7.Visible = False
        Panel8.Visible = False
    End Sub

    Protected Sub LinkButton7_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
        Panel9.Visible = True
        Panel6.Visible = False
        Panel7.Visible = False
        Panel8.Visible = False
    End Sub

    Protected Sub LinkButton8_Click1(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton8.Click
        Label16.Text = ""
    End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Browse.aspx.vb" Inherits="Default2" %>

<%@ Import Namespace="System.Data" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
            width: 754px;
        }
        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
        }

        ul.BList li a
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            text-align : left;
            color: #1366E1;
        }

        .style39
        {
            text-align: left;
        }
        .style40
        {
            color: #333333;
        }
        .style37
        {

```



```
  |
```

```

        </asp:Panel>
        <asp:Panel ID="Panel23" runat="server" CssClass="style32"
Visible="False"
        HorizontalAlign="Left" Width="702px">
        <br />
        <asp:Menu ID="Menu2" runat="server"
Orientation="Horizontal"
        style="font-weight: 700; color: #0099FF; font-size:
small; text-align: left">
        <StaticMenuStyle HorizontalPadding="45px" />
        <StaticMenuItemStyle ForeColor="#1366E1"
ItemSpacing="7px" />
        <Items>
        <asp:MenuItem Text="A" Value="A"></asp:MenuItem>
        <asp:MenuItem Text="B" Value="B"></asp:MenuItem>
        <asp:MenuItem Text="C" Value="C"></asp:MenuItem>
        <asp:MenuItem Text="D" Value="D"></asp:MenuItem>
        <asp:MenuItem Text="E" Value="E"></asp:MenuItem>
        <asp:MenuItem Text="F" Value="F"></asp:MenuItem>
        <asp:MenuItem Text="G" Value="G"></asp:MenuItem>
        <asp:MenuItem Text="H" Value="H"></asp:MenuItem>
        <asp:MenuItem Text="I" Value="I"></asp:MenuItem>
        <asp:MenuItem Text="J" Value="J"></asp:MenuItem>
        <asp:MenuItem Text="K" Value="K"></asp:MenuItem>
        <asp:MenuItem Text="L" Value="L"></asp:MenuItem>
        <asp:MenuItem Text="M" Value="M"></asp:MenuItem>
        <asp:MenuItem Text="N" Value="N"></asp:MenuItem>
        <asp:MenuItem Text="O" Value="O"></asp:MenuItem>
        <asp:MenuItem Text="P" Value="P"></asp:MenuItem>
        <asp:MenuItem Text="Q" Value="Q"></asp:MenuItem>
        <asp:MenuItem Text="R" Value="R"></asp:MenuItem>
        <asp:MenuItem Text="S" Value="S"></asp:MenuItem>
        <asp:MenuItem Text="T" Value="T"></asp:MenuItem>
        <asp:MenuItem Text="U" Value="U"></asp:MenuItem>
        <asp:MenuItem Text="V" Value="V"></asp:MenuItem>
        <asp:MenuItem Text="W" Value="W"></asp:MenuItem>
        <asp:MenuItem Text="X" Value="X"></asp:MenuItem>
        <asp:MenuItem Text="Y" Value="Y"></asp:MenuItem>
        <asp:MenuItem Text="Z" Value="Z"></asp:MenuItem>
        </Items>
        </asp:Menu>
        <asp:AccessDataSource ID="AccessDataSource4"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
        SelectCommand="SELECT DISTINCT [Title] FROM
[UploadedFiles]"
        EnableViewState="False">
        </asp:AccessDataSource>
        <br />
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32"
HorizontalAlign="Center" Width="702px">
    <asp:Menu ID="Menu3" runat="server" BackColor="#B5C7DE"
CssClass="style32"
        DynamicHorizontalOffset="2" Font-Names="Verdana" Font-
Size="0.8em"
        ForeColor="#284E98" ItemWrap="True"
Orientation="Horizontal"
        StaticSubMenuIndent="10px" style="text-align: left"
Width="702px">
        <StaticSelectedStyle BackColor="#284E98"
BorderColor="White"

```

```

        BorderStyle="Solid" BorderWidth="1px"
ForeColor="White" />
        <StaticMenuItemStyle BorderColor="#003366"
        BorderWidth="1px" Font-Bold="True" Font-
Size="Small" HorizontalPadding="10px"
        VerticalPadding="5px" />
        <DynamicHoverStyle BackColor="#284E98"
ForeColor="White" />
        <DynamicMenuStyle BackColor="#B5C7DE" />
        <DynamicSelectedItemStyle BackColor="#507CD1" />
        <DynamicMenuItemStyle HorizontalPadding="5px"
VerticalPadding="2px" />
        <StaticHoverStyle BackColor="#336699"
ForeColor="White" />
        <Items>
            <asp:MenuItem Text="RESEARCH TYPES"
Value="RESEARCH TYPES"></asp:MenuItem>
        </Items>
    </asp:Menu>
</asp:Panel>
<asp:Panel ID="Panel8" runat="server" CssClass="style32"
Visible="False"
        ForeColor="#0099FF" HorizontalAlign="Left" Width="702px">
    <asp:BulletedList ID="BulletedList1" runat="server"
        DataSourceID="AccessDataSource1"
DataTextField="ResearchType"
        DataValueField="ResearchType" DisplayMode="LinkButton"
Font-Underline="False"
        style="margin-top: 19px; color: #FFFFCC;" Font-
Bold="True"
        ForeColor="#0099FF" DataMember="DefaultView"
CssClass="BList">
    </asp:BulletedList>
    <asp:AccessDataSource ID="AccessDataSource1"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
SelectCommand="SELECT DISTINCT [ResearchType] FROM
[UploadedFiles] ORDER BY [ResearchType] DESC"
        EnableViewState="False">
    </asp:AccessDataSource>
</asp:Panel>
<asp:Panel ID="Panel9" runat="server" CssClass="style32"
HorizontalAlign="Center" Width="702px">
    <asp:Menu ID="Menu4" runat="server" BackColor="#B5C7DE"
        DynamicHorizontalOffset="2" Font-Names="Verdana" Font-
Size="0.8em"
        ForeColor="#284E98" ItemWrap="True"
Orientation="Horizontal"
        StaticSubMenuIndent="10px" style="text-align: left"
Width="702px">
        <StaticSelectedItemStyle BackColor="#284E98"
ForeColor="White" />
        <StaticMenuItemStyle BorderColor="#003366"
        BorderWidth="1px" Font-Bold="True" Font-
Size="Small" HorizontalPadding="10px"
        VerticalPadding="5px" />
        <DynamicHoverStyle BackColor="#284E98"
ForeColor="White" />
        <DynamicMenuStyle BackColor="#B5C7DE" />

```

```

        <DynamicSelectedStyle BackColor="#507CD1" />
        <DynamicMenuItemStyle HorizontalPadding="5px"
VerticalPadding="2px" />
        ForeColor="White" />
        <StaticHoverStyle BackColor="#336699"
        <Items>
            <asp:MenuItem Text="CATEGORIES"
Value="CATEGORIES"></asp:MenuItem>
        </Items>
    </asp:Menu>
</asp:Panel>
<asp:Panel ID="Panel21" runat="server" CssClass="style32"
Visible="False"
        HorizontalAlign="Left" Width="702px">
    <asp:BulletedList ID="BulletedList2" runat="server"
        datasourceid="AccessDataSource2"
DataTextField="Category"
        DataValueField="Category" DisplayMode="LinkButton"
Font-Underline="False"
        style="color: #FFFFCC" CssClass="BList" Font-
Bold="True">
    </asp:BulletedList>
    <asp:AccessDataSource ID="AccessDataSource2"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
        SelectCommand="SELECT DISTINCT [Category] FROM
[UploadedFiles] ORDER BY [Category]"
        EnableViewState="False">
    </asp:AccessDataSource>
</asp:Panel>
<asp:Panel ID="Panel10" runat="server" CssClass="style32"
HorizontalAlign="Center" Width="702px">
    <asp:Menu ID="Menu5" runat="server" BackColor="#B5C7DE"
        DynamicHorizontalOffset="2" Font-Names="Verdana" Font-
Size="0.8em"
        ForeColor="#284E98" ItemWrap="True"
Orientation="Horizontal"
        StaticSubMenuIndent="10px" style="text-align: left"
Width="702px">
        <StaticSelectedStyle BackColor="#284E98"
        <StaticMenuItemStyle BorderColor="#003366"
        BorderWidth="1px" Font-Bold="True" Font-
Size="Small" HorizontalPadding="10px"
        VerticalPadding="5px" />
        <DynamicHoverStyle BackColor="#284E98"
        <DynamicMenuStyle BackColor="#B5C7DE" />
        <DynamicSelectedStyle BackColor="#507CD1" />
        <DynamicMenuItemStyle HorizontalPadding="5px"
VerticalPadding="2px" />
        ForeColor="White" />
        <StaticHoverStyle BackColor="#336699"
        <Items>
            <asp:MenuItem Text="SPECIALIZATIONS"
Value="SPECIALIZATIONS"></asp:MenuItem>
        </Items>
    </asp:Menu>
</asp:Panel>
<asp:Panel ID="Panel22" runat="server" CssClass="style32"
Visible="False"
        HorizontalAlign="Left" Width="702px">

```

```

        <asp:BulletedList ID="BulletedList3" runat="server"
            datasourceid="AccessDataSource3"
DataTextField="Specialization"
            DataValueField="Specialization"
DisplayMode="LinkButton"
            Font-Underline="False" style="color: #FFFFCC"
CssClass="BList"
            Font-Bold="True">
        </asp:BulletedList>
        <asp:AccessDataSource ID="AccessDataSource3"
runat="server"
            DataFile="~/App_Data/PNRA_Database.mdb"
            SelectCommand="SELECT DISTINCT [Specialization] FROM
[UploadedFiles] ORDER BY [Specialization]"
            EnableViewState="False">
        </asp:AccessDataSource>
    </asp:Panel>
    <asp:Panel ID="Panel12" runat="server" CssClass="style32"
HorizontalAlign="Center" Width="702px">
        <asp:Menu ID="Menu7" runat="server" BackColor="#B5C7DE"
            DynamicHorizontalOffset="2" Font-Names="Verdana" Font-
Size="0.8em"
            ForeColor="#284E98" ItemWrap="True"
Orientation="Horizontal"
            StaticSubMenuIndent="10px" style="text-align: left"
Width="702px">
            <StaticSelectedStyle BackColor="#284E98"
            <StaticMenuItemStyle BorderColor="#003366"
                BorderWidth="1px" Font-Bold="True" Font-
Size="Small" HorizontalPadding="10px"
                VerticalPadding="5px" />
            <DynamicHoverStyle BackColor="#284E98"
            <DynamicMenuStyle BackColor="#B5C7DE" />
            <DynamicSelectedStyle BackColor="#507CD1" />
            <DynamicMenuItemStyle HorizontalPadding="5px"
VerticalPadding="2px" />
            <StaticHoverStyle BackColor="#336699"
            <Items>
                <asp:MenuItem Text="INSTITUTIONS"
Value="INSTITUTIONS"></asp:MenuItem>
            </Items>
        </asp:Menu>
    </asp:Panel>
    <asp:Panel ID="Panel24" runat="server" CssClass="style32"
Visible="False"
HorizontalAlign="Left" Width="702px">
        <asp:BulletedList ID="BulletedList5" runat="server"
            datasourceid="AccessDataSource5"
DataTextField="Institution"
            DataValueField="Institution" DisplayMode="LinkButton"
            Font-Underline="False" style="color: #FFFFCC"
CssClass="BList"
            Font-Bold="True">
        </asp:BulletedList>
        <asp:AccessDataSource ID="AccessDataSource5"
runat="server"
            DataFile="~/App_Data/PNRA_Database.mdb"
            SelectCommand="SELECT DISTINCT [Institution] FROM
[UploadedFiles] ORDER BY [Institution]"

```

```

        EnableViewState="False">
        </asp:AccessDataSource>
    </asp:Panel>
    <asp:Panel ID="Panel13" runat="server" CssClass="style32"
        HorizontalAlign="Center" Width="702px">
        <asp:Menu ID="Menu8" runat="server" BackColor="#B5C7DE"
            DynamicHorizontalOffset="2" Font-Names="Verdana" Font-
Size="0.8em"
            ForeColor="#284E98" ItemWrap="True"
Orientation="Horizontal"
            StaticSubMenuIndent="10px" style="text-align: left"
Width="702px">
            <StaticSelectedStyle BackColor="#284E98"
ForeColor="White" />
            <StaticMenuItemStyle BorderColor="#003366"
BorderWidth="1px" Font-Bold="True" Font-
Size="Small" HorizontalPadding="10px"
                VerticalPadding="5px" />
            <DynamicHoverStyle BackColor="#284E98"
ForeColor="White" />
            <DynamicMenuStyle BackColor="#B5C7DE" />
            <DynamicSelectedStyle BackColor="#507CD1" />
            <DynamicMenuItemStyle HorizontalPadding="5px"
VerticalPadding="2px" />
            <StaticHoverStyle BackColor="#336699"
ForeColor="White" />
            <Items>
                <asp:MenuItem Text="YEARS OF PUBLICATION"
Value="YEARS OF PUBLICATION"></asp:MenuItem>
            </Items>
        </asp:Menu>
    </asp:Panel>
    <asp:Panel ID="Panel25" runat="server" CssClass="style32"
Visible="False"
        HorizontalAlign="Left" Width="702px">
        <asp:BulletedList ID="BulletedList6" runat="server"
            datasourceid="AccessDataSource6"
DataTextField="Publication"
            DataValueField="Publication" DisplayMode="LinkButton"
            Font-Underline="False" style="color: #FFFFCC"
CssClass="BList"
            Font-Bold="True" BulletStyle="CustomImage"
AppendDataBoundItems="True">
        </asp:BulletedList>
        <asp:AccessDataSource ID="AccessDataSource6"
runat="server"
            DataFile="~/App_Data/PNRA_Database.mdb"
            SelectCommand="SELECT DISTINCT [Publication] FROM
[UploadedFiles] ORDER BY [Publication] DESC"
            EnableViewState="False">
        </asp:AccessDataSource>
    </asp:Panel>
    <asp:Panel ID="Panel29" runat="server" CssClass="style32"
Visible="False">
        <br />
        <asp:Label ID="Label16" runat="server"
            style="font-weight: 700; color: #003366" Text="Label"></asp:Label>
        <br />
    </asp:Panel>
    <asp:Panel ID="Panel26" runat="server" CssClass="style32"
Visible="False">

```

```

        CellPadding="10"
        Font-Italic="False"
        Underline="False"
        UseAccessibleHeader="True"
        ForeColor="White" />
        Bold="False" Font-Italic="False"
        Underline="False"
        VerticalAlign="Top" />
        Italic="False"
        Underline="False"
        VerticalAlign="Top" />
        Bold="False" Font-Italic="False"
        Underline="False"
        VerticalAlign="Top" />
        Font-Italic="False"
        Underline="False"
        VerticalAlign="Top" />
        %# Eval("Title") %>'
        onclick="LinkButton6_Click1"
        Text='<# Eval("Title") %>'</asp:LinkButton>
        Text='<# Eval("Authors") %>' />
        Text='<# Eval("Authors2") %>' />
        Text='<# Eval("Authors3") %>' />
        Text='<# Eval("Authors4") %>' />
        (
        <asp:Label ID="PublicationLabel" runat="server"
            Text='<# Eval("Publication") %>' />
        )
        <asp:Label ID="InstitutionLabel" runat="server"

```

```

        Text='<%# Eval("Institution") %>' />
    <br />
    Research Type:
    <asp:Label ID="ResearchTypeLabel" runat="server"
        Text='<%# Eval("ResearchType") %>' />
    <br />
    Category:
    <asp:Label ID="CategoryLabel" runat="server"
Text='<%# Eval("Category") %>' />
    <br />
    Specialization:
    <asp:Label ID="SpecializationLabel" runat="server"
        Text='<%# Eval("Specialization") %>' />
    <asp:Label ID="FileAddressLabel" runat="server"
        Text='<%# Eval("FileAddress") %>'
Visible="False" />
    <br />
    <asp:LinkButton ID="LinkButton7" runat="server"
        onclick="LinkButton7_Click" style="font-
weight: 700; color: #003366">Abstract</asp:LinkButton>
        &nbsp; | &nbsp;
    <asp:HyperLink ID="HyperLink7" runat="server"
        NavigateUrl="~/FullText.aspx" style="font-
weight: 700; color: #003366">Full
        Text Article</asp:HyperLink>
    <br />
    </ItemTemplate>
</asp:DataList>
<asp:AccessDataSource ID="AccessDataSource7"
runat="server"
        DataFile="~/App_Data/PNRA_Database.mdb"
        SelectCommand="SELECT * FROM
[UploadedFiles]"></asp:AccessDataSource>
    <br />
    <br />
</asp:Panel>
<asp:Panel ID="Panel27" runat="server" CssClass="style32"
Visible="False">
    <br />
    <div class="style39" style="padding-left: 27px; padding-
right: 22px;">
        <span class="style40"><i>Research Article</i><br />
    <br />
    <asp:Label ID="Label8" runat="server"
        style="font-size: large; font-weight: 700; color:
#003366;" Text="Label"></asp:Label>
    <br />
    By: <span class="style37">
    <asp:Label ID="Label9" runat="server" style="font-
size: small; " Text="Label"></asp:Label>
    <br />
    (
    <asp:Label ID="Label10" runat="server" style="font-
size: small" Text="Label"></asp:Label>
    )
    </span><span><span class="style40">
    <asp:Label ID="Label15" runat="server"
Text="Label"></asp:Label>
    </span></span>
    <br />
</span>

```



```

Text="Label"></asp:Label>
Text="Label"></asp:Label>
Text="Label"></asp:Label>
Visible="False">LinkButton</asp:LinkButton>
Underline="False"
Abstract PDF</asp:LinkButton>
</b></span>&nbsp;<asp:LinkButton
Underline="False"
#003366">Full Text Article</asp:LinkButton>
Height="500px" ReadOnly="True"
TextMode="MultiLine" Width="700px"></asp:TextBox>
</div>
<br />
<asp:TextBox ID="TextBox7" runat="server" Visible="False"
style="text-align: center"></asp:TextBox>
<br />
<br />
<br />
</asp:Panel>
<br />
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>

```

```

Imports System.Data
Imports RustemSoft.ExportToPDF
Imports System.IO
Imports System.Text
Imports Microsoft.Office.Interop.Word
Imports Microsoft.Office.Interop
Imports Microsoft.Office

```

```

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

```

```

Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
    con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"'", con)
    If rs.BOF And rs.EOF Then
        Label4.Text = "*Invalid Account*"
        Label4.Visible = True
        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = True

        Label4.ForeColor = Drawing.Color.Red
        rs.Close()
    Else
        Label5.Text = rs.Fields("Password").Value
        Label6.Text = rs.Fields("RoleId").Value
        rs.Close()
        Label4.Visible = False
        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = False
    End If

    If TextBox5.Text = Label5.Text Then
        If Label6.Text = "1" Then
            Session("EmailAddress") = TextBox4.Text
            Session("RoleID") = "1"
            Server.Transfer("Admin_MyAccount.aspx")
            Server.Transfer("AdminUpload.aspx")
            Server.Transfer("AdminCreateAccount.aspx")
            Server.Transfer("AdvancedSearch.aspx")
            Server.Transfer("Browse.aspx")
            Server.Transfer("ContactUs.aspx")
            Server.Transfer("Copyright.aspx")
            Server.Transfer("CreateAccount.aspx")
            Server.Transfer("Developer.aspx")
            Server.Transfer("ForgotPassword.aspx")
            Server.Transfer("FullText.aspx")
            Server.Transfer("Membership.aspx")
            Server.Transfer("MyAccount.aspx")
            Server.Transfer("RegisterEmailOnly.aspx")
            Server.Transfer("ResearchDocuments.aspx")
            Server.Transfer("Search.aspx")
            Server.Transfer("SubmitResearch.aspx")
            Server.Transfer("SubmittedArticles.aspx")
            Server.Transfer("UserAccounts.aspx")
            Server.Transfer("ViewSubmittedArticles.aspx")

            Response.Redirect("Admin_MyAccount.aspx")

        ElseIf Label6.Text = "2" Then
            Session("EmailAddress") = TextBox4.Text
            Session("RoleID") = "2"
            Server.Transfer("Critic_MyAccount.aspx")
            Server.Transfer("AdvancedSearch.aspx")
            Server.Transfer("Browse.aspx")
            Server.Transfer("ContactUs.aspx")
            Server.Transfer("Copyright.aspx")
            Server.Transfer("CreateAccount.aspx")
            Server.Transfer("Developer.aspx")

```

```

        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Critic_MyAccount.aspx")

    ElseIf Label6.Text = "3" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "3"

        Server.Transfer("Subscriber_MyAccount.aspx")
        Server.Transfer("Subscriber_SubmitResearch.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub BulletedList3_Click(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.BulletedListEventArgs) Handles BulletedList3.Click
    Dim String3 As String
    If BulletedList3.Items(e.Index).Text = "" Then
    Else
        String3 = "SELECT * FROM [UploadedFiles] WHERE ([Specialization] = '' &
BulletedList3.Items(e.Index).Text & '') "
        AccessDataSource7.SelectCommand = String3
    End If
End Sub

```

```

End If

DataList1.DataBind()
If DataList1.Items.Count > 0 Then
    Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList3.Items(e.Index).Text + "'"
    Panel29.Visible = True
    Panel26.Visible = True
Else
    Label16.Text = "No article/s found under '" +
BulletedList3.Items(e.Index).Text + "'"
    Panel29.Visible = True
    Panel26.Visible = False

End If

Button7.Visible = True
Panel10.Visible = True
Panel22.Visible = True
Panel7.Visible = False
Panel8.Visible = False
Panel9.Visible = False
Panel21.Visible = False
Panel11.Visible = False
Panel23.Visible = False
Panel12.Visible = False
Panel24.Visible = False
Panel13.Visible = False
Panel25.Visible = False
End Sub

Protected Sub BulletedList1_Click(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.BulletedListEventArgs) Handles BulletedList1.Click
    Dim String1 As String
    If BulletedList1.Items(e.Index).Text = "" Then
    Else
        String1 = "SELECT * FROM [UploadedFiles] WHERE ([ResearchType] = '" &
BulletedList1.Items(e.Index).Text & "'" ) "
        AccessDataSource7.SelectCommand = String1
    End If

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList1.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = True
    Else
        Label16.Text = "No article/s found under '" +
BulletedList1.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = False

    End If

    Button7.Visible = True
    Panel7.Visible = True
    Panel8.Visible = True
    Panel9.Visible = False
    Panel21.Visible = False
    Panel10.Visible = False
    Panel22.Visible = False
    Panel11.Visible = False

```

```

        Panel23.Visible = False
        Panel12.Visible = False
        Panel24.Visible = False
        Panel13.Visible = False
        Panel25.Visible = False
    End Sub

    Protected Sub LinkButton7_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
        Panel27.Visible = True
        Panel29.Visible = False
        Panel7.Visible = False
        Panel8.Visible = False
        Panel26.Visible = False
        Panel9.Visible = False
        Panel21.Visible = False
        Panel10.Visible = False
        Panel22.Visible = False
        Panel11.Visible = False
        Panel23.Visible = False
        Panel12.Visible = False
        Panel24.Visible = False
        Panel13.Visible = False
        Panel25.Visible = False
        Button7.Visible = True
    End Sub

    Protected Sub LinkButton6_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
        Panel27.Visible = True
        Panel29.Visible = False
        Panel7.Visible = False
        Panel8.Visible = False
        Panel26.Visible = False
        Panel9.Visible = False
        Panel21.Visible = False
        Panel10.Visible = False
        Panel22.Visible = False
        Panel11.Visible = False
        Panel23.Visible = False
        Panel12.Visible = False
        Panel24.Visible = False
        Panel13.Visible = False
        Panel25.Visible = False
        Button7.Visible = True
    End Sub

    Protected Sub BulletedList2_Click(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.BulletedListEventArgs) Handles BulletedList2.Click
        Dim String2 As String
        If BulletedList2.Items(e.Index).Text = "" Then
        Else
            String2 = "SELECT * FROM [UploadedFiles] WHERE ([Category] = '' &
BulletedList2.Items(e.Index).Text & '') "
            AccessDataSource7.SelectCommand = String2
        End If

        DataList1.DataBind()
        If DataList1.Items.Count > 0 Then
            Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList2.Items(e.Index).Text + "'"
            Panel29.Visible = True
            Panel26.Visible = True
        End If
    End Sub

```

```

Else
    Label16.Text = "No article/s found under '" +
BulletedList2.Items(e.Index).Text + "'"
    Panel29.Visible = True
    Panel26.Visible = False

End If

Button7.Visible = True
Panel9.Visible = True
Panel21.Visible = True
Panel7.Visible = False
Panel8.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel11.Visible = False
Panel23.Visible = False
Panel12.Visible = False
Panel24.Visible = False
Panel13.Visible = False
Panel25.Visible = False

End Sub

Protected Sub BulletedList5_Click(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.BulletedListEventArgs) Handles BulletedList5.Click
    Dim String5 As String
    If BulletedList5.Items(e.Index).Text = "" Then
    Else
        String5 = "SELECT * FROM [UploadedFiles] WHERE ([Institution] = '" &
BulletedList5.Items(e.Index).Text & "'" ) "
        AccessDataSource7.SelectCommand = String5
    End If

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList5.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = True
    Else
        Label16.Text = "No article/s found under '" +
BulletedList5.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = False
    End If

    Button7.Visible = True
Panel12.Visible = True
Panel24.Visible = True
Panel7.Visible = False
Panel8.Visible = False
Panel9.Visible = False
Panel21.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel11.Visible = False
Panel23.Visible = False
Panel13.Visible = False
Panel25.Visible = False

End Sub

```

```

Protected Sub BulletedList6_Click(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.BulletedListEventArgs) Handles BulletedList6.Click
    Dim String6 As String
    If BulletedList6.Items(e.Index).Value = 0 Then
    Else
        String6 = "SELECT * FROM [UploadedFiles] WHERE ([Publication] = " &
BulletedList6.Items(e.Index).Value.ToString & ") "
        AccessDataSource7.SelectCommand = String6
    End If

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList6.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = True
    Else
        Label16.Text = "No article/s found under '" +
BulletedList6.Items(e.Index).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = False

    End If

    Button7.Visible = True
    Panel13.Visible = True
    Panel25.Visible = True
    Panel7.Visible = False
    Panel8.Visible = False
    Panel9.Visible = False
    Panel21.Visible = False
    Panel10.Visible = False
    Panel22.Visible = False
    Panel11.Visible = False
    Panel23.Visible = False
    Panel12.Visible = False
    Panel24.Visible = False
End Sub

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    Button7.Visible = True
    DataList1.SelectedIndex = e.Item.ItemIndex
    BulletedList1.DataBind()

    Label8.Text = CType(DataList1.SelectedItem.FindControl("TitleLabel"),
Label).Text
    Label9.Text = CType(DataList1.SelectedItem.FindControl("AuthorsLabel"),
Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors2Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors3Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors4Label"), Label).Text
    Label15.Text = CType(DataList1.SelectedItem.FindControl("InstitutionLabel"),
Label).Text
    Label10.Text = CType(DataList1.SelectedItem.FindControl("PublicationLabel"),
Label).Text
    Label12.Text = CType(DataList1.SelectedItem.FindControl("ResearchTypeLabel"),
Label).Text
    Label13.Text = CType(DataList1.SelectedItem.FindControl("CategoryLabel"),
Label).Text

```

```

        Label14.Text =
CType(DataList1.SelectedItem.FindControl("SpecializationLabel"), Label).Text
        LinkButton5.Text =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
        TextBox7.Text = Server.MapPath("~/Uploads\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddressLabel"),
Label).Text))

        Dim objWord = CreateObject("Word.Application")
        objWord.Visible = False           ' Don't show word '
        objWord.Documents.Open(TextBox7.Text) ' Open document '
        objWord.Selection.WholeStory()      ' Select everything in the doc '
        TextBox8.Text = objWord.Selection.Text ' Assign document contents to
var'
        objWord.Quit(False)                ' Close Word,
    End Sub

    Protected Sub LinkButton4_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton4.Click
        Dim value As String =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
        Dim wordApplication As ApplicationClass = New ApplicationClass()
        Dim wordDocument As Document = Nothing

        Dim paramSourceDocPath As String = TextBox7.Text
        Dim paramExportFilePath As String = "D:\" +
Path.GetFileNameWithoutExtension(value) + ".pdf"
        Dim paramExportFormat As WdExportFormat = _
            WdExportFormat.wdExportFormatPDF
        Dim paramOpenAfterExport As Boolean = True
        Dim paramExportOptimizeFor As WdExportOptimizeFor = _
            WdExportOptimizeFor.wdExportOptimizeForPrint
        Dim paramExportRange As WdExportRange = _
            WdExportRange.wdExportAllDocument
        Dim paramStartPage As Int32 = 0
        Dim paramEndPage As Int32 = 0
        Dim paramExportItem As WdExportItem = _
            WdExportItem.wdExportDocumentContent
        Dim paramIncludeDocProps As Boolean = True
        Dim paramKeepIRM As Boolean = True
        Dim paramCreateBookmarks As WdExportCreateBookmarks = _
            WdExportCreateBookmarks.wdExportCreateWordBookmarks
        Dim paramDocStructureTags As Boolean = True
        Dim paramBitmapMissingFonts As Boolean = True
        Dim paramUseISO19005_1 As Boolean = False
        Try
            ' Open the source document.
            wordDocument = wordApplication.Documents.Open(paramSourceDocPath)

            ' Export it in the specified format.
            If Not wordDocument Is Nothing Then
                wordDocument.ExportAsFixedFormat(paramExportFilePath, _
                    paramExportFormat, paramOpenAfterExport, _
                    paramExportOptimizeFor, paramExportRange, paramStartPage, _
                    paramEndPage, paramExportItem, paramIncludeDocProps, _
                    paramKeepIRM, paramCreateBookmarks, _
                    paramDocStructureTags, paramBitmapMissingFonts, _
                    paramUseISO19005_1)
            End If
        Catch ex As Exception
            ' Respond to the error
        Finally
            ' Close and release the Document object.

```



```

    If Not wordDocument Is Nothing Then
        wordDocument.Close(False)
        wordDocument = Nothing
    End If

    ' Quit Word and release the ApplicationClass object.
    If Not wordApplication Is Nothing Then
        wordApplication.Quit()
        wordApplication = Nothing
    End If

    GC.Collect()
    GC.WaitForPendingFinalizers()
    GC.Collect()
    GC.WaitForPendingFinalizers()
End Try

Panel7.Visible = False
Panel8.Visible = False
Panel26.Visible = False
Panel9.Visible = False
Panel21.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel11.Visible = False
Panel23.Visible = False
Panel12.Visible = False
Panel24.Visible = False
Panel13.Visible = False
Panel25.Visible = False
Button7.Visible = True

End Sub

Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
    Response.Redirect(LinkButton5.Text)
End Sub

Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button7.Click

    Panel7.Visible = True
    Panel9.Visible = True
    Panel10.Visible = True
    Panel11.Visible = True
    Panel12.Visible = True
    Panel13.Visible = True
    Panel8.Visible = True
    Panel21.Visible = True
    Panel22.Visible = True
    Panel23.Visible = True
    Panel24.Visible = True
    Panel25.Visible = True
    Panel26.Visible = False
    Panel27.Visible = False
    Button7.Visible = False
    Panel29.Visible = False
End Sub

Protected Sub Menu3_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu3.MenuItemClick
    Dim string1 As String

```

```

        string1 = "SELECT * FROM [UploadedFiles] WHERE ([ResearchType] = '" &
BulletedList1.Items(0).Text & "') "
        AccessDataSource7.SelectCommand = String1
        DataList1.DataBind()
        If DataList1.Items.Count > 0 Then
            Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList1.Items(0).Text + "'"
            Panel29.Visible = True
            Panel26.Visible = True
        Else
            Label16.Text = "No article/s found under '" + BulletedList1.Items(0).Text
+ "'"
            Panel29.Visible = True
            Panel26.Visible = False

        End If
        Button7.Visible = True
        Panel7.Visible = True
        Panel8.Visible = True
        Panel9.Visible = False
        Panel21.Visible = False
        Panel10.Visible = False
        Panel22.Visible = False
        Panel11.Visible = False
        Panel23.Visible = False
        Panel12.Visible = False
        Panel24.Visible = False
        Panel13.Visible = False
        Panel25.Visible = False

        Menu4.Items.Item(0).Selected = False
        Menu5.Items.Item(0).Selected = False
        Menu6.Items.Item(0).Selected = False
        Menu7.Items.Item(0).Selected = False
        Menu8.Items.Item(0).Selected = False

    End Sub

    Protected Sub Menu4_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu4_MenuItemClick
        Dim string2 As String
        string2 = "SELECT * FROM [UploadedFiles] WHERE ([Category] = '" &
BulletedList2.Items(0).Text & "') "
        AccessDataSource7.SelectCommand = string2

        DataList1.DataBind()
        If DataList1.Items.Count > 0 Then
            Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList2.Items(0).Text + "'"
            Panel29.Visible = True
            Panel26.Visible = True
        Else
            Label16.Text = "No article/s found under '" + BulletedList2.Items(0).Text
+ "'"
            Panel29.Visible = True
            Panel26.Visible = False

        End If

        Button7.Visible = True
        Panel9.Visible = True
        Panel21.Visible = True
        Panel7.Visible = False

```

```

Panel8.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel111.Visible = False
Panel23.Visible = False
Panel12.Visible = False
Panel24.Visible = False
Panel113.Visible = False
Panel25.Visible = False

Menu3.Items.Item(0).Selected = False
Menu5.Items.Item(0).Selected = False
Menu6.Items.Item(0).Selected = False
Menu7.Items.Item(0).Selected = False
Menu8.Items.Item(0).Selected = False

End Sub

Protected Sub Menu5_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu5.MenuItemClick
    Dim string3 As String
    string3 = "SELECT * FROM [UploadedFiles] WHERE ([Specialization] = '" &
BulletedList3.Items(0).Text & "') "
    AccessDataSource7.SelectCommand = String3

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList3.Items(0).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = True
    Else
        Label16.Text = "No article/s found under '" + BulletedList3.Items(0).Text
+ "'"
        Panel29.Visible = True
        Panel26.Visible = False
    End If

    Button7.Visible = True
    Panel10.Visible = True
    Panel22.Visible = True
    Panel17.Visible = False
    Panel18.Visible = False
    Panel19.Visible = False
    Panel21.Visible = False
    Panel111.Visible = False
    Panel23.Visible = False
    Panel112.Visible = False
    Panel24.Visible = False
    Panel113.Visible = False
    Panel25.Visible = False

    Menu4.Items.Item(0).Selected = False
    Menu3.Items.Item(0).Selected = False
    Menu6.Items.Item(0).Selected = False
    Menu7.Items.Item(0).Selected = False
    Menu8.Items.Item(0).Selected = False

End Sub

Protected Sub Menu6_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu6.MenuItemClick

```

```

Dim a As String
a = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "A%" + "'"")
AccessDataSource7.SelectCommand = a
DataList1.DataBind()
If DataList1.Items.Count > 0 Then
    Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + Menu2.Items.Item(0).Text + "'"
    Panel29.Visible = True
    Panel26.Visible = True
Else
    Label16.Text = "No article/s found under '" + Menu2.Items.Item(0).Text +
+ "'"
    Panel29.Visible = True
    Panel26.Visible = False

End If

Button7.Visible = True
Panel11.Visible = True
Panel23.Visible = True
Panel7.Visible = False
Panel8.Visible = False
Panel9.Visible = False
Panel21.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel12.Visible = False
Panel24.Visible = False
Panel13.Visible = False
Panel25.Visible = False
Menu4.Items.Item(0).Selected = False
Menu5.Items.Item(0).Selected = False
Menu3.Items.Item(0).Selected = False
Menu7.Items.Item(0).Selected = False
Menu8.Items.Item(0).Selected = False

End Sub

Protected Sub Menu7_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu7.MenuItemClick
Dim string5 As String
string5 = "SELECT * FROM [UploadedFiles] WHERE ([Institution] = '" &
BulletedList5.Items(0).Text & "'" ) "
AccessDataSource7.SelectCommand = String5

DataList1.DataBind()
If DataList1.Items.Count > 0 Then
    Label16.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList5.Items(0).Text + "'"
    Panel29.Visible = True
    Panel26.Visible = True
Else
    Label16.Text = "No article/s found under '" + BulletedList5.Items(0).Text
+ "'"
    Panel29.Visible = True
    Panel26.Visible = False

End If

Button7.Visible = True
Panel12.Visible = True
Panel24.Visible = True
Panel7.Visible = False

```

```

Panel8.Visible = False
Panel9.Visible = False
Panel21.Visible = False
Panel10.Visible = False
Panel22.Visible = False
Panel11.Visible = False
Panel23.Visible = False
Panel13.Visible = False
Panel25.Visible = False

Menu4.Items.Item(0).Selected = False
Menu5.Items.Item(0).Selected = False
Menu6.Items.Item(0).Selected = False
Menu3.Items.Item(0).Selected = False
Menu8.Items.Item(0).Selected = False

End Sub

Protected Sub Menu8_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu8.MenuItemClick
    Dim string6 As String
    string6 = "SELECT * FROM [UploadedFiles] WHERE ([Publication] = " &
BulletedList6.Items(0).Value.ToString & ") "
    AccessDataSource7.SelectCommand = String6

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Labell6.Text = DataList1.Items.Count.ToString() + " article/s found under
'" + BulletedList6.Items(0).Text + "'"
        Panel29.Visible = True
        Panel26.Visible = True
    Else
        Labell6.Text = "No article/s found under '" + BulletedList6.Items(0).Text
+ "'"
        Panel29.Visible = True
        Panel26.Visible = False
    End If

    Button7.Visible = True
    Panel13.Visible = True
    Panel25.Visible = True
    Panel7.Visible = False
    Panel8.Visible = False
    Panel9.Visible = False
    Panel21.Visible = False
    Panel10.Visible = False
    Panel22.Visible = False
    Panel11.Visible = False
    Panel23.Visible = False
    Panel12.Visible = False
    Panel24.Visible = False

    Menu4.Items.Item(0).Selected = False
    Menu5.Items.Item(0).Selected = False
    Menu6.Items.Item(0).Selected = False
    Menu7.Items.Item(0).Selected = False
    Menu3.Items.Item(0).Selected = False

End Sub

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load

```

```

Label17.Text = Session("EmailAddress")
Label18.Text = Session("RoleID")
If Label18.Text = "" Then
    LinkButton8.Visible = False
    Panel30.Visible = True
Else
    LinkButton8.Visible = True
    Panel30.Visible = False
End If

Panel7.Visible = True
Panel9.Visible = True
Panel10.Visible = True
Panel11.Visible = True
Panel12.Visible = True
Panel13.Visible = True
Panel18.Visible = True
Panel21.Visible = True
Panel22.Visible = True
Panel23.Visible = True
Panel24.Visible = True
Panel25.Visible = True

End Sub

Protected Sub Menu2_MenuItemClick(ByVal sender As Object, ByVal e As
System.Web.UI.WebControls.MenuEventArgs) Handles Menu2.MenuItemClick
    Dim a As String
    Dim b As String
    Dim c As String
    Dim d As String
    Dim ee As String
    Dim f As String
    Dim g As String
    Dim h As String
    Dim i As String
    Dim j As String
    Dim k As String
    Dim l As String
    Dim m As String
    Dim n As String
    Dim o As String
    Dim p As String
    Dim q As String
    Dim r As String
    Dim s As String
    Dim t As String
    Dim u As String
    Dim v As String
    Dim w As String
    Dim x As String
    Dim y As String
    Dim z As String
    Dim item As MenuItem = Menu2.SelectedItem

    If Menu2.Items.Item(0).Selected Then
        a = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "A%" + "'"")
        AccessDataSource7.SelectCommand = a
    ElseIf Menu2.Items.Item(1).Selected Then
        b = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "B%" + "'"")
        AccessDataSource7.SelectCommand = b
    ElseIf Menu2.Items.Item(2).Selected Then
        c = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "C%" + "'"")

```

```

        AccessDataSource7.SelectCommand = c
    ElseIf Menu2.Items.Item(3).Selected Then
        d = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "D%" + "'"")
        AccessDataSource7.SelectCommand = d
    ElseIf Menu2.Items.Item(4).Selected Then
        ee = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "E%" + "'"")
        AccessDataSource7.SelectCommand = ee
    ElseIf Menu2.Items.Item(5).Selected Then
        f = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "F%" + "'"")
        AccessDataSource7.SelectCommand = f
    ElseIf Menu2.Items.Item(6).Selected Then
        g = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "G%" + "'"")
        AccessDataSource7.SelectCommand = g
    ElseIf Menu2.Items.Item(7).Selected Then
        h = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "H%" + "'"")
        AccessDataSource7.SelectCommand = h
    ElseIf Menu2.Items.Item(8).Selected Then
        i = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "I%" + "'"")
        AccessDataSource7.SelectCommand = i
    ElseIf Menu2.Items.Item(9).Selected Then
        j = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "J%" + "'"")
        AccessDataSource7.SelectCommand = j
    ElseIf Menu2.Items.Item(10).Selected Then
        k = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "K%" + "'"")
        AccessDataSource7.SelectCommand = k
    ElseIf Menu2.Items.Item(11).Selected Then
        l = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "L%" + "'"")
        AccessDataSource7.SelectCommand = l
    ElseIf Menu2.Items.Item(12).Selected Then
        m = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "M%" + "'"")
        AccessDataSource7.SelectCommand = m
    ElseIf Menu2.Items.Item(13).Selected Then
        n = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "N%" + "'"")
        AccessDataSource7.SelectCommand = n
    ElseIf Menu2.Items.Item(14).Selected Then
        o = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "O%" + "'"")
        AccessDataSource7.SelectCommand = o
    ElseIf Menu2.Items.Item(15).Selected Then
        p = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "P%" + "'"")
        AccessDataSource7.SelectCommand = p
    ElseIf Menu2.Items.Item(16).Selected Then
        q = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "Q%" + "'"")
        AccessDataSource7.SelectCommand = q
    ElseIf Menu2.Items.Item(17).Selected Then
        r = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "R%" + "'"")
        AccessDataSource7.SelectCommand = r
    ElseIf Menu2.Items.Item(18).Selected Then
        s = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "S%" + "'"")
        AccessDataSource7.SelectCommand = s
    ElseIf Menu2.Items.Item(19).Selected Then
        t = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "T%" + "'"")
        AccessDataSource7.SelectCommand = t
    ElseIf Menu2.Items.Item(20).Selected Then
        u = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "U%" + "'"")
        AccessDataSource7.SelectCommand = u
    ElseIf Menu2.Items.Item(21).Selected Then
        v = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "V%" + "'"")
        AccessDataSource7.SelectCommand = v
    ElseIf Menu2.Items.Item(22).Selected Then
        w = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "W%" + "'"")
        AccessDataSource7.SelectCommand = w
    ElseIf Menu2.Items.Item(23).Selected Then
        x = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "X%" + "'"")

```

```

        AccessDataSource7.SelectCommand = x
    ElseIf Menu2.Items.Item(24).Selected Then
        y = "SELECT * FROM [UploadedFiles] WHERE ([Title] LIKE '" + "Y%" + "')"

```



```

        </td>
      </tr>
    </table>
  </td>
</tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
  <asp:Panel ID="Panel6" runat="server">
    <span class="style36" style="color: #003366">
      <br />
      Contact Information</span>
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32">
      <div class="style38">
        <asp:Label ID="Label8" runat="server" Text="Label"
Visible="False"></asp:Label>
        <asp:Label ID="Label9" runat="server" Text="Label"
Visible="False"></asp:Label>
        <br />
        <span class="style10">You can reach the secretariat
through the following
        contact details:
        <br />
        <br />
        <b>Prof. Erlinda Palaganas, RN, MPH, Ph.D </b>
        <br />
        University of the Philippines - Baguio
        <br />
        Email address: </span><a
href="mailto:ecpalaganas@yahoo.com">
        <span class="style10">ecpalaganas@yahoo.com</span></a>
        <br class="style10" />
        <span class="style10">Mobile number: 09209531292
        <br />
        <br />
        <b>Prof. Cora Anonuevo, RN, MPH, Ph.D </b>
        <br />
        University of the Philippines - Manila
        <br />
        Email address: </span><a
href="mailto:cora_anonuevo@yahoo.com">
        <span
class="style10">cora_anonuevo@yahoo.com</span></a>
        <br class="style10" />
        <span class="style10">Mobile number:&nbsp;
09178113861<br />
        <br />
        <b>Prof. Jerome Babate, RN, MAN
        <br />
        </b>University of Notre Dame Dadangias
        <br />
        Email Address: <a
href="mailto:profbabate@yahoo.com">profbabate@yahoo.com</a>
        <br />
        Mobile Number: 09228395062</span><br />
      </div>
    </asp:Panel>
    <br />
  </td>
</tr>
</table>
</td>

```

```

    </tr>
</table>
</asp:Content>

```

```

Partial Class Default2

```

```

    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

```

```

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load

```

```

    Label8.Text = Session("EmailAddress")
    Label9.Text = Session("RoleID")
    If Label9.Text = "" Then
        LinkButton8.Visible = False
        Panel10.Visible = True
    Else
        LinkButton8.Visible = True
        Panel10.Visible = False
    End If
End Sub

```

```

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click

```

```

    con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"", con)

```

```

    If rs.BOF And rs.EOF Then
        Label4.Text = "*Invalid Account*"
        Label4.Visible = True
        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = True

```

```

        Label4.ForeColor = Drawing.Color.Red
        rs.Close()

```

```

    Else
        Label5.Text = rs.Fields("Password").Value
        Label6.Text = rs.Fields("RoleId").Value
        rs.Close()
        Label4.Visible = False
        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = False

```

```

    End If

```

```

    If TextBox5.Text = Label5.Text Then

```

```

        If Label6.Text = "1" Then
            Session("EmailAddress") = TextBox4.Text
            Session("RoleID") = "1"
            Server.Transfer("Admin_MyAccount.aspx")
            Server.Transfer("AdminUpload.aspx")
            Server.Transfer("AdminCreateAccount.aspx")
            Server.Transfer("AdvancedSearch.aspx")
            Server.Transfer("Browse.aspx")
            Server.Transfer("ContactUs.aspx")
            Server.Transfer("Copyright.aspx")
            Server.Transfer("CreateAccount.aspx")
            Server.Transfer("Developer.aspx")
            Server.Transfer("ForgotPassword.aspx")
            Server.Transfer("FullText.aspx")

```

```

Server.Transfer("Membership.aspx")
Server.Transfer("MyAccount.aspx")
Server.Transfer("RegisterEmailOnly.aspx")
Server.Transfer("ResearchDocuments.aspx")
Server.Transfer("Search.aspx")
Server.Transfer("SubmitResearch.aspx")
Server.Transfer("SubmittedArticles.aspx")
Server.Transfer("UserAccounts.aspx")
Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Admin_MyAccount.aspx")

ElseIf Label6.Text = "2" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "2"
    Server.Transfer("Critic_MyAccount.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Critic_MyAccount.aspx")

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Subscriber_MyAccount.aspx")
End If
Label4.Visible = False
Label5.Visible = False
Label6.Visible = False

```

```

        Panel4.Visible = False

    Else
        Label4.Text = "*Invalid Account*"
        Label4.Visible = True
        Label4.ForeColor = Drawing.Color.Red

        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = True
    End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton8.Click
    Label9.Text = ""
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="CreateAccount.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }
        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
            text-align: left;
        }
        .style36
        {
            font-size: x-large;
            color: #333333;
        }
        .style37
        {
            font-size: xx-small;
        }
        .style38
        {
            font-size: x-small;
        }
    </style>

```

```
.style33
{
    width: 265px;
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
}
.style34
{
    width: 359px;
}
.style39
{
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
    color: #333333;
    text-align: center;
}
.style35
{
    color: #FF0000;
    font-size: x-small;
}
.style40
{
    color: #CC0000;
}
.style41
{
    color: #FF0000;
}
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
<table class="style1">
<tr>
<td bgcolor="#FFFFCC">
<table class="style1">
<tr>
<td class="style18" valign="top">
<table class="style1">
<tr>
<td>
<table class="style1">
<tr>
<td bgcolor="#33629B">
<br />
<br />
<asp:Panel ID="Panel1" runat="server" BackColor="#4AC8EE" BorderColor="#4AC8EE" BorderStyle="None" BorderWidth="0px" Width="213px" style="font-size: xx-small">
<br /><br /><br />
<asp:TextBox ID="TextBox3" runat="server" Width="134px"></asp:TextBox>
<br />
<asp:Button ID="Button4" runat="server" Text="&gt;&gt;GO!" Width="50px" />
</asp:Content>
```



```

        Label9.Visible = False
Else
    rs.Close()
    Label9.Visible = True
    Exit Sub
End If

If TextBox7.Text.Length < 6 Then
    Label8.Visible = True
    Exit Sub
Else
    Label8.Visible = False
    Panel8.Visible = False
    Panel9.Visible = True

End If

Label13.Text = TextBox6.Text
Label14.Text = TextBox7.Text

End Sub

Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button7.Click
    Session("EmailAddress") = TextBox6.Text

    Dim code As String
    Dim isHUMAN As Boolean
    If (IsPostBack = False) Then

        ' initialize the Captcha validation error label
        CaptchaIncorrectLabel.Text = "*Incorrect Code"
        CaptchaIncorrectLabel.Visible = False

        ' setup client-side input processing
        SampleCaptcha.UserInputClientID = CaptchaCodeTextBox.ClientID

    ElseIf (IsPostBack = True) Then

        ' validate the Captcha to check we're not dealing with a bot
        code = CaptchaCodeTextBox.Text.Trim().ToUpper()
        isHUMAN = SampleCaptcha.Validate(code)
        CaptchaCodeTextBox.Text = "" ' clear previous user input

        If (isHUMAN = True) Then
            CaptchaIncorrectLabel.Visible = False
        Else
            CaptchaIncorrectLabel.Text = "*Incorrect Code"
            CaptchaIncorrectLabel.ForeColor = Drawing.Color.Red
            CaptchaIncorrectLabel.Visible = True
            Exit Sub
        End If
    End If

    con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("tblRegister", con, ADODB.CursorTypeEnum.adOpenDynamic,
ADODB.LockTypeEnum.adLockOptimistic)
    rs.AddNew()
    rs.Fields("EmailAddress").Value = Label13.Text
    rs.Fields("Password").Value = Label14.Text
    rs.Fields("FirstName").Value = TextBox8.Text

```

```

rs.Fields("LastName").Value = TextBox9.Text
rs.Fields("Institution").Value = TextBox10.Text
rs.Fields("RoleId").Value = "3"
rs.Update()
rs.Close()
con.Close()

txtFrom.Text = "Admin@gmail.com"
txtSubject.Text = "PNRA Account Confirmation"
txtMessage.Text = "Welcome!" & vbCrLf & vbCrLf & " You have successfully
created an account in Philippine Nursing Research Archive." & vbCrLf & " As a
subscriber, you may now submit nursing research articles for evaluation, and receive
newsletters and important announcements." & vbCrLf & vbCrLf & " To know more about
Philippine Nursing Research Society, Inc., just follow this link: www.pnrs.net" &
vbCrLf & vbCrLf & vbCrLf & vbCrLf & " Note: This is a system generated mail. Any
response will not reach the site administrator."

Dim smtp As Smtplib.SmtpClient = New Smtplib.SmtpClient("smtp.gmail.com")

smtp.Credentials = New System.Net.NetworkCredential("minagutz@gmail.com",
"sirius")
smtp.Port = 587 'Gmail works on this port
smtp.Host = "smtp.gmail.com"
smtp.EnableSsl = True

Dim msg As New Net.Mail.MailMessage( _
txtFrom.Text, _
TextBox6.Text, _
txtSubject.Text, _
txtMessage.Text)

Try
smtp.Send(msg)
' lblResult.Text = "Mail Sent"
lblResult.Visible = True
lblResult.ForeColor = Drawing.Color.Green
Catch ex As Exception
lblResult.Text = ex.Message
lblResult.Visible = True
lblResult.ForeColor = Drawing.Color.Red
End Try

Response.Redirect("~/Subscriber_MyAccount.aspx")

End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="true" CodeFile="Critic_MyAccount.aspx.vb" Inherits="Default2"
EnableEventValidation="true" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
<style type="text/css">

.style18
{
width: 216px;
}
.style19
{
font-family: "High Tower Text";
font-size: xx-large;

```



```

        </asp:Panel>
alt="" src="App_Themes/Images/submit%20down.jpg"
"width: 213px; height: 30px" /><br />
utton ID="LinkButton7" runat="server" style="color: #CCCCCC"
lor="#006699" BorderStyle="Outset" Font-Underline="False">Change
asp:LinkButton>
utton ID="LinkButton17" runat="server" style="color: #CCCCCC"
lor="#006699" BorderStyle="Outset" Font-Underline="False">Critique
Articles</asp:LinkButton>
ID="HyperLink1" runat="server"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
<br />
<asp:HyperLink ID="HyperLink2" runat="server"
ImageUrl="~/App_Themes/Images/down.jpg"
NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
<br />
<asp:HyperLink ID="HyperLink3" runat="server"
ImageUrl="~/App_Themes/Images/fb.jpg"
NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
<asp:Panel ID="Panel6" runat="server">
<span class="style36" style="color: #003366">
<br />
My Account</span>
</asp:Panel>
<asp:Panel ID="Panel7" runat="server" CssClass="style32">
<br />
<asp:Label ID="Label8" runat="server"
Text="Label" Visible="False"></asp:Label>
<br />
<br />
<asp:AccessDataSource ID="AccessDataSource2"
runat="server"
ConflictDetection="CompareAllValues"
DataFile="~/App_Data/PNRA_Database.mdb"
DeleteCommand="DELETE FROM [tblRegister] WHERE
[ID] = ? AND (([FirstName] = ?) OR ([FirstName] IS NULL AND ? IS NULL)) AND
(([LastName] = ?) OR ([LastName] IS NULL AND ? IS NULL)) AND (([EmailAddress] = ?) OR
([EmailAddress] IS NULL AND ? IS NULL)) AND (([Password] = ?) OR ([Password] IS NULL

```

```

AND ? IS NULL)) AND (([Gender] = ?) OR ([Gender] IS NULL AND ? IS NULL)) AND
(([Birthday] = ?) OR ([Birthday] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([RoleId] = ?) OR ([RoleId] IS NULL AND ?
IS NULL))"

```

```

InsertCommand="INSERT INTO [tblRegister] ([ID],
[FirstName], [LastName], [EmailAddress], [Password], [Gender], [Birthday],
[Institution], [RoleId]) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?)"
OldValuesParameterFormatString="original_{0}"
SelectCommand="SELECT * FROM [tblRegister] WHERE
([EmailAddress] = ?)"

```

```

UpdateCommand="UPDATE [tblRegister] SET [FirstName]
= ?, [LastName] = ?, [EmailAddress] = ?, [Password] = ?, [Institution] = ?, [RoleId] =
? WHERE [ID] = ? ">

```

```

<SelectParameters>
  <asp:ControlParameter ControlID="Label8"
Name="EmailAddress"
PropertyName="Text" Type="String" />
</SelectParameters>
<DeleteParameters>
  <asp:Parameter Name="original_ID" Type="Int32" />
  <asp:Parameter Name="original_FirstName"
Type="String" />
  <asp:Parameter Name="original_LastName"
Type="String" />
  <asp:Parameter Name="original_EmailAddress"
Type="String" />
  <asp:Parameter Name="original_Password"
Type="String" />
  <asp:Parameter Name="original_Gender"
Type="String" />
  <asp:Parameter Name="original_Birthday"
Type="String" />
  <asp:Parameter Name="original_Institution"
Type="String" />
  <asp:Parameter Name="original_RoleId" Type="Int32" />
</DeleteParameters>
<UpdateParameters>
  <asp:Parameter Name="FirstName" Type="String" />
  <asp:Parameter Name="LastName" Type="String" />
  <asp:Parameter Name="EmailAddress"
Type="String" />
  <asp:Parameter Name="Password" Type="String" />
  <asp:Parameter Name="Gender" Type="String" />
  <asp:Parameter Name="Birthday" Type="String" />
  <asp:Parameter Name="Institution" Type="String" />
  <asp:Parameter Name="RoleId" Type="Int32" />
  <asp:Parameter Name="original_ID" Type="Int32" />
  <asp:Parameter Name="original_FirstName"
Type="String" />
  <asp:Parameter Name="original_LastName"
Type="String" />
  <asp:Parameter Name="original_EmailAddress"
Type="String" />
  <asp:Parameter Name="original_Password"
Type="String" />
  <asp:Parameter Name="original_Gender"
Type="String" />
  <asp:Parameter Name="original_Birthday"
Type="String" />

```

```

Type="String" />
/>
    <asp:Parameter Name="original_Institution"
    <asp:Parameter Name="original_RoleId" Type="Int32"
</UpdateParameters>
<InsertParameters>
    <asp:Parameter Name="ID" Type="Int32" />
    <asp:Parameter Name="FirstName" Type="String" />
    <asp:Parameter Name="LastName" Type="String" />
    <asp:Parameter Name="EmailAddress"
Type="String" />
    <asp:Parameter Name="Password" Type="String" />
    <asp:Parameter Name="Gender" Type="String" />
    <asp:Parameter Name="Birthday" Type="String" />
    <asp:Parameter Name="Institution" Type="String" />
    <asp:Parameter Name="RoleId" Type="Int32" />
</InsertParameters>
</asp:AccessDataSource>
<asp:DetailsView ID="DetailsView1"
runat="server" AutoGenerateRows="False"
    BackColor="LightGoldenrodYellow"
    BorderColor="Tan" BorderWidth="1px"
    CellPadding="2" DataKeyNames="ID"
DataSourceID="AccessDataSource2"
    ForeColor="Black" GridLines="None"
    HorizontalAlign="Center" Width="600px" style="text-align: left; font-size:
medium;">
    <FooterStyle BackColor="Tan" />
    <PagerStyle BackColor="PaleGoldenrod"
ForeColor="DarkSlateBlue"
        HorizontalAlign="Center" />
    <Fields>
        <asp:BoundField DataField="FirstName"
HeaderText="FirstName"
            SortExpression="FirstName" />
        <asp:BoundField DataField="LastName"
HeaderText="LastName"
            SortExpression="LastName" />
        <asp:BoundField DataField="EmailAddress"
HeaderText="EmailAddress"
            SortExpression="EmailAddress" />
        <asp:BoundField DataField="Institution"
HeaderText="Institution"
            SortExpression="Institution" />
        <asp:CommandField ShowEditButton="True" >
            <ControlStyle Font-Bold="True" />
        </asp:CommandField>
    </Fields>
    <HeaderStyle BackColor="Tan" Font-Bold="True" />
    <HeaderTemplate>
        PERSONAL DETAILS:
    </HeaderTemplate>
    <EditRowStyle BackColor="#336699"
ForeColor="GhostWhite" />
        <AlternatingRowStyle BackColor="PaleGoldenrod" />
    </asp:DetailsView>
    <br />
</asp:Panel>
<asp:Panel ID="Panel9" runat="server" CssClass="style32"
Visible="False">
    <asp:Panel ID="Panel11" runat="server">
        <span class="style36" style="color: #003366">
        <br />

```

```

Articles</span></span></asp:Panel>
    <span class="style37">Critique Submitted
    <br />
    <span class="style36" style="color: #003366">
    <asp:Label ID="Label11" runat="server"
Text="Label"></asp:Label>
    </span>
    <br />
    <asp:DataList ID="DataList1" runat="server"
CellPadding="2" DataKeyField="ID"
    DataSourceID="AccessDataSource1" ForeColor="Black"
Width="600px"
    BackColor="LightGoldenrodYellow" BorderColor="Tan"
BorderWidth="1px"
    HorizontalAlign="Center"
    style="text-align: left; background-color: #FFFFCC;">
    <FooterStyle BackColor="Tan" />
    <EditItemStyle BackColor="#336699" />
    <AlternatingItemStyle BackColor="PaleGoldenrod" />
    <EditItemTemplate>
    <asp:TextBox ID="txtID" runat="server"
        Text='<%=# Eval("Title") %>'></asp:TextBox>
    <br />
    Title:
    <asp:TextBox ID="txtTitle" runat="server"
        Height="31px" Text='<%=# Eval("Title")
%>'></asp:TextBox>
    <br />
    <br />
    Research Type:&nbsp;<asp:DropDownList
ID="dropdownRtype" runat="server">
    <asp:ListItem>Quantitative</asp:ListItem>
    <asp:ListItem>Qualitative</asp:ListItem>
    <asp:ListItem>Quanti_Quali Mix</asp:ListItem>
    </asp:DropDownList>
    <br />
    <br />
    Category:&nbsp;<asp:TextBox ID="txtCateg"
runat="server" Width="200px"></asp:TextBox>
    <br />
    <br />
    Specialization:&nbsp;<asp:TextBox ID="txtSpec"
runat="server" Width="200px"></asp:TextBox>
    <br />
    <br />
    <asp:FileUpload ID="FileUpload1" runat="server"
Height="23px" Width="222px" />
    <br />
    <br />
    <asp:FileUpload ID="FileUpload2" runat="server" />
    <br />
    <br />
    <asp:Label ID="Label20" runat="server" Font-
Size="X-Large" ForeColor="White"></asp:Label>
    <br />
    <br />
    <asp:Label ID="Label19" runat="server" Text='<%=#
Eval("FileAddress1") %>'
        Visible="False"></asp:Label>
    <asp:Label ID="Label10" runat="server" Text='<%=#
Eval("FileAddress2") %>'

```

```

        Enabled="False" Visible="False"></asp:Label>
Eval("Authors") %>'
        <asp:Label ID="Labell14" runat="server" Text='<#
        Visible="False"></asp:Label>
Eval("Authors2") %>'
        <asp:Label ID="Labell15" runat="server" Text='<#
        Visible="False"></asp:Label>
Eval("Authors3") %>'
        <asp:Label ID="Labell16" runat="server" Text='<#
        Visible="False"></asp:Label>
Eval("Authors4") %>'
        <asp:Label ID="Labell17" runat="server" Text='<#
        Visible="False"></asp:Label>
Eval("Institution") %>'
        <asp:Label ID="Labell18" runat="server" Text='<#
        Visible="False"></asp:Label>
Eval("YearOfPublication") %>'
        <asp:Label ID="Labell19" runat="server" Text='<#
        Visible="False"></asp:Label>
        <br />
        &nbsp;&nbsp;&nbsp;<br />
        <asp:Button ID="Button6" runat="server"
        CommandName="Update"
        Width="56px" />
        onclick="Button6_Click" Text="Save"
        &nbsp;&nbsp;&nbsp;<asp:Button ID="Button7"
        runat="server" CommandName="Cancel" Text="Cancel" />
        <br />
        &nbsp;&nbsp;&nbsp;
        </EditItemTemplate>
        <SelectedItemStyle BackColor="#336699"
        ForeColor="GhostWhite" />
        <HeaderTemplate>
        Published Articles:
        </HeaderTemplate>
        <HeaderStyle BackColor="Tan" Font-Bold="True" />
        <SelectedItemTemplate>
        <asp:LinkButton ID="LinkButton16" runat="server"
        style="font-weight: 700; color: #FFFFFF;"
        Text='<# Eval("Title") %>'></asp:LinkButton>
        <br />
        Institution:
        <asp:Label ID="InstitutionLabel" runat="server"
        Text='<# Eval("Institution") %>' />
        <br />
        Published:
        <asp:Label ID="PublishedLabel" runat="server"
        Text='<# Eval("Published") %>' />
        <br />
        NameOfPublication:
        <asp:Label ID="NameOfPublicationLabel"
        runat="server"
        Text='<# Eval("NameOfPublication") %>' />
        <br />
        YearOfPublication:
        <asp:Label ID="YearOfPublicationLabel"
        runat="server"
        Text='<# Eval("YearOfPublication") %>' />
        <br />
        Publisher:
        <asp:Label ID="PublisherLabel" runat="server"
        Text='<# Eval("Publisher") %>' />
        <br />

```

```

Eval("FileAddress1") %>'
Eval("FileAddress2") %>'
onclick="LinkButton11_Click"
Abstract</asp:LinkButton>
onclick="LinkButton12_Click"
Full Text Article</asp:LinkButton>
CommandName="Edit" Text="Edit"
style="font-weight: 700"
Text='<## Eval("Published") %>' />
runat="server"
runat="server"
Text='<## Eval("Publisher") %>' />
runat="server"
DataFile="~/App_Data/PNRA_Database.mdb"
DeleteCommand="DELETE FROM [SubmittedFiles] WHERE [ID]
= ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS NULL)) AND (([Authors] = ?) OR
([Authors] IS NULL AND ? IS NULL)) AND (([Authors2] = ?) OR ([Authors2] IS NULL AND ?
IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS NULL AND ? IS NULL)) AND
([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?) OR ([Published] IS NULL

```

```

AND ? IS NULL)) AND (([NameOfPublication] = ?) OR ([NameOfPublication] IS NULL AND ?
IS NULL)) AND (([YearOfPublication] = ?) OR ([YearOfPublication] IS NULL AND ? IS
NULL)) AND (([Publisher] = ?) OR ([Publisher] IS NULL AND ? IS NULL)) AND
(([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL AND ? IS NULL)) AND
(([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL)) AND (([FileAddress1]
= ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND (([FileAddress2] = ?) OR
([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType] = ?) OR ([ResearchType]
IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category] IS NULL AND ? IS NULL))
AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ? IS NULL)) AND
([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND (([Status] = ?)
OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic] IS NULL AND ? IS
NULL))"

```

```

InsertCommand="INSERT INTO [SubmittedFiles] ([ID],
[Title], [Authors], [Authors2], [Authors3], [Authors4], [Institution], [Published],
[NameOfPublication], [YearOfPublication], [Publisher], [DateOfSubmission],
[DateApproved], [FileAddress1], [FileAddress2], [ResearchType], [Category],
[Specialization], [EmailAddress], [Status], [Critic]) VALUES
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
OldValuesParameterFormatString="original_{0}"
SelectCommand="SELECT * FROM [SubmittedFiles] WHERE
([Published] = ?) ORDER BY [DateOfSubmission]"

```

```

UpdateCommand="UPDATE [SubmittedFiles] SET [Title]
= ?, [Authors] = ?, [Authors2] = ?, [Authors3] = ?, [Authors4] = ?, [Institution] = ?,
[Published] = ?, [NameOfPublication] = ?, [YearOfPublication] = ?, [Publisher] = ?,
[DateOfSubmission] = ?, [DateApproved] = ?, [FileAddress1] = ?, [FileAddress2] = ?,
[ResearchType] = ?, [Category] = ?, [Specialization] = ?, [EmailAddress] = ?, [Status]
= ?, [Critic] = ? WHERE [ID] = ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS
NULL)) AND (([Authors] = ?) OR ([Authors] IS NULL AND ? IS NULL)) AND (([Authors2]
= ?) OR ([Authors2] IS NULL AND ? IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS
NULL AND ? IS NULL)) AND (([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND
(([Institution] = ?) OR ([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?)
OR ([Published] IS NULL AND ? IS NULL)) AND (([NameOfPublication] = ?) OR
([NameOfPublication] IS NULL AND ? IS NULL)) AND (([YearOfPublication] = ?) OR
([YearOfPublication] IS NULL AND ? IS NULL)) AND (([Publisher] = ?) OR ([Publisher] IS
NULL AND ? IS NULL)) AND (([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL
AND ? IS NULL)) AND (([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL))
AND (([FileAddress1] = ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND
(([FileAddress2] = ?) OR ([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType]
= ?) OR ([ResearchType] IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category]
IS NULL AND ? IS NULL)) AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ?
IS NULL)) AND (([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND
(([Status] = ?) OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic]
IS NULL AND ? IS NULL))">

```

```

<SelectParameters>
  <asp:Parameter DefaultValue="Yes" Name="Published"
Type="String" />
</SelectParameters>
<DeleteParameters>
  <asp:Parameter Name="original_ID" Type="Int32" />
  <asp:Parameter Name="original_Title" Type="String"
/>
  <asp:Parameter Name="original_Authors"
Type="String" />
  <asp:Parameter Name="original_Authors2"
Type="String" />
  <asp:Parameter Name="original_Authors3"
Type="String" />
  <asp:Parameter Name="original_Authors4"
Type="String" />

```

```

Type="String" />
Type="String" />
Type="String" />
Type="Int32" />
Type="String" />
Type="DateTime" />
Type="DateTime" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
</DeleteParameters>
<UpdateParameters>
  <asp:Parameter Name="Title" Type="String" />
  <asp:Parameter Name="Authors" Type="String" />
  <asp:Parameter Name="Authors2" Type="String" />
  <asp:Parameter Name="Authors3" Type="String" />
  <asp:Parameter Name="Authors4" Type="String" />
  <asp:Parameter Name="Institution" Type="String" />
  <asp:Parameter Name="Published" Type="String" />
  <asp:Parameter Name="NameOfPublication"
Type="String" />
  <asp:Parameter Name="YearOfPublication"
Type="Int32" />
  <asp:Parameter Name="Publisher" Type="String" />
  <asp:Parameter Name="DateOfSubmission"
Type="String" />
  <asp:Parameter Name="DateApproved"
Type="String" />
  <asp:Parameter Name="FileAddress1"
Type="String" />
  <asp:Parameter Name="FileAddress2"
Type="String" />
  <asp:Parameter Name="ResearchType"
Type="String" />
  <asp:Parameter Name="Category" Type="String" />
  <asp:Parameter Name="Specialization" Type="String"
/>
  <asp:Parameter Name="EmailAddress"
Type="String" />
  <asp:Parameter Name="Status" Type="String" />
  <asp:Parameter Name="Critic" Type="String" />
  <asp:Parameter Name="original_ID" Type="Int32" />

```



```

/>
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="Int32" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />

<asp:Parameter Name="original_Title" Type="String"
<asp:Parameter Name="original_Authors"
<asp:Parameter Name="original_Authors2"
<asp:Parameter Name="original_Authors3"
<asp:Parameter Name="original_Authors4"
<asp:Parameter Name="original_Institution"
<asp:Parameter Name="original_Published"
<asp:Parameter Name="original_NameOfPublication"
<asp:Parameter Name="original_YearOfPublication"
<asp:Parameter Name="original_Publisher"
<asp:Parameter Name="original_DateOfSubmission"
<asp:Parameter Name="original_DateApproved"
<asp:Parameter Name="original_FileAddress1"
<asp:Parameter Name="original_FileAddress2"
<asp:Parameter Name="original_ResearchType"
<asp:Parameter Name="original_Category"
<asp:Parameter Name="original_Specialization"
<asp:Parameter Name="original_EmailAddress"
<asp:Parameter Name="original_Status"
<asp:Parameter Name="original_Critic"

</UpdateParameters>
<InsertParameters>
  <asp:Parameter Name="ID" Type="Int32" />
  <asp:Parameter Name="Title" Type="String" />
  <asp:Parameter Name="Authors" Type="String" />
  <asp:Parameter Name="Authors2" Type="String" />
  <asp:Parameter Name="Authors3" Type="String" />
  <asp:Parameter Name="Authors4" Type="String" />
  <asp:Parameter Name="Institution" Type="String" />
  <asp:Parameter Name="Published" Type="String" />
  <asp:Parameter Name="NameOfPublication"
  <asp:Parameter Name="YearOfPublication"
  <asp:Parameter Name="Publisher" Type="String" />
  <asp:Parameter Name="DateOfSubmission"
  <asp:Parameter Name="DateApproved"
  <asp:Parameter Name="FileAddress1"
  <asp:Parameter Name="FileAddress2"

Type="String" />
Type="Int32" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />

```

```

Type="String" />
<asp:Parameter Name="ResearchType"
/><asp:Parameter Name="Category" Type="String" />
<asp:Parameter Name="Specialization" Type="String"
/><asp:Parameter Name="EmailAddress"
Type="String" />
<asp:Parameter Name="Status" Type="String" />
<asp:Parameter Name="Critic" Type="String" />
</InsertParameters>
</asp:AccessDataSource>
<br />
<br />
<br />
<br />
<br />
<br />
<asp:LinkButton ID="LinkButton14" runat="server"
Visible="False">LinkButton</asp:LinkButton>
<asp:TextBox ID="TextBox4" runat="server" Text='<%#
Eval("FileAddress1") %>'
Visible="False"></asp:TextBox>
<asp:LinkButton ID="LinkButton15" runat="server"
Visible="False">LinkButton</asp:LinkButton>
<asp:TextBox ID="TextBox5" runat="server" Text='<%#
Eval("FileAddress2") %>'
Visible="False"></asp:TextBox>
<br />
<br />
<br />
<asp:Panel ID="Panel10" runat="server">
<br />
<br />
<br />
</asp:Panel>
</asp:Panel>
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>
Imports System.Web.Mail
Imports Microsoft.Office.Interop.Word
Imports Microsoft.Office.Interop
Imports Microsoft.Office
Imports System.IO

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        If Not (Page.IsPostBack) Then
            DataList1.DataBind()
            Label8.Text = Session("EmailAddress")
            Label11.Text = Session("EmailAddress")
        End If
    End Sub

```

```

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub DataList1_CancelCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.CancelCommand
    ' Set the DataList's EditItemIndex property to -1
    DataList1.EditItemIndex = -1
    DataList1.SelectedIndex = -1
    ' Rebind the data to the DataList
    DataList1.DataBind()

End Sub

Protected Sub DataList1_EditCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.EditCommand

    ' Set the DataList's EditItemIndex property to the
    ' index of the DataListItem that was clicked
    DataList1.EditItemIndex = e.Item.ItemIndex
    ' Rebind the data to the DataList
    DataList1.DataBind()

End Sub

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    DataList1.SelectedIndex = e.Item.ItemIndex
    Dim linkb1 As LinkButton = DirectCast(e.Item.FindControl("LinkButton11"),
LinkButton)
    Dim linkb2 As LinkButton = DirectCast(e.Item.FindControl("LinkButton12"),
LinkButton)
    DataList1.DataBind()

End Sub

Protected Sub LinkButton11_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
    TextBox4.Text = Server.MapPath("~/Temp\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddress1Label"),
Label).Text))
    Dim objWord = CreateObject("Word.Application")
    objWord.Visible = True          ' Don't show word
    objWord.Documents.Open(TextBox4.Text)
    DataList1.DataBind()
End Sub

Protected Sub LinkButton12_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
    TextBox5.Text = Server.MapPath("~/Temp\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddress2Label"),
Label).Text))

    Dim objWord2 = CreateObject("Word.Application")
    objWord2.Visible = True          ' Don't show word
    objWord2.Documents.Open(TextBox5.Text)  ' Open document '
    DataList1.DataBind()
End Sub

Protected Sub LinkButton14_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton14.Click

```

```

        Response.Redirect(LinkButton14.Text)
    End Sub

    Protected Sub LinkButton15_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton15.Click
        Response.Redirect(LinkButton15.Text)
    End Sub

    Protected Sub LinkButton17_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton17.Click
        Panel9.Visible = True
        Panel7.Visible = False
        Panel6.Visible = False
    End Sub

    Protected Sub Button10_Click(ByVal sender As Object, ByVal e As System.EventArgs)

    End Sub

    Protected Sub Button9_Click(ByVal sender As Object, ByVal e As System.EventArgs)

    End Sub

    Protected Sub LinkButton16_Click(ByVal sender As Object, ByVal e As
System.EventArgs)

    End Sub

    Protected Sub LinkButton11_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
        TextBox4.Text = Server.MapPath("~/Temp/" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("Label12"), Label).Text))
        Dim objWord = CreateObject("Word.Application")
        objWord.Visible = True           ' Don't show word
        objWord.Documents.Open(TextBox4.Text)
        DataList1.DataBind()
    End Sub

    Protected Sub LinkButton12_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
        TextBox5.Text = Server.MapPath("~/Temp/" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("Label13"), Label).Text))
        Dim objWord2 = CreateObject("Word.Application")
        objWord2.Visible = True           ' Don't show word
        objWord2.Documents.Open(TextBox5.Text) ' Open document '
        DataList1.DataBind()
    End Sub

    Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)

    End Sub

    Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)

    End Sub

    Protected Sub DataList1_UpdateCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.UpdateCommand
        Dim ID As String = DataList1.DataKeys(e.Item.ItemIndex).ToString()
        Dim ID1 As TextBox = CType(e.Item.FindControl("txtID"), TextBox)
        Dim Title As TextBox = CType(e.Item.FindControl("txtTitle"), TextBox)

```

```

        Dim ResearchType As DropDownList = CType(e.Item.FindControl("dropdownRType"),
DropDownList)
        Dim Category As TextBox = CType(e.Item.FindControl("txtCateg"), TextBox)
        Dim Specialization As TextBox = CType(e.Item.FindControl("txtSpec"), TextBox)
        Dim EditedFullText As FileUpload = CType(e.Item.FindControl("FileUpload1"),
FileUpload)
        Dim EditedAbstract As FileUpload = CType(e.Item.FindControl("FileUpload2"),
FileUpload)
        Dim lblcomment As Label = CType(e.Item.FindControl("Label20"), Label)
        Dim ExistingEditedFulltextFile = CType(e.Item.FindControl("Label9"), Label)
        Dim ExistingEditedAbstract = CType(e.Item.FindControl("Label10"), Label)
        Dim authors = CType(e.Item.FindControl("Label14"), Label)
        Dim authors2 = CType(e.Item.FindControl("Label15"), Label)
        Dim authors3 = CType(e.Item.FindControl("Label16"), Label)
        Dim authors4 = CType(e.Item.FindControl("Label17"), Label)
        Dim institution = CType(e.Item.FindControl("Label18"), Label)
        Dim publication = CType(e.Item.FindControl("Label19"), Label)

        'i-save sa uploaded files
        con.Open("provider = Microsoft.jet.Oledb.4.0; Data Source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
        If EditedAbstract.HasFile Then
            EditedAbstract.SaveAs(Server.MapPath("~/Uploads/") &
EditedAbstract.PostedFile.FileName)
            EditedFullText.SaveAs(Server.MapPath("~/Uploads/") &
EditedFullText.PostedFile.FileName)

            rs.Open("Select * from UploadedFiles where Title = '" & ID1.Text & "'",
con)
            If rs.BOF And rs.EOF Then
                rs.Close()

                rs.Open("UploadedFiles", con, ADODB.CursorTypeEnum.adOpenDynamic,
ADODB.LockTypeEnum.adLockOptimistic)
                rs.AddNew()
                rs.Fields("Title").Value = Title.Text
                rs.Fields("Authors").Value = authors.Text
                rs.Fields("Authors2").Value = authors2.Text
                rs.Fields("Authors3").Value = authors3.Text
                rs.Fields("Authors4").Value = authors4.Text
                rs.Fields("ResearchType").Value = ResearchType.Text
                rs.Fields("Category").Value = Category.Text
                rs.Fields("Specialization").Value = Specialization.Text
                rs.Fields("Status").Value = "Approved"
                rs.Fields("Institution").Value = institution.Text
                rs.Fields("Publication").Value = publication.Text
                rs.Fields("FileAddress").Value = "~/Uploads/" &
EditedAbstract.PostedFile.FileName
                rs.Update()
                rs.Close()
                lblcomment.Text = "Record/s successfully save."

            Else
                rs.Close()
                lblcomment.Text = "Record already exist"

            End If

        Else
            lblcomment.Text = "System could not find the file/s to upload"
        End If

```

```

        'i-delete sa submitted files at sa temp folder

        rs.Open("Select * from SubmittedFiles where Title = '" & ID1.Text & "'",
con)
        If rs.BOF And rs.EOF Then
            rs.Close()
        Else
            rs.Close()
            System.IO.File.Delete(Server.MapPath(ExistingEditedFulltextField.Text))
            System.IO.File.Delete(Server.MapPath(ExistingEditedAbstract.Text))
            rs.Open("Select * from SubmittedFiles where Title = '" & ID1.Text &
"", con, ADODB.CursorTypeEnum.adOpenKeyset, ADODB.LockTypeEnum.adLockOptimistic)
            rs.Delete()
            rs.Close()
        End If

        con.Close()
        ' Revert the DataList back to its pre-editing state
        DataList1.EditItemIndex = -1
        DataList1.DataBind()

```

```
End Sub
```

```
End Class
```

```

<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Default.aspx.vb" Inherits="Default2" %>

```

```

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

```

```

        .style18
        {
            width: 216px;
        }
        .style21
        {
            font-family: Gisha;
        }
        .style22
        {
            font-family: "Trebuchet MS";
            font-size: small;
        }

        .style31
        {
            font-size: medium;
        }
        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
            text-align: left;
        }
        #object1
        {
            height: 227px;
            width: 339px;
        }

```

```

.style39
{
    font-family: Arial, Helvetica, sans-serif;
    font-size: small;
}
.style40
{
    width: 384px;
    text-align: left;
}
.style44
{
    text-align: center;
}
.style45
{
    text-align: left;
}
.style36
{
    font-family: Cambria;
}
.style34
{
    font-weight: bold;
}
.style46
{
    font-family: "Trebuchet MS";
}
.style37
{
    font-size: medium;
}
.style38
{
    color: #003366;
    font-size: x-large;
}

.style47
{
    width: 338px;
    text-align: left;
    table-layout: fixed;
}
.style49
{
    color: #003366;
    background-color: #FFFCC;
}
.style50
{
    font-size: small;
}
.style48
{
    font-family: "Trebuchet MS";
    font-size: x-large;
    color: #003366;
}
.style42
{

```

```

        background-color: #99CCFF;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC" valign="top">
            <table class="style1">
                <tr>
                    <td class="style18" valign="top">
                        <table class="style1">
                            <tr>
                                <td>
                                    <table class="style1" style="width: 90%">
                                        <tr>
                                            <td bgcolor="#33629B">

```

152


```
Visible="False">
    BackColor="#4AC8EE" style="font-size: small"
    &nbsp;
    &nbsp;
    &nbsp;
    &nbsp;
    <asp:Label ID="Label7" runat="server"
        Text="Forgot password?" style="font-family: Arial, Helvetica, sans-serif; font-
        size: small; color: #333333"></asp:Label>
    &nbsp;
    <asp:HyperLink ID="HyperLink6" runat="server"
        Font-Underline="True" NavigateUrl="~/ForgotPassword.aspx" style="font-family:
        Arial, Helvetica, sans-serif; font-size: small; color: #333333">Click
        here</asp:HyperLink>
    <br />
    <br />
    </asp:Panel>
    <asp:Panel ID="Panel5" runat="server"
        BackColor="#4AC8EE"
        style="font-size: small">
        &nbsp; <span class="style32">&nbsp;Don't
        have a PNRA account?</span><br />
        &nbsp;&nbsp;&nbsp;
        <asp:HyperLink ID="HyperLink5" runat="server"
            Font-Underline="True"
            style="font-weight: 700; font-family: Arial, Helvetica, sans-serif; font-size:
            small;"
            NavigateUrl="~/CreateAccount.aspx"
            ForeColor="#003366">REGISTER</asp:HyperLink>
            &nbsp;<br />
        </asp:Panel>
        <br />
        <br />
        <asp:Panel ID="Panel1" runat="server" BackColor="#4AC8EE" BorderColor="#4AC8EE" BorderStyle="None" BorderWidth="0px" Width="213px" style="font-size: xx-small">
        &nbsp;
        &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
        <asp:TextBox ID="TextBox3" runat="server" Width="134px"></asp:TextBox>
        <asp:Button ID="Button4" runat="server" Text="GO!" Width="50px" />
        <br />
        <br />
        &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
        <asp:HyperLink ID="HyperLink4" runat="server"
            CssClass="style32"
            NavigateUrl="~/AdvancedSearch.aspx">Advanced Search</asp:HyperLink>
        <br />
    </asp:Panel>
```

```

alt="" src="App_Themes/Images/submit%20down.jpg"
"width: 213px; height: 30px" /><br />
<br />
<asp:HyperLink
ID="HyperLink1" runat="server"
ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
<br />
<asp:HyperLink ID="HyperLink2" runat="server"
ImageUrl="~/App_Themes/Images/down.jpg"
NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
<br />
<asp:HyperLink ID="HyperLink3" runat="server"
ImageUrl="~/App_Themes/Images/fb.jpg"
NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
<td align="center" class="style32" valign="top" id="homepage1">
<span class="style22">
<asp:Panel ID="Panel6" runat="server" CssClass="style32"
ForeColor="#003366"
HorizontalAlign="Center">
<asp:Panel ID="Panel28" runat="server">
<span class="style22"><b><span class="style22"><span
class="style22">
<span class="style50"><span class="style50"><span
class="style32"
style="border-left: thick none #336699; border-
right: thick outset #336699; border-top: thick none #336699; border-bottom: thick
outset #336699; padding: 10px; display: block; width: 712px; text-align: center;
background-color: #CCFFFF; font-size: medium; font-weight: bold; font-style: normal;
height: 75px; vertical-align: top; margin-top: 5px; margin-left: 5px; margin-bottom:
5px; font-family: 'Adobe Garamond Pro Bold';">
<div class="style44">
PNRA is a breakthrough project of the Philippine
Nursing Research Society in
terms of information dissemination and
centralization. As a repository of
empirical studies conducted by students,
professors, nurse practitioners and
research enthusiasts, this online archive
showcases various researches in the
Philippines that provide evidence to guide and
improve nursing practice.</div>
</span></span></span></span></span></b></span>
</asp:Panel>
</asp:Panel>
<asp:Panel ID="Panel7" runat="server">
<table class="style1" align="center">
<tr>
<td class="style47" style="padding: 5px; "
valign="top">
<span class="style22">

```



```

runat="server" Text='<%# Eval("Title") %>'
runat="server" onclick="LinkButton6_Click1"
#000099;" Text='<%# Eval("Title") %>'</asp:LinkButton>
runat="server" Text='<%# Eval("Authors") %>' />
runat="server" Text='<%# Eval("Authors2") %>' />
runat="server" Text='<%# Eval("Authors3") %>' />
runat="server" Text='<%# Eval("Authors4") %>' />
runat="server"
%>' />
runat="server"
%>' />
runat="server"
/>
runat="server" Text='<%# Eval("Category") %>' />
runat="server"
%>' />
runat="server"
Visible="False" />
runat="server" Font-Underline="False"
style="font-weight: 700; color: #003366">Abstract</asp:LinkButton>
runat="server" Font-Underline="False"
style="font-weight: 700; color: #003366">Full
Text Article</asp:HyperLink>
<br />
</ItemTemplate>
</asp:DataList>
<asp:Label ID="TitleLabel"
Visible="False" />
<asp:LinkButton ID="LinkButton8"
style="font-weight: 700; color:
<br />
By:
<asp:Label ID="AuthorsLabel"
<asp:Label ID="Authors2Label"
<asp:Label ID="Authors3Label"
<asp:Label ID="Authors4Label"
<br />
(
<asp:Label ID="PublicationLabel"
Text='<%# Eval("Publication")
)
<asp:Label ID="InstitutionLabel"
Text='<%# Eval("Institution")
<br />
Research Type:
<asp:Label ID="ResearchTypeLabel"
Text='<%# Eval("ResearchType") %>'
<br />
Category:
<asp:Label ID="CategoryLabel"
<br />
Specialization:
<asp:Label ID="SpecializationLabel"
Text='<%# Eval("Specialization")
<asp:Label ID="FileAddressLabel"
Text='<%# Eval("FileAddress") %>'
<br />
<asp:LinkButton ID="LinkButton7"
onclick="LinkButton7_Click"
&nbsp; |&nbsp;
<asp:HyperLink ID="HyperLink8"
NavigateUrl="~/FullText.aspx"
Text Article</asp:HyperLink>
<br />
</ItemTemplate>
</asp:DataList>

```



```

Text="Label"></asp:Label>
<asp:Label ID="Label13" runat="server"
Specialization:
Text="Label"></asp:Label>
<asp:Label ID="Label14" runat="server"
&nbsp;<asp:LinkButton ID="LinkButton5" runat="server"
Visible="False">LinkButton</asp:LinkButton>
<br />
</span>
<br />
<asp:LinkButton ID="LinkButton4" runat="server" Font-
Underline="False"
style="font-weight: 700; color: #003366">Download
Abstract PDF</asp:LinkButton>
&nbsp;<b> </b><span class="style38"><b>|
</b></span>&nbsp;<asp:LinkButton
ID="LinkButton6" runat="server" Font-
Underline="False"
PostBackUrl="~/FullText.aspx"
style="font-weight: 700; font-size: small; color:
#003366">Full Text Article</asp:LinkButton>
</div>
<br />
<div align="center">
<asp:TextBox ID="TextBox8" runat="server"
Height="500px" ReadOnly="True"
TextMode="MultiLine" Width="700px"></asp:TextBox>
</div>
<asp:TextBox ID="TextBox7" runat="server" Visible="False"
style="text-align: center"></asp:TextBox>
<br />
<br />
<br />
</asp:Panel>
</span>
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>
Imports System.Data
Imports RustemSoft.ExportToPDF
Imports System.IO
Imports System.Text
Imports Microsoft.Office.Interop.Word
Imports Microsoft.Office.Interop
Imports Microsoft.Office

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        DataList1.DataBind()
    End Sub

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click

```

```

con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"", con)
If rs.BOF And rs.EOF Then
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True

    Label4.ForeColor = Drawing.Color.Red
    rs.Close()
Else
    Label5.Text = rs.Fields("Password").Value
    Label6.Text = rs.Fields("RoleId").Value
    rs.Close()
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

End If

If TextBox5.Text = Label5.Text Then
    If Label6.Text = "1" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "1"
        Server.Transfer("Admin_MyAccount.aspx")
        Server.Transfer("AdminUpload.aspx")
        Server.Transfer("AdminCreateAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("UserAccounts.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Admin_MyAccount.aspx")
    ElseIf Label6.Text = "2" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "2"
        Server.Transfer("Critic_MyAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
    End If
End If

```



```

        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Critic_MyAccount.aspx")

    ElseIf Label6.Text = "3" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "3"

        Server.Transfer("Subscriber_MyAccount.aspx")
        Server.Transfer("Subscriber_SubmitResearch.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    DataList1.SelectedIndex = e.Item.ItemIndex
    DataList1.DataBind()

```

```

        Label8.Text = CType(DataList1.SelectedItem.FindControl("TitleLabel"),
Label).Text
        Label9.Text = CType(DataList1.SelectedItem.FindControl("AuthorsLabel"),
Label).Text &
        CType(DataList1.SelectedItem.FindControl("Authors2Label"), Label).Text &
        CType(DataList1.SelectedItem.FindControl("Authors3Label"), Label).Text &
        CType(DataList1.SelectedItem.FindControl("Authors4Label"), Label).Text
        Label15.Text = CType(DataList1.SelectedItem.FindControl("InstitutionLabel"),
Label).Text
        Label10.Text = CType(DataList1.SelectedItem.FindControl("PublicationLabel"),
Label).Text
        Label12.Text = CType(DataList1.SelectedItem.FindControl("ResearchTypeLabel"),
Label).Text
        Label13.Text = CType(DataList1.SelectedItem.FindControl("CategoryLabel"),
Label).Text
        Label14.Text =
CType(DataList1.SelectedItem.FindControl("SpecializationLabel"), Label).Text
        LinkButton5.Text =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
        TextBox7.Text = Server.MapPath("~/Uploads\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddressLabel"),
Label).Text))

        Dim objWord = CreateObject("Word.Application")
        objWord.Visible = False           ' Don't show word '
        objWord.Documents.Open(TextBox7.Text) ' Open document '
        objWord.Selection.WholeStory()      ' Select everything in the doc '
        TextBox8.Text = objWord.Selection.Text ' Assign document contents to
var'
        objWord.Quit(False)                ' Close Word,
End Sub

Protected Sub LinkButton4_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton4.Click
    Dim value As String =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
    Dim wordApplication As ApplicationClass = New ApplicationClass()
    Dim wordDocument As Document = Nothing

    Dim paramSourceDocPath As String = TextBox7.Text
    Dim paramExportFilePath As String = "D:\" +
Path.GetFileNameWithoutExtension(value) + ".pdf"
    Dim paramExportFormat As WdExportFormat = _
WdExportFormat.wdExportFormatPDF
    Dim paramOpenAfterExport As Boolean = True
    Dim paramExportOptimizeFor As WdExportOptimizeFor = _
WdExportOptimizeFor.wdExportOptimizeForPrint
    Dim paramExportRange As WdExportRange = _
WdExportRange.wdExportAllDocument
    Dim paramStartPage As Int32 = 0
    Dim paramEndPage As Int32 = 0
    Dim paramExportItem As WdExportItem = _
WdExportItem.wdExportDocumentContent
    Dim paramIncludeDocProps As Boolean = True
    Dim paramKeepIRM As Boolean = True
    Dim paramCreateBookmarks As WdExportCreateBookmarks = _
WdExportCreateBookmarks.wdExportCreateWordBookmarks
    Dim paramDocStructureTags As Boolean = True
    Dim paramBitmapMissingFonts As Boolean = True
    Dim paramUseISO19005_1 As Boolean = False
    Try
        ' Open the source document.
        wordDocument = wordApplication.Documents.Open(paramSourceDocPath)

```

```

    ' Export it in the specified format.
    If Not wordDocument Is Nothing Then
        wordDocument.ExportAsFixedFormat(paramExportFilePath, _
            paramExportFormat, paramOpenAfterExport, _
            paramExportOptimizeFor, paramExportRange, paramStartPage, _
            paramEndPage, paramExportItem, paramIncludeDocProps, _
            paramKeepIRM, paramCreateBookmarks, _
            paramDocStructureTags, paramBitmapMissingFonts, _
            paramUseISO19005_1)
    End If
    Catch ex As Exception
        ' Respond to the error
    Finally
        ' Close and release the Document object.
        If Not wordDocument Is Nothing Then
            wordDocument.Close(False)
            wordDocument = Nothing
        End If

        ' Quit Word and release the ApplicationClass object.
        If Not wordApplication Is Nothing Then
            wordApplication.Quit()
            wordApplication = Nothing
        End If

        GC.Collect()
        GC.WaitForPendingFinalizers()
        GC.Collect()
        GC.WaitForPendingFinalizers()
    End Try

End Sub

Protected Sub LinkButton6_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel27.Visible = True
    Panel7.Visible = False
    Panel6.Visible = False
End Sub

Protected Sub LinkButton7_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel27.Visible = True
    Panel7.Visible = False
    Panel6.Visible = False
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Developer.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";

```

```

        font-size: xx-large;
    }
    .style32
    {
        font-family: Arial, Helvetica, sans-serif;
        font-size: small;
        color: #333333;
        text-align: left;
    }
    .style36
    {
        font-size: x-large;
        color: #333333;
    }
    .style37
    {
        font-family: "Times New Roman", Times, serif;
        font-size: large;
        text-align: justify;
    }
    .style38
    {
        font-size: x-large;
    }
    .style39
    {
    }
    .style40
    {
        font-size: small;
        font-family: Arial, Helvetica, sans-serif;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
            <tr>
                <td class="style18" valign="top">
                    <table class="style1">
                    <tr>
                        <td>
                            <table class="style1">
                            <tr>
                                <td bgcolor="#33629B">
                                    <asp:LinkB
                                </td>
                                <td>
                                    <asp:Panel
                                </td>
                            </tr>
                        </td>
                    </tr>
                </td>
            </tr>
        </td>
    </tr>
    </table>
    </td>
    </tr>
    </table>
    <asp:Panel ID="Panel2"
        runat="server"
        BackColor="#4AC8EE"
        BorderWidth="0px"

```



```

        </span>
    </td>
</tr>
</table>
</asp:Panel>
<br />
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>

```

```

Partial Class Default2

```

```

    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

```

```

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
        Handles Me.Load

```

```

            Label8.Text = Session("EmailAddress")
            Label9.Text = Session("RoleID")
            If Label9.Text = "" Then
                LinkButton8.Visible = False
                Panel10.Visible = True
            Else
                LinkButton8.Visible = True
                Panel10.Visible = False
            End If
        End Sub

```

```


```

```

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
        Handles Button5.Click

```

```

            con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
                Server.MapPath("~/App_Data/PNRA_Database.mdb"))
            rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
                "'", con)

```

```

            If rs.EOF And rs.BOF Then
                Label4.Text = "*Invalid Account*"
                Label4.Visible = True
                Label5.Visible = False
                Label6.Visible = False
                Panel4.Visible = True

                Label4.ForeColor = Drawing.Color.Red
                rs.Close()
            Else

```

```

                Label5.Text = rs.Fields("Password").Value
                Label6.Text = rs.Fields("RoleId").Value
                rs.Close()
                Label4.Visible = False
                Label5.Visible = False
                Label6.Visible = False
                Panel4.Visible = False
            End If

```

```


```

```

            If TextBox5.Text = Label5.Text Then
                If Label6.Text = "1" Then
                    Session("EmailAddress") = TextBox4.Text
                    Session("RoleID") = "1"
                    Server.Transfer("Admin_MyAccount.aspx")
                End If
            End If

```



```

Server.Transfer("AdminUpload.aspx")
Server.Transfer("AdminCreateAccount.aspx")
Server.Transfer("AdvancedSearch.aspx")
Server.Transfer("Browse.aspx")
Server.Transfer("ContactUs.aspx")
Server.Transfer("Copyright.aspx")
Server.Transfer("CreateAccount.aspx")
Server.Transfer("Developer.aspx")
Server.Transfer("ForgotPassword.aspx")
Server.Transfer("FullText.aspx")
Server.Transfer("Membership.aspx")
Server.Transfer("MyAccount.aspx")
Server.Transfer("RegisterEmailOnly.aspx")
Server.Transfer("ResearchDocuments.aspx")
Server.Transfer("Search.aspx")
Server.Transfer("SubmitResearch.aspx")
Server.Transfer("SubmittedArticles.aspx")
Server.Transfer("UserAccounts.aspx")
Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Admin_MyAccount.aspx")

ElseIf Label6.Text = "2" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "2"
    Server.Transfer("Critic_MyAccount.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Critic_MyAccount.aspx")

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")

```

```

        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton8.Click
    Label9.Text = ""
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="ForgotPassword.aspx.vb" Inherits="Default2" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }
        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
            text-align: center;
        }
        .style36
        {
            font-size: x-large;

```

```

        color: #333333;
    }
    .style38
    {
        text-align: left;
    }
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
            <tr>
                <td class="style18" valign="top">
                    <table class="style1">
                    <tr>
                        <td>
                            <table class="style1">
                            <tr>
                                <td bgcolor="#33629B">
                                    <br />
                                    <br />
                                    <asp:Panel
ID="Panel1" runat="server" BackColor="#4AC8EE"
BorderColor="#4AC8EE"
BorderStyle="None" BorderWidth="0px"
Width="213px" style="font-size: xx-small">
                                        &nbsp;
                                        &nbsp;
                                        &nbsp;
                                        <asp:T
extBox ID="TextBox3" runat="server" Width="134px"></asp:TextBox>
                                        <asp:B
utton ID="Button4" runat="server"
                                        Te
xt="&gt;&gt;GO!" Width="50px" />
                                        <br />
                                        <br />
                                        &nbsp;
                                        &nbsp;
                                        &nbsp;
                                        <asp:HyperLink ID="HyperLink4" runat="server"
NavigateUrl="~/AdvancedSearch.aspx">Advanc
ed Search</asp:HyperLink>
                                        <br />
                                    </asp:Panel>
                                    <br />
                                    <br />
                                    <asp:HyperLink
ID="HyperLink1" runat="server"
                                        ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
                                        <br />
                                        <asp:HyperLink ID="HyperLink2" runat="server"
                                        ImageUrl="~/App_Themes/Images/down.jpg"
                                        NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>

```



```

        rs.Close()
    End If
    con.Close()

    txtSubject.Text = "PNRA Password Recovery"
    txtMessage.Text = "Your PNRA Password is: " & Label11.Text & vbCrLf &
vbCrLf & "To change your password, go to My Account > Change Password." & vbCrLf &
vbCrLf & vbCrLf & " Note: This is a system generated mail. Any response will not reach
the site administrator."

    Dim smtp As SmtpClient = New SmtpClient("smtp.gmail.com")

    smtp.Credentials = New System.Net.NetworkCredential("minagutz@gmail.com",
"sirius")
    smtp.Port = 587 'Gmail works on this port
    smtp.Host = "smtp.gmail.com"
    smtp.EnableSsl = True

    Dim msg As New Net.Mail.MailMessage( _
"Admin@gmail.com", _
    TextBox6.Text, _
    txtSubject.Text, _
    txtMessage.Text)

    Try
        smtp.Send(msg)
        Panel9.Visible = True
        Panel8.Visible = False
    Catch ex As Exception
        Panel9.Visible = False
        Panel8.Visible = True
        Label9.Text = ex.Message
        Label9.Visible = True
    End Try

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="FullText.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }

        .style32

```



```

        Full Text Article</span>
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32">
        <asp:Label ID="Label8" runat="server" Text="Label"
Visible="False"></asp:Label>
        <asp:Label ID="Label9" runat="server" Text="Label"
Visible="False"></asp:Label>
        <br />
        <br />
        <b>To have a full text copy of this research,
        <br />
        you need to ask permission from PNRS through the following
contact details:<br />
        <span class="style10"><b>
        <br />
        </b></span></b><span class="style10">Prof. Erlinda
Palaganas, RN, MPH, Ph.D
        <br />
        University of the Philippines - Baguio
        <br />
        Email address: </span><a
href="mailto:ecpalaganas@yahoo.com">
        <span class="style10">ecpalaganas@yahoo.com</span></a>
        <br class="style10" />
        <span class="style10">Mobile number: 09209531292
        <br />
        <br />
        <b>Prof. Cora Anonuevo, RN, MPH, Ph.D </b>
        <br />
        University of the Philippines - Manila
        <br />
        Email address: </span><a
href="mailto:cora_anonuevo@yahoo.com">
        <span class="style10">cora_anonuevo@yahoo.com</span></a>
        <br class="style10" />
        <span class="style10">Mobile number:&nbsp;
09178113861<br />
        <br />
        <b>Prof. Jerome Babate, RN, MAN
        <br />
        </b>University of Notre Dame Dadangias
        <br />
        Email Address: <a
href="mailto:profbabate@yahoo.com">profbabate@yahoo.com</a>
        <br />
        Mobile Number: 09228395062<br />
        <b>
        <br />
        </b></span><b><b>When your request is granted, the
document will be sent to your
        email address.<br />
        </b></b>
        <br />
        <br />
    </asp:Panel>
    <br />
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>

```

```

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Label8.Text = Session("EmailAddress")
        Label9.Text = Session("RoleID")
        If Label9.Text = "" Then
            LinkButton8.Visible = False
            Panel10.Visible = True
        Else
            LinkButton8.Visible = True
            Panel10.Visible = False
        End If
    End Sub

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
        con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
        rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"", con)
        If rs.BOF And rs.EOF Then
            Label4.Text = "*Invalid Account*"
            Label4.Visible = True
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = True

            Label4.ForeColor = Drawing.Color.Red
            rs.Close()
        Else
            Label5.Text = rs.Fields("Password").Value
            Label6.Text = rs.Fields("RoleId").Value
            rs.Close()
            Label4.Visible = False
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = False
        End If

        If TextBox5.Text = Label5.Text Then
            If Label6.Text = "1" Then
                Session("EmailAddress") = TextBox4.Text
                Session("RoleID") = "1"
                Server.Transfer("Admin_MyAccount.aspx")
                Server.Transfer("AdminUpload.aspx")
                Server.Transfer("AdminCreateAccount.aspx")
                Server.Transfer("AdvancedSearch.aspx")
                Server.Transfer("Browse.aspx")
                Server.Transfer("ContactUs.aspx")
                Server.Transfer("Copyright.aspx")
                Server.Transfer("CreateAccount.aspx")
                Server.Transfer("Developer.aspx")
                Server.Transfer("ForgotPassword.aspx")
                Server.Transfer("FullText.aspx")
                Server.Transfer("Membership.aspx")
                Server.Transfer("MyAccount.aspx")
                Server.Transfer("RegisterEmailOnly.aspx")
            End If
        End If
    End Sub
End Class

```

```

        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("UserAccounts.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Admin_MyAccount.aspx")

    ElseIf Label6.Text = "2" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "2"
        Server.Transfer("Critic_MyAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Critic_MyAccount.aspx")

    ElseIf Label6.Text = "3" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "3"

        Server.Transfer("Subscriber_MyAccount.aspx")
        Server.Transfer("Subscriber_SubmitResearch.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else

```

```

        Label4.Text = "*Invalid Account*"
        Label4.Visible = True
        Label4.ForeColor = Drawing.Color.Red

        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = True
    End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Membership.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }

        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
        }

        .style36
        {
            font-size: x-large;
            color: #333333;
        }

        .style38
        {
            text-align: center;
        }

        .style22
        {
            font-family: "Trebuchet MS";
            font-size: small;
        }

        .style40
        {
            color: #003399;
            font-weight: bold;
        }
    </style>

```



```
sp:Label ID="Label4" runat="server"
style="color: #CC0000; font-family: Arial, Helvetica, sans-serif; font-size: small;"
xt="Label" Visible="False"></asp:Label>
r />
Panel>
anel ID="Panel4" runat="server"
BackColor="#4AC8EE"
style="font-size: small" Visible="False">
bsp;&nbsp;
sp:Label ID="Label7" runat="server"
Text="Forgot password?" style="font-family: Arial, Helvetica, sans-serif; font-
size: small; color: #333333"></asp:Label>
bsp;<asp:HyperLink ID="HyperLink6" runat="server"
Font-Underline="True" NavigateUrl="~/ForgotPassword.aspx" style="font-family:
Arial, Helvetica, sans-serif; font-size: small; color: #333333">Click
here</asp:HyperLink>
r />
r />
Panel>
anel ID="Panel5" runat="server" BackColor="#4AC8EE"
style="font-size: small">
bsp; <span class="style32">&nbsp;Don't have a PNRA account?</span><br />
bsp;&nbsp;
sp:HyperLink ID="HyperLink5" runat="server"
Font-Underline="True"
style="font-weight: 700; font-family: Arial, Helvetica, sans-serif; font-size:
small;"
NavigateUrl="~/CreateAccount.aspx"
ForeColor="#003366">REGISTER</asp:HyperLink>
bsp;<br />
Panel>
alt=""
src="App_Themes/Images/submit%20down.jpg"
style="width: 213px; height: 30px" id="imglogindown" />
alt="" src="App_Themes/Images/search.jpg"
"width: 213px; height: 30px" /><br />
```



```

        <br />
        <br />
        <div style="text-align: left; padding-left: 50px;">
            <span class="style22" title="a"><b>Membership is
            based on four (4)
            classifications:</b></span></span></div>
            <div style="text-align: left; padding-left: 100px;">
                <span class="style22" title="a"><span
                class="style22" title="a">
                    <br />
                    1. Student Member - BSN Students (Php 100/year)<br
                    />
                    2. Basic Member - New RNs (Php 300/year)<br />
                    3. Regular Member - Post-graduate with degree
                    research works (Php 500/year)<br />
                    published works in journals,
                    500/year)</span></span></div>
                    <div style="text-align: left; padding-left: 50px;">
                        <span class="style22" title="a"><b>
                        <br />
                        Membership Benefits:</b></span></div>
                        <div style="text-align: left; padding-left: 100px;">
                            <span class="style22" title="a"><span
                            class="style22" title="a">
                                <span class="style22" title="a">
                                <br />
                                * Members enjoy continuing education (CE) and
                                merchandise discounts<br />
                                undertaken by PNRS<br />
                                forces, among other structures)<br />
                                opportunities</span></span></span></span></div>
                                <span class="style40">
                                <br />
                                <br />
                                <br />
                                Download the PNRS Membership Application Form!<br />
                                </span>
                                <br />
                                <asp:ImageButton ID="ImageButton2" runat="server"
                                BorderColor="#666666"
                                BorderStyle="Outset" BorderWidth="3px"
                                ImageUrl="~/App_Themes/Images/download.jpg"
                                ToolTip="Download" />
                                <br />
                                <b>
                                <br />
                                </b>&nbsp;&nbsp;&nbsp;Save, print and send to PNRS.
                                <br />
                                (See details in the form)</span><br />
                                <br />
                                <br />
                            </div>
                        </div>
                    </div>

```

```

        </asp:Panel>
        <br />
    </td>
</tr>
<tr>
    <td class="style18" valign="top">
        &nbsp;&nbsp;&nbsp;</td>
    <td align="center" class="style19" valign="top" id="homepage1">
        &nbsp;&nbsp;&nbsp;</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>
Imports Microsoft.Office.Interop

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Label8.Text = Session("EmailAddress")
        Label9.Text = Session("RoleID")
        If Label9.Text = "" Then
            LinkButton8.Visible = False
            Panel10.Visible = True
        Else
            LinkButton8.Visible = True
            Panel10.Visible = False
        End If
    End Sub

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
        con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
        rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"'", con)
        If rs.BOF And rs.EOF Then
            Label4.Text = "*Invalid Account*"
            Label4.Visible = True
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = True

            Label4.ForeColor = Drawing.Color.Red
            rs.Close()
        Else
            Label5.Text = rs.Fields("Password").Value
            Label6.Text = rs.Fields("RoleId").Value
            rs.Close()
            Label4.Visible = False
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = False

        End If

        If TextBox5.Text = Label5.Text Then
            If Label6.Text = "1" Then

```

```

Session("EmailAddress") = TextBox4.Text
Session("RoleID") = "1"
Server.Transfer("Admin_MyAccount.aspx")
Server.Transfer("AdminUpload.aspx")
Server.Transfer("AdminCreateAccount.aspx")
Server.Transfer("AdvancedSearch.aspx")
Server.Transfer("Browse.aspx")
Server.Transfer("ContactUs.aspx")
Server.Transfer("Copyright.aspx")
Server.Transfer("CreateAccount.aspx")
Server.Transfer("Developer.aspx")
Server.Transfer("ForgotPassword.aspx")
Server.Transfer("FullText.aspx")
Server.Transfer("Membership.aspx")
Server.Transfer("MyAccount.aspx")
Server.Transfer("RegisterEmailOnly.aspx")
Server.Transfer("ResearchDocuments.aspx")
Server.Transfer("Search.aspx")
Server.Transfer("SubmitResearch.aspx")
Server.Transfer("SubmittedArticles.aspx")
Server.Transfer("UserAccounts.aspx")
Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Admin_MyAccount.aspx")

ElseIf Label6.Text = "2" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "2"
    Server.Transfer("Critic_MyAccount.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Critic_MyAccount.aspx")

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")

```

```

        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Subscriber_MyAccount.aspx")
    End If
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub ImageButton2_Click(ByVal sender As Object, ByVal e As
System.Web.UI.ImageClickEventArgs) Handles ImageButton2.Click
    Response.Redirect("~/membership_form/PNRS_Membership_Application_Form.pdf")
End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton8.Click
    Label9.Text = ""
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="MyAccount.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }
        .style32
        {

```



```

        <asp:Button ID="Button4" runat="server"
        Text="Go!" Width="50px" />
    </asp:Panel>
    <br />
    <br />
    &nbsp;
    <asp:HyperLink ID="HyperLink4" runat="server"
    CssClass="style32"
    NavigateUrl="~/SearchAdvanced.aspx">Advanced Search</asp:HyperLink>
    <br />
    </asp:Panel>
    <br />
    <br />
    <asp:HyperLink
    ID="HyperLink1" runat="server"
    ImageUrl="~/App_Themes/Images/up.jpg"
    NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
    <br />
    <asp:HyperLink ID="HyperLink2" runat="server"
    ImageUrl="~/App_Themes/Images/down.jpg"
    NavigateUrl="~/Membership.aspx">HyperLink</asp
    :HyperLink>
    <br />
    <asp:HyperLink ID="HyperLink3" runat="server"
    ImageUrl="~/App_Themes/Images/fb.jpg"
    NavigateUrl="http://www.facebook.com/group.php
    ?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
    </td>
    </tr>
    </table>
    </td>
    </tr>
    </table>
    </td>
    <td align="center" class="style19" valign="top" id="homepage1">
    <asp:Panel ID="Panel6" runat="server">
    <span class="style36" style="color: #003366">
    <br />
    My Account</span>
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32">
    <div class="style38">
    <span
    class="style39"><br />
    <br />
    &nbsp; </span><span><b>To view your account details,
    you must Log in to PNRA.<br />
    &nbsp; &nbsp; If you do not have a PNRA account,
    Register.<br />
    </b></span>
    <br />
    <br />
    <br />
    <br />
    <br />
    <br />

```



```

Server.Transfer("CreateAccount.aspx")
Server.Transfer("Developer.aspx")
Server.Transfer("ForgotPassword.aspx")
Server.Transfer("FullText.aspx")
Server.Transfer("Membership.aspx")
Server.Transfer("MyAccount.aspx")
Server.Transfer("RegisterEmailOnly.aspx")
Server.Transfer("ResearchDocuments.aspx")
Server.Transfer("Search.aspx")
Server.Transfer("SubmitResearch.aspx")
Server.Transfer("SubmittedArticles.aspx")
Server.Transfer("UserAccounts.aspx")
Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Admin_MyAccount.aspx")

ElseIf Label6.Text = "2" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "2"
    Server.Transfer("Critic_MyAccount.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Critic_MyAccount.aspx")

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Subscriber_MyAccount.aspx")

```

```

        End If
        Label4.Visible = False
        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = False

    Else
        Label4.Text = "*Invalid Account*"
        Label4.Visible = True
        Label4.ForeColor = Drawing.Color.Red

        Label5.Visible = False
        Label6.Visible = False
        Panel4.Visible = True
    End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

End Class
<%@ Master Language="VB" CodeFile="PNRAMasterPage.master.vb" Inherits="MasterPage2" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
<LINK REL="SHORTCUT ICON" HREF="~/App_Themes/Images/1copy.ico">

    <title></title>
    <link href="~/Styles/StyleSheet.css" rel="stylesheet" type="text/css" />
    <asp:ContentPlaceHolder id="head" runat="server">
    </asp:ContentPlaceHolder>
    <style type="text/css">
        .style1
        {
            width: 100%;
        }
        .style2
        {
            height: 91px;
            width: 1002px;
        }
        .style4
        {
            width: 1002px;
        }
        .style6
        {
            width: 1002px;
            height: 19px;
            text-align: center;
        }
        .style8
        {
            text-decoration: none;
        }
    </style>

```

```

        .style9
        {
            color: #FFFFFF;
        }
        .style10
        {
            width: 1000px;
            height: 130px;
        }
    </style>
</head>
<body style="width: 1000px"
    background="App_Themes/Images/windows-7-wallpaper3.jpg">
    <form id="form1" runat="server" style="margin-top: 20px">
    <div style="background-color: #668299">
        <table cellpadding="0" class="style1" bgcolor="#CCCCCC">
            <caption>
            </caption>
            <tr>
                <td class="style2">
                    </td>
                </tr>
                <tr>
                    <td bgcolor="#476985" class="style4" align="center" valign="middle"
height="30"
                    rowspan="1">
                        <asp:Menu ID="Menu1" runat="server"
                            DynamicHorizontalOffset="2" Font-Bold="True" Font-
Names="Verdana"
                            Font-Overline="False" Font-Size="Small" ForeColor="White"
Height="36px"
                            Orientation="Horizontal" StaticSubMenuIndent=""
                            ItemWrap="True" CssClass="style8"
StaticPopOutImageTextFormatString="">
                            <StaticMenuItemStyle BackColor="#336699" BorderColor="#CCCCCC"
                                BorderStyle="Solid" BorderWidth="2px" Font-
Names="Constantia"
                                    HorizontalPadding="15px" ItemSpacing="3px"
VerticalPadding="2px" />
                            <DynamicHoverStyle BackColor="#284E98" ForeColor="White"
Height="20px" />
                            <DynamicMenuItemStyle VerticalPadding="2px"
                                BackColor="#476985" ItemSpacing="5px"
HorizontalPadding="5px" />
                            <DynamicMenuStyle BackColor="#476985" />
                            <DynamicSelectedStyle ForeColor="#476985" Height="30px"
BackColor="#284E98" />
                            <Items>
                                <asp:MenuItem Text="HOME" Value="Home"
NavigateUrl="~/Default.aspx"></asp:MenuItem>
                                <asp:MenuItem Text="SEARCH" Value="Search"
NavigateUrl="~/Search.aspx">
                                    </asp:MenuItem>
                                    <asp:MenuItem Text="ADVANCED SEARCH" Value="ADVANCED
SEARCH"
                                        NavigateUrl="~/AdvancedSearch.aspx">
                                            </asp:MenuItem>
                                            <asp:MenuItem NavigateUrl="~/Browse.aspx" Text="BROWSE"
Value="Browse">
                                                </asp:MenuItem>
                                                <asp:MenuItem Text="SUBMIT A RESEARCH" Value="SUBMIT A
MANUSCRIPT"

```

```

        NavigateUrl="~/SubmitResearch.aspx">
    </asp:MenuItem>
    <asp:MenuItem Text="MY ACCOUNT" Value="MY ACCOUNT"
        NavigateUrl="~/MyAccount.aspx"></asp:MenuItem>
    <asp:MenuItem Text="CONTACT US" Value="Contact Us"
        NavigateUrl="~/ContactUs.aspx"></asp:MenuItem>
    </Items>
    <StaticHoverStyle BackColor="#284E98" ForeColor="White" />
    <StaticMenuStyle Height="30px" BorderStyle="None" />
    <StaticSelectedStyle Font-Bold="True" BackColor="#284E98" />
    </asp:Menu>
</td>
</tr>
<tr>
    <td class="style4">
<asp:ContentPlaceHolder id="ContentPlaceHolder1" runat="server">

    <p style="visibility: hidden">
        &nbsp;   </p>

</asp:ContentPlaceHolder>
    </td>
</tr>
<tr>
    <td class="style6" bgcolor="#476985"
        style="font-family: Arial, Helvetica, sans-serif; font-size: 10px;
color: #FFFFFF">
        <a class="style8"><span class="style9">Copyright © 2011
        Philippine Nursing Reseaippine Nursing Resea<span lang="en-
us">r</span>ch<span lang="en-us"> Society</span> Inc. All rights
reserved.</span></a>&nbsp;   |&nbsp;   <a
        class="style8"><span class="style9">Terms of
Use&nbsp;   </span></a>|&nbsp;   <asp:LinkButton
        ID="LinkButton1" runat="server" Font-Italic="False" Font-
Underline="False"
        ForeColor="White"
PostBackUrl="~/Developer.aspx">Developer</asp:LinkButton>
&nbsp;   |<a class="style8" href="ContactUs.aspx"><span class="style9">Contact
Us</span></a></td>
</tr>
</table>
</div>
</form>
</body>
</html>

```

```

Partial Class MasterPage2
    Inherits System.Web.UI.MasterPage

```

```

Protected Sub Menu1_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Menu1.Load
    Dim role As Integer = Session("RoleID")

```

```

    If role = "1" Then
        Menu1.Items.Item(5).NavigateUrl = "Admin_MyAccount.aspx"
    ElseIf role = "2" Then
        Menu1.Items.Item(5).NavigateUrl = "Critic_MyAccount.aspx"
    ElseIf role = "3" Then
        Menu1.Items.Item(5).NavigateUrl = "Subscriber_MyAccount.aspx"
    Else
        Menu1.Items.Item(5).NavigateUrl = "MyAccount.aspx"
    End If

```

```

    If role = "1" Then
        Menu1.Items.Item(0).NavigateUrl = "Admin_MyAccount.aspx"
    ElseIf role = "2" Then
        Menu1.Items.Item(0).NavigateUrl = "Critic_MyAccount.aspx"
    ElseIf role = "3" Then
        Menu1.Items.Item(0).NavigateUrl = "Subscriber_MyAccount.aspx"
    Else
        Menu1.Items.Item(0).NavigateUrl = "Default.aspx"
    End If

    If role = "1" Then
        Menu1.Items.Item(1).Enabled = False
        Menu1.Items.Item(2).Enabled = False
        Menu1.Items.Item(3).Enabled = False
        Menu1.Items.Item(4).Enabled = False
    ElseIf role = "2" Then
        Menu1.Items.Item(1).Enabled = False
        Menu1.Items.Item(2).Enabled = False
        Menu1.Items.Item(3).Enabled = False
        Menu1.Items.Item(4).Enabled = False
    ElseIf role = "3" Then
        Menu1.Items.Item(4).NavigateUrl = "Subscriber_SubmitResearch.aspx"
    Else
        Menu1.Items.Item(4).NavigateUrl = "SubmitResearch.aspx"
    End If

End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="ResearchDocuments.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }

        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
        }

        .style36
        {
            font-size: x-large;
            color: #333333;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">

```

```

<table class="style1">
<tr>
  <td bgcolor="#FFFFCC">
    <table class="style1" style="table-layout: fixed; overflow: inherit">
      <tr>
        <td class="style18" valign="top">
          <table class="style1">
            <tr>
              <td>
                <table class="style1">
                  <tr>
                    <td bgcolor="#33629B">
<asp:LinkB
utton ID="LinkButton5" runat="server" PostBackUrl="~/Default.aspx"
                                style=
                                "font-weight: 700; color: #FFFFFF">LOG OUT</asp:LinkButton>
                                <br />
                                <br />
                                <br />
                                <asp:Panel
                                ID="Panell1" runat="server" BackColor="#4AC8EE"
                                BorderColor="#4AC8EE"
                                BorderStyle="None" BorderWidth="0px"
                                Width="213px" style="font-size: xx-small">
                                &nbsp;
                                &nbsp;
                                &nbsp;
                                <asp:T
                                extBox ID="TextBox3" runat="server" Width="134px"></asp:TextBox>
                                <asp:B
                                utton ID="Button4" runat="server"
                                Te
                                xt="&gt;&gt;GO!" Width="50px" />
                                <br />
                                <br />
                                &nbsp;
                                <asp:HyperLink ID="HyperLink4" runat="server"
                                CssClass="style32"
                                NavigateUrl="~/SearchAdvanced.aspx">Advanc
                                ed Search</asp:HyperLink>
                                <br />
                                </asp:Panel>
                                <br />
                                <br />
                                <asp:HyperLink
                                ID="HyperLink1" runat="server"
                                ImageUrl="~/App_Themes/Images/up.jpg"
                                NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink2" runat="server"
                                ImageUrl="~/App_Themes/Images/down.jpg"
                                NavigateUrl="~/Membership.aspx">HyperLink</asp
                                :HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink3" runat="server"
                                ImageUrl="~/App_Themes/Images/fb.jpg"

```

```

NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
        </td>
    </tr>
</table>
    </td>
</tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
    <asp:Panel ID="Panel6" runat="server">
        <span class="style36" style="color: #003366">
            <br />
            Research Documents</span>
    </asp:Panel>
    <asp:Panel ID="Panel7" runat="server" CssClass="style32"
        HorizontalAlign="Center">
        <div class="style32" style="margin-left: 10px; margin-
right: 10px;">
            <asp:Label ID="Label9" runat="server" Text="Label"
Visible="False"></asp:Label>
            <asp:Label ID="Label10" runat="server" Text="Label"
Visible="False"></asp:Label>
            <br />
            <div style="text-align: left">
                <asp:Button ID="Button7" runat="server"
BackColor="#336699"
                    BorderColor="#003366" BorderStyle="Solid"
BorderWidth="2px" ForeColor="White"
                    Height="30px" PostBackUrl="~/AdminUpload.aspx"
style="font-weight: 700"
                    Text="Upload More" Width="105px" />
                <br />
                <br />
            </div>
            <div style="text-align: center">
                <asp:GridView ID="GridView1" runat="server"
                    AllowSorting="True"
                    AutoGenerateColumns="False"
                    BackColor="LightGoldenrodYellow" BorderColor="Tan"
                    BorderWidth="1px" CellPadding="4"
                    CellSpacing="2" DataKeyNames="ID"
                    DataSourceID="AccessDataSource1"
                    EnableSortingAndPagingCallbacks="True"
                    ForeColor="Black" GridLines="None"
                    HorizontalAlign="Center"
                    style="font-size: xx-small" AllowPaging="True"
                    Width="700px">
                    <RowStyle Width="500px" Wrap="True" />
                    <Columns>
                        <asp:CommandField
                            ShowDeleteButton="True" />
                        <asp:BoundField DataField="Title"
                            HeaderText="Title" SortExpression="Title" />
                        <asp:BoundField DataField="ResearchType"
                            HeaderText="ResearchType"
                            SortExpression="ResearchType" />
                        <asp:BoundField DataField="Category"
                            HeaderText="Category"
                            SortExpression="Category" />
                        <asp:BoundField DataField="Specialization"
                            HeaderText="Specialization"

```

```

HeaderText="Institution"
HeaderText="Publication"
ForeColor="DarkSlateBlue"
ForeColor="GhostWhite" />
Bold="True" />
/>
Width="257px"></asp:TextBox>
Text="Search" />
style="color: #003366; font-weight: 700"
runat="server" DataFile="~/App_Data/PNRA_Database.mdb"
[ID] = ? "
= ?, [Authors] = ?, [Authors2] = ?, [Authors3] = ?, [Authors4] = ?, [ResearchType]
= ?, [Category] = ?, [Specialization] = ?, [Institution] = ?, [Publication] = ?,
[FileAddress] = ? WHERE [ID]=?">
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />

```

```

SortExpression="Specialization" />
<asp:BoundField DataField="Institution"
SortExpression="Institution" />
<asp:BoundField DataField="Publication"
SortExpression="Publication" />
</Columns>
<FooterStyle BackColor="Tan" />
<PagerStyle BackColor="PaleGoldenrod"
HorizontalAlign="Center" />
<SelectedRowStyle BackColor="DarkSlateBlue"
<HeaderStyle BackColor="Tan" Font-
<AlternatingRowStyle BackColor="PaleGoldenrod"
</asp:GridView>
<asp:TextBox ID="TextBox7" runat="server"
  <asp:Button ID="Button6" runat="server"
<br />
<br />
<asp:Label ID="Label8" runat="server"
Text="Label" Visible="False"></asp:Label>
<br />
</div>
<br />
<br />
<asp:AccessDataSource ID="AccessDataSource1"
runat="server" DataFile="~/App_Data/PNRA_Database.mdb"
OldValuesParameterFormatString="original_{0}"
SelectCommand="SELECT * FROM [UploadedFiles]"
ConflictDetection="CompareAllValues"
DeleteCommand="DELETE FROM [UploadedFiles] WHERE
InsertCommand="INSERT INTO [UploadedFiles] ([ID],
[Title], [Authors], [Authors2], [Authors3], [Authors4], [ResearchType], [Category],
[Specialization], [Institution], [Publication], [FileAddress]) VALUES
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
UpdateCommand="UPDATE [UploadedFiles] SET [Title]
= ?, [Authors] = ?, [Authors2] = ?, [Authors3] = ?, [Authors4] = ?, [ResearchType]
= ?, [Category] = ?, [Specialization] = ?, [Institution] = ?, [Publication] = ?,
[FileAddress] = ? WHERE [ID]=?">
<DeleteParameters>
<asp:Parameter Name="original_ID" Type="Int32"
<asp:Parameter Name="original_Title"
<asp:Parameter Name="original_Authors"
<asp:Parameter Name="original_Authors2"
<asp:Parameter Name="original_Authors3"
<asp:Parameter Name="original_Authors4"
<asp:Parameter Name="original_ResearchType"

```



```

Type="String" />
Type="String" />
Type="String" />
Type="Int32" />
Type="String" />
</DeleteParameters>
<UpdateParameters>
  <asp:Parameter Name="Title" Type="String" />
  <asp:Parameter Name="Authors" Type="String" />
  <asp:Parameter Name="Authors2"
Type="String" />
  <asp:Parameter Name="Authors3"
Type="String" />
  <asp:Parameter Name="Authors4"
Type="String" />
  <asp:Parameter Name="ResearchType"
Type="String" />
  <asp:Parameter Name="Category"
Type="String" />
  <asp:Parameter Name="Specialization"
Type="String" />
  <asp:Parameter Name="Institution"
  <asp:Parameter Name="Publication" Type="Int32"
  <asp:Parameter Name="FileAddress"
Type="String" />
  <asp:Parameter Name="original_ID" Type="Int32"
  <asp:Parameter Name="original_Title"
  <asp:Parameter Name="original_Authors"
Type="String" />
  <asp:Parameter Name="original_Authors2"
Type="String" />
  <asp:Parameter Name="original_Authors3"
Type="String" />
  <asp:Parameter Name="original_Authors4"
Type="String" />
  <asp:Parameter Name="original_ResearchType"
Type="String" />
  <asp:Parameter Name="original_Category"
Type="String" />
  <asp:Parameter Name="original_Specialization"
Type="String" />
  <asp:Parameter Name="original_Institution"
  <asp:Parameter Name="original_Publication"
Type="Int32" />
  <asp:Parameter Name="original_FileAddress"
Type="String" />
</UpdateParameters>
<InsertParameters>
  <asp:Parameter Name="ID" Type="Int32" />
  <asp:Parameter Name="Title" Type="String" />
  <asp:Parameter Name="Authors" Type="String" />
  <asp:Parameter Name="Authors2"
Type="String" />

```

```

Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
Type="String" />
/>
Type="String" />
<asp:Parameter Name="Authors3"
<asp:Parameter Name="Authors4"
<asp:Parameter Name="ResearchType"
<asp:Parameter Name="Category"
<asp:Parameter Name="Specialization"
<asp:Parameter Name="Institution"
<asp:Parameter Name="Publication" Type="Int32"
<asp:Parameter Name="FileAddress"
</InsertParameters>
</asp:AccessDataSource>
<br />
<br />
</div>
</asp:Panel>
<br />
</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>
Imports System.Web.Mail
'namespace to be imported
Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
        Session("searchinput") = TextBox3.Text
        Response.Redirect("~/Search.aspx")
        Session.Clear()
    End Sub

    Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click
        Dim str As String
        If TextBox7.Text = "" Then
            Label8.Text = "Enter a search string."
            Label8.Visible = True
        Else
            str = "SELECT * FROM [UploadedFiles] WHERE (([Title] LIKE '%' + '" &
TextBox7.Text & "' + '%') OR ([ResearchType] LIKE '%' + '" & TextBox7.Text & "' + '%')
OR ([Category] LIKE '%' + '" & TextBox7.Text & "' + '%') OR ([Specialization] LIKE '%'
+ '" & TextBox7.Text & "' + '%') OR ([Institution] LIKE '%' + '" & TextBox7.Text & "'
+ '%') OR ([Publication] LIKE '%' + '" & TextBox7.Text & "' + '%'))"
            AccessDataSource1.SelectCommand = str
            Label8.Visible = True

            GridView1.DataBind()
            If GridView1.Rows.Count > 0 Then

```

```
Label8.Text = GridView1.Rows.Count.ToString() + " research document/s  
found."
```

```
ElseIf GridView1.Rows.Count = 0 Then  
Label8.Text = "No research document/s found."
```

```
End If  
End If
```

```
End Sub
```

```
Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As  
System.EventArgs) Handles LinkButton5.Click
```

```
Label10.Text = ""
```

```
End Sub
```

```
End Class
```

```
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"  
AutoEventWireup="false" CodeFile="Search.aspx.vb" Inherits="Default2" %>
```

```
<%@ Import Namespace="System.Data" %>
```

```
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">  
<style type="text/css">
```

```
.style18
```

```
{
```

```
width: 216px;
```

```
}
```

```
.style19
```

```
{
```

```
font-family: "High Tower Text";
```

```
font-size: xx-large;
```

```
}
```

```
.style32
```

```
{
```

```
font-family: Arial, Helvetica, sans-serif;
```

```
font-size: small;
```

```
color: #003366;
```

```
}
```

```
.style36
```

```
{
```

```
font-size: x-large;
```

```
color: #333333;
```

```
}
```

```
.style37
```

```
{
```

```
font-size: medium;
```

```
}
```

```
.style38
```

```
{
```

```
color: #003366;
```

```
}
```

```
.style39
```

```
{
```

```
text-align: left;
```

```
}
```

```
.style40
```

```
{
```

```
color: #333333;
```

```
}
```

```
.style41
```

```
{
```



```

r />
bsp;&nbsp;
sp:Label ID="Label4" runat="server"
yle="color: #CC0000; font-family: Arial, Helvetica, sans-serif; font-size: small;"
xt="Label" Visible="False"></asp:Label>
r />
Panel>
anel ID="Panel4" runat="server"
BackColor="#4AC8EE"
style="font-size: small" Visible="False">
bsp;&nbsp;
sp:Label ID="Label7" runat="server"
Text="Forgot password?" style="font-family: Arial, Helvetica, sans-serif; font-
size: small; color: #333333"></asp:Label>
bsp;<asp:HyperLink ID="HyperLink6" runat="server"
Font-Underline="True" NavigateUrl="~/ForgotPassword.aspx" style="font-family:
Arial, Helvetica, sans-serif; font-size: small; color: #333333">Click
here</asp:HyperLink>
r />
r />
Panel>
anel ID="Panel5" runat="server" BackColor="#4AC8EE"
style="font-size: small">
bsp; <span class="style32">&nbsp;Don't have a PNRA account?</span><br />
bsp;&nbsp;
sp:HyperLink ID="HyperLink5" runat="server"
Font-Underline="True"
style="font-weight: 700; font-family: Arial, Helvetica, sans-serif; font-size:
small;"
NavigateUrl="~/CreateAccount.aspx"
ForeColor="#003366">REGISTER</asp:HyperLink>
bsp;<br />
Panel>
alt=""
src="App_Themes/Images/submit%20down.jpg"
style="width: 213px; height: 30px" id="imglogindown" />
l>

```

```

ID="HyperLink1" runat="server"
                                <asp:HyperLink
                                ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink2" runat="server"
                                ImageUrl="~/App_Themes/Images/down.jpg"
                                NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink3" runat="server"
                                ImageUrl="~/App_Themes/Images/fb.jpg"
                                NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
                                </td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
                                </td>
                                <td align="center" class="style19" valign="top" id="homepage1">
                                <asp:Panel ID="Panel6" runat="server">
                                <span class="style36" style="color: #003366">
                                <br />
                                Search</span><div class="style41">
                                Nursing research articles in this archive are
available without charge.<br />
                                However, access to full text copies require permission
from Philippine Nursing
                                Research Society, Inc.</div>
                                </asp:Panel>
                                <asp:Panel ID="Panel7" runat="server" CssClass="style32">
                                <asp:Label ID="Label16" runat="server" Text="Label"
Visible="False"></asp:Label>
                                <asp:Label ID="Label17" runat="server" Text="Label"
Visible="False"></asp:Label>
                                <br />
                                <br />
                                Keyword/s:
                                <asp:TextBox ID="TextBox6" runat="server"
Width="200px"></asp:TextBox>
                                <asp:Button ID="Button6" runat="server" Text="Search" />
                                <br />
                                <br />
                                &nbsp;<asp:Label ID="Label11" runat="server"
Visible="False"
                                style="font-weight: 700; color: #003366"></asp:Label>
                                <br />
                                </asp:Panel>
                                <asp:Panel ID="Panel8" runat="server" CssClass="style32"
                                style="text-align: center">
                                <br />
                                <asp:DataList ID="DataList1" runat="server"
BorderStyle="None" CellPadding="10"
                                CssClass="style32" DataSourceID="AccessDataSource1"
Font-Bold="False"
                                Font-Italic="False" Font-Overline="False" Font-
Strikeout="False"
                                Font-Underline="False" ForeColor="#333333"
HorizontalAlign="Center"
                                TabIndex="20" UseAccessibleHeader="True"
Width="702px">

```

```

Fore-color="White"
Font-Overline="False"
HorizontalAlign="Left"
Bold="False" Font-Italic="False"
Underline="False"
VerticalAlign="Top" />
HorizontalAlign="Left"
Bold="True" ForeColor="#CCCCCC"
Italic="False"
Underline="False" />
<FooterStyle BackColor="#5D7B9D" Font-Bold="True"
HorizontalAlign="Left" VerticalAlign="Top" />
<EditItemStyle Font-Bold="False" Font-Italic="False"
Font-Strikeout="False" Font-Underline="False"
VerticalAlign="Top" />
<AlternatingItemStyle BackColor="White" Font-
Font-Overline="False" Font-Strikeout="False" Font-
ForeColor="#333333" HorizontalAlign="Left"
<ItemStyle BackColor="#F7F6F3" ForeColor="#333333"
VerticalAlign="Top" />
<SelectedItemStyle BackColor="#E2DED6" Font-
HorizontalAlign="Left" VerticalAlign="Top" Font-
Font-Overline="False" Font-Strikeout="False" Font-
<HeaderTemplate>
<div class="style39">
Search Result/s:</div>
</HeaderTemplate>
<HeaderStyle BackColor="#5D7B9D" Font-Bold="True"
Fore-color="White"
HorizontalAlign="Left" VerticalAlign="Top" />
<ItemTemplate>
<div class="style39">
<asp:Label ID="TitleLabel" runat="server"
Visible="False" />
<asp:LinkButton ID="LinkButton6"
runat="server" onclick="LinkButton6_Click1"
style="font-weight: 700; color: #000099;"
Text='<%# Eval("Title") %>'></asp:LinkButton>
<br />
By:
<asp:Label ID="AuthorsLabel" runat="server"
<asp:Label ID="Authors2Label" runat="server"
<asp:Label ID="Authors3Label" runat="server"
<asp:Label ID="Authors4Label" runat="server"
<br />
(
<asp:Label ID="PublicationLabel"
runat="server"
Text='<%# Eval("Publication") %>' />
)
<asp:Label ID="InstitutionLabel"
runat="server"
Text='<%# Eval("Institution") %>' />
<br />
Research Type:
<asp:Label ID="ResearchTypeLabel"
runat="server"
Text='<%# Eval("ResearchType") %>' />

```

```

        <br />
        Category:
        <asp:Label ID="CategoryLabel" runat="server"
Text='<%# Eval("Category") %>' />
        <br />
        Specialization:
        <asp:Label ID="SpecializationLabel"
runat="server"
            Text='<%# Eval("Specialization") %>' />
        <asp:Label ID="FileAddressLabel"
runat="server"
            Text='<%# Eval("FileAddress") %>'
Visible="False" />
        <br />
        <asp:LinkButton ID="LinkButton7"
runat="server" Font-Underline="False"
            onclick="LinkButton7_Click" style="font-
weight: 700; color: #003366">Abstract</asp:LinkButton>
            &nbsp; | &nbsp;
        <asp:HyperLink ID="HyperLink7" runat="server"
Font-Underline="False"
            NavigateUrl="~/FullText.aspx" style="font-
weight: 700; color: #003366">Full
Text Article</asp:HyperLink>
        <br />
    </div>
</ItemTemplate>
</asp:DataList>
<asp:AccessDataSource ID="AccessDataSource1"
runat="server"
    DataFile="~/App_Data/PNRA_Database.mdb"
    SelectCommand="SELECT * FROM [UploadedFiles] WHERE
    ([[Title] LIKE '%' + astrWords + '%') OR ([ResearchType] LIKE '%' + astrWords + '%')
    OR ([Category] LIKE '%' + astrWords + '%') OR ([Specialization] LIKE '%' + astrWords +
    '%') OR ([Institution] LIKE '%' + astrWords + '%'))">
    <SelectParameters>
        <asp:ControlParameter ControlID="TextBox6"
Name="Title" PropertyName="Text"
            Type="String" />
        <asp:ControlParameter ControlID="TextBox6"
Name="ResearchType"
            PropertyName="Text" Type="String" />
        <asp:ControlParameter ControlID="TextBox6"
Name="Category" PropertyName="Text"
            Type="String" />
        <asp:ControlParameter ControlID="TextBox6"
Name="Specialization"
            PropertyName="Text" Type="String" />
        <asp:ControlParameter ControlID="TextBox6"
Name="Institution"
            PropertyName="Text" Type="String" />
    </SelectParameters>
</asp:AccessDataSource>
<br />
<br />
<br />
<br />
</asp:Panel>
<asp:Panel ID="Panel9" runat="server" CssClass="style32"
Visible="False">
<br />
<div class="style39" style="padding-left: 22px; padding-
right: 22px;">

```



```

                <span class="style40"><i>Research Article</i><br />
                <br />
                <asp:Label ID="Label8" runat="server"
                style="font-size: large; font-weight: 700; color:
#003366;" Text="Label"></asp:Label>
                <br />
                By: <span class="style37">
                <asp:Label ID="Label9" runat="server" style="font-
size: small; " Text="Label"></asp:Label>
                <br />
                (
                <asp:Label ID="Label10" runat="server" style="font-
size: small" Text="Label"></asp:Label>
                )
                </span><span><span class="style40">
                <asp:Label ID="Label15" runat="server"
Text="Label"></asp:Label>
                </span></span>
                <br />
                </span>
                <span class="style40">Research Type:
                <asp:Label ID="Label12" runat="server"
Text="Label"></asp:Label>
                <br />
                Category:
                <asp:Label ID="Label13" runat="server"
Text="Label"></asp:Label>
                <br />
                Specialization:
                <asp:Label ID="Label14" runat="server"
Text="Label"></asp:Label>
                &nbsp;<asp:LinkButton ID="LinkButton5" runat="server"
Visible="False">LinkButton</asp:LinkButton>
                <br />
                </span>
                <br />
                <asp:LinkButton ID="LinkButton4" runat="server" Font-
Underline="False"
                style="font-weight: 700; color: #003366">Download
                Abstract PDF</asp:LinkButton>
                &nbsp;<b> </b><span class="style38"><b>| </b></span>&nbsp;<asp:LinkButton
                ID="LinkButton3" runat="server" Font-
Underline="False"
                PostBackUrl="~/FullText.aspx"
                style="font-weight: 700; font-size: small; color:
#003366">Full Text Article</asp:LinkButton>
                </div>
                <br />
                <div>
                <asp:TextBox ID="TextBox8" runat="server"
Height="500px" ReadOnly="True"
                TextMode="MultiLine" Width="700px"></asp:TextBox>
                </div>
                <asp:TextBox ID="TextBox7" runat="server"
Visible="False"></asp:TextBox>
                <br />
                <br />
                <br />
                </asp:Panel>
                <br />
            </td>
        </tr>

```

```

        </table>
    </td>
</tr>
</table>
</asp:Content>
Imports System.Data
Imports RustemSoft.ExportToPDF
Imports System.IO
Imports System.Text
Imports Microsoft.Office.Interop.Word
Imports Microsoft.Office.Interop
Imports Microsoft.Office

Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
        con.Open("Provider = Microsoft.Jet.Oledb.4.0; Data source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
        rs.Open("Select * from tblRegister where emailaddress = '" & TextBox4.Text &
"", con)
        If rs.EOF And rs.BOF Then
            Label4.Text = "*Invalid Account*"
            Label4.Visible = True
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = True

            Label4.ForeColor = Drawing.Color.Red
            rs.Close()
        Else
            Label5.Text = rs.Fields("Password").Value
            Label6.Text = rs.Fields("RoleId").Value
            rs.Close()
            Label4.Visible = False
            Label5.Visible = False
            Label6.Visible = False
            Panel4.Visible = False
        End If

        If TextBox5.Text = Label5.Text Then
            If Label6.Text = "1" Then
                Session("EmailAddress") = TextBox4.Text
                Session("RoleID") = "1"
                Server.Transfer("Admin_MyAccount.aspx")
                Server.Transfer("AdminUpload.aspx")
                Server.Transfer("AdminCreateAccount.aspx")
                Server.Transfer("AdvancedSearch.aspx")
                Server.Transfer("Browse.aspx")
                Server.Transfer("ContactUs.aspx")
                Server.Transfer("Copyright.aspx")
                Server.Transfer("CreateAccount.aspx")
                Server.Transfer("Developer.aspx")
                Server.Transfer("ForgotPassword.aspx")
                Server.Transfer("FullText.aspx")
                Server.Transfer("Membership.aspx")
                Server.Transfer("MyAccount.aspx")
                Server.Transfer("RegisterEmailOnly.aspx")
            End If
        End If
    End Sub
End Class

```

```

Server.Transfer("ResearchDocuments.aspx")
Server.Transfer("Search.aspx")
Server.Transfer("SubmitResearch.aspx")
Server.Transfer("SubmittedArticles.aspx")
Server.Transfer("UserAccounts.aspx")
Server.Transfer("ViewSubmittedArticles.aspx")

Response.Redirect("Admin_MyAccount.aspx")

ElseIf Label6.Text = "2" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "2"
    Server.Transfer("Critic_MyAccount.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Critic_MyAccount.aspx")

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Subscriber_MyAccount.aspx")
End If
Label4.Visible = False
Label5.Visible = False
Label6.Visible = False
Panel4.Visible = False

```

```

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click

    DataList1.DataBind()
    If DataList1.Items.Count > 0 Then
        Label11.Text = "Your search returned " + DataList1.Items.Count.ToString()
+ " result/s."
        Label11.Visible = True
        Panel8.Visible = True
    Else
        Label11.Text = "No Results Found."
        Label11.Visible = True
        Panel8.Visible = False
    End If
    DataList1.DataBind()
End Sub

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    DataList1.SelectedIndex = e.Item.ItemIndex
    DataList1.DataBind()
    Label8.Text = CType(DataList1.SelectedItem.FindControl("TitleLabel"),
Label).Text
    Label9.Text = CType(DataList1.SelectedItem.FindControl("AuthorsLabel"),
Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors2Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors3Label"), Label).Text & _
    CType(DataList1.SelectedItem.FindControl("Authors4Label"), Label).Text
    Label15.Text = CType(DataList1.SelectedItem.FindControl("InstitutionLabel"),
Label).Text
    Label10.Text = CType(DataList1.SelectedItem.FindControl("PublicationLabel"),
Label).Text
    Label12.Text = CType(DataList1.SelectedItem.FindControl("ResearchTypeLabel"),
Label).Text
    Label13.Text = CType(DataList1.SelectedItem.FindControl("CategoryLabel"),
Label).Text
    Label14.Text =
CType(DataList1.SelectedItem.FindControl("SpecializationLabel"), Label).Text
    LinkButton5.Text =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
    TextBox7.Text = Server.MapPath("~\Uploads\" +
Path.GetFileName(CType(DataList1.SelectedItem.FindControl("FileAddressLabel"),
Label).Text))

    Dim objWord = CreateObject("Word.Application")
    objWord.Visible = False           ' Don't show word '
    objWord.Documents.Open(TextBox7.Text) ' Open document '
    objWord.Selection.WholeStory()     ' Select everything in the doc '
    TextBox8.Text = objWord.Selection.Text ' Assign document contents to
var'

```

```

        objWord.Quit(False)                                ' Close Word, don't save '

    End Sub

    Protected Sub LinkButton4_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton4.Click
        Dim value As String =
CType(DataList1.SelectedItem.FindControl("FileAddressLabel"), Label).Text
        Dim wordApplication As ApplicationClass = New ApplicationClass()
        Dim wordDocument As Document = Nothing

        Dim paramSourceDocPath As String = TextBox7.Text
        Dim paramExportFilePath As String = "D:\" +
Path.GetFileNameWithoutExtension(value) + ".pdf"
        Dim paramExportFormat As WdExportFormat = _
WdExportFormat.wdExportFormatPDF
        Dim paramOpenAfterExport As Boolean = True
        Dim paramExportOptimizeFor As WdExportOptimizeFor = _
WdExportOptimizeFor.wdExportOptimizeForPrint
        Dim paramExportRange As WdExportRange = _
WdExportRange.wdExportAllDocument
        Dim paramStartPage As Int32 = 0
        Dim paramEndPage As Int32 = 0
        Dim paramExportItem As WdExportItem = _
WdExportItem.wdExportDocumentContent
        Dim paramIncludeDocProps As Boolean = True
        Dim paramKeepIRM As Boolean = True
        Dim paramCreateBookmarks As WdExportCreateBookmarks = _
WdExportCreateBookmarks.wdExportCreateWordBookmarks
        Dim paramDocStructureTags As Boolean = True
        Dim paramBitmapMissingFonts As Boolean = True
        Dim paramUseISO19005_1 As Boolean = False
        Try
            ' Open the source document.
            wordDocument = wordApplication.Documents.Open(paramSourceDocPath)

            ' Export it in the specified format.
            If Not wordDocument Is Nothing Then
                wordDocument.ExportAsFixedFormat(paramExportFilePath, _
                    paramExportFormat, paramOpenAfterExport, _
                    paramExportOptimizeFor, paramExportRange, paramStartPage, _
                    paramEndPage, paramExportItem, paramIncludeDocProps, _
                    paramKeepIRM, paramCreateBookmarks, _
                    paramDocStructureTags, paramBitmapMissingFonts, _
                    paramUseISO19005_1)
            End If
        Catch ex As Exception
            ' Respond to the error
        Finally
            ' Close and release the Document object.
            If Not wordDocument Is Nothing Then
                wordDocument.Close(False)
                wordDocument = Nothing
            End If

            ' Quit Word and release the ApplicationClass object.
            If Not wordApplication Is Nothing Then
                wordApplication.Quit()
                wordApplication = Nothing
            End If

            GC.Collect()
            GC.WaitForPendingFinalizers()
        End Sub

```

```

        GC.Collect()
        GC.WaitForPendingFinalizers()
    End Try

End Sub

Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
    Response.Redirect(LinkButton5.Text)
End Sub

Protected Sub LinkButton7_Click(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel9.Visible = True
    Panel6.Visible = False
    Panel7.Visible = False
    Panel8.Visible = False
End Sub

Protected Sub LinkButton6_Click1(ByVal sender As Object, ByVal e As
System.EventArgs)
    Panel9.Visible = True
    Panel6.Visible = False
    Panel7.Visible = False
    Panel8.Visible = False
End Sub

Protected Sub TextBox6_TextChanged(ByVal sender As Object, ByVal e As
System.EventArgs) Handles TextBox6.TextChanged
    Dim astrWords() As String = Split(TextBox6.Text.ToString, " ", -1)
End Sub

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
    Label16.Text = Session("EmailAddress")
    Label17.Text = Session("RoleID")
    If Label17.Text = "" Then
        LinkButton8.Visible = False
        Panel10.Visible = True
    Else
        LinkButton8.Visible = True
        Panel10.Visible = False
    End If

    If Session("searchinput") = "" Then
    Else
        TextBox6.Text = Session("searchinput")
        DataList1.DataBind()
        If DataList1.Items.Count > 0 Then
            Label11.Text = "Your search returned " +
DataList1.Items.Count.ToString() + " result/s."
            Label11.Visible = True
            Panel8.Visible = True
        Else
            Label11.Text = "No Results Found."
            Label11.Visible = True
            Panel8.Visible = False
        End If
        Session.Clear()
    End If
End Sub

```

```

End Sub

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton8.Click
    Label17.Text = ""
End Sub
End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="SubmitResearch.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }

        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
        }

        .style36
        {
            font-size: x-large;
            color: #333333;
        }

        .style38
        {
            text-align: left;
        }

        .style39
        {
            font-size: medium;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
                <tr>
                    <td class="style18" valign="top">
                        <table class="style1">
                            <tr>
                                <td>
                                    <table class="style1">
                                        <tr>
                                            <td bgcolor="#33629B">
                                                <br />
                                                <asp:Panel
                                                    ID="Panel2" runat="server"

```



```

        Label4.ForeColor = Drawing.Color.Red
        rs.Close()
Else
    Label5.Text = rs.Fields("Password").Value
    Label6.Text = rs.Fields("RoleId").Value
    rs.Close()
    Label4.Visible = False
    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = False

End If

If TextBox5.Text = Label5.Text Then
    If Label6.Text = "1" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "1"
        Server.Transfer("Admin_MyAccount.aspx")
        Server.Transfer("AdminUpload.aspx")
        Server.Transfer("AdminCreateAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("UserAccounts.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Admin_MyAccount.aspx")

    ElseIf Label6.Text = "2" Then
        Session("EmailAddress") = TextBox4.Text
        Session("RoleID") = "2"
        Server.Transfer("Critic_MyAccount.aspx")
        Server.Transfer("AdvancedSearch.aspx")
        Server.Transfer("Browse.aspx")
        Server.Transfer("ContactUs.aspx")
        Server.Transfer("Copyright.aspx")
        Server.Transfer("CreateAccount.aspx")
        Server.Transfer("Developer.aspx")
        Server.Transfer("ForgotPassword.aspx")
        Server.Transfer("FullText.aspx")
        Server.Transfer("Membership.aspx")
        Server.Transfer("MyAccount.aspx")
        Server.Transfer("RegisterEmailOnly.aspx")
        Server.Transfer("ResearchDocuments.aspx")
        Server.Transfer("Search.aspx")
        Server.Transfer("SubmitResearch.aspx")
        Server.Transfer("SubmittedArticles.aspx")
        Server.Transfer("ViewSubmittedArticles.aspx")

        Response.Redirect("Critic_MyAccount.aspx")
    End If
End If

```

```

ElseIf Label6.Text = "3" Then
    Session("EmailAddress") = TextBox4.Text
    Session("RoleID") = "3"

    Server.Transfer("Subscriber_MyAccount.aspx")
    Server.Transfer("Subscriber_SubmitResearch.aspx")
    Server.Transfer("AdvancedSearch.aspx")
    Server.Transfer("Browse.aspx")
    Server.Transfer("ContactUs.aspx")
    Server.Transfer("Copyright.aspx")
    Server.Transfer("CreateAccount.aspx")
    Server.Transfer("Developer.aspx")
    Server.Transfer("ForgotPassword.aspx")
    Server.Transfer("FullText.aspx")
    Server.Transfer("Membership.aspx")
    Server.Transfer("MyAccount.aspx")
    Server.Transfer("RegisterEmailOnly.aspx")
    Server.Transfer("ResearchDocuments.aspx")
    Server.Transfer("Search.aspx")
    Server.Transfer("SubmitResearch.aspx")
    Server.Transfer("SubmittedArticles.aspx")
    Server.Transfer("ViewSubmittedArticles.aspx")

    Response.Redirect("Subscriber_MyAccount.aspx")
End If
Label4.Visible = False
Label5.Visible = False
Label6.Visible = False
Panel4.Visible = False

Else
    Label4.Text = "*Invalid Account*"
    Label4.Visible = True
    Label4.ForeColor = Drawing.Color.Red

    Label5.Visible = False
    Label6.Visible = False
    Panel4.Visible = True
End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="SubmittedArticles.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {

```



```

            NavigateUrl="~/SearchAdvanced.aspx">Advanc
ed Search</asp:HyperLink>
            <br />
        </asp:Panel>
            <br />
            <br />
        <asp:HyperLink
ID="HyperLink1" runat="server"
            ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
        <br />
        <asp:HyperLink ID="HyperLink2" runat="server"
            ImageUrl="~/App_Themes/Images/down.jpg"
NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
            <br />
        <asp:HyperLink ID="HyperLink3" runat="server"
            ImageUrl="~/App_Themes/Images/fb.jpg"
NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
            </td>
        </tr>
    </table>
    </td>
    </tr>
    </table>
    </td>
    </tr>
    </table>
    </td>
    </tr>
    </table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
    <asp:Panel ID="Panel6" runat="server">
        <span class="style36" style="color: #003366">
            <br />
Submitted Articles<br />
            <br />
</span>
            <asp:Button ID="Button12" runat="server" Text="View
Published Articles" />
            <asp:Button ID="Button11" runat="server" Text="View
Unpublished Articles" />
        </asp:Panel>
        <asp:Panel ID="Panel7" runat="server" CssClass="style32">
            <div class="style38" align="center">
                <asp:Label ID="Label1" runat="server" Text="Label"
Visible="False"></asp:Label>
                <asp:Label ID="Label2" runat="server" Text="Label"
Visible="False"></asp:Label>
                <br />
                <asp:DataList ID="DataList1" runat="server"
BackColor="LightGoldenrodYellow"
                    BorderColor="Tan" BorderWidth="1px"
CellPadding="2" DataKeyField="ID"
                    DataSourceID="AccessDataSource1" ForeColor="Black"
HorizontalAlign="Center"
                    Width="600px">
                    <FooterStyle BackColor="Tan" />
                    <EditItemStyle BackColor="#336699" />
                    <AlternatingItemStyle BackColor="PaleGoldenrod" />
                    <EditItemTemplate>
                        <asp:Label ID="Label3" runat="server" Text='<
                        &# Eval("Title") %>'
Visible="False"></asp:Label>

```



```

        Text='<%# Eval("Institution") %>' />
    <br />
    Name of Publication:
    <asp:Label ID="NameOfPublicationLabel"

runat="server"

        Text='<%# Eval("NameOfPublication") %>' />
    <br />
    Year of Publication:
    <asp:Label ID="YearOfPublicationLabel"

runat="server"

        Text='<%# Eval("YearOfPublication") %>' />
    <br />
    Publisher:
    <asp:Label ID="PublisherLabel" runat="server"

Text='<%# Eval("Publisher") %>' />

    <br />
    Date of Submission:
    <asp:Label ID="DateOfSubmissionLabel"

runat="server"

        Text='<%# Eval("DateOfSubmission") %>' />
    <br />
    <br />
    </ItemTemplate>
</asp:DataList>
<asp:AccessDataSource ID="AccessDataSource1"

runat="server"

        ConflictDetection="CompareAllValues"
DataFile="~/App_Data/PNRA_Database.mdb"
        DeleteCommand="DELETE FROM [SubmittedFiles] WHERE
[ID] = ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS NULL)) AND (([Authors] = ?)
OR ([Authors] IS NULL AND ? IS NULL)) AND (([Authors2] = ?) OR ([Authors2] IS NULL AND
? IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS NULL AND ? IS NULL)) AND
(([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?) OR ([Published] IS NULL
AND ? IS NULL)) AND (([NameOfPublication] = ?) OR ([NameOfPublication] IS NULL AND ?
IS NULL)) AND (([YearOfPublication] = ?) OR ([YearOfPublication] IS NULL AND ? IS
NULL)) AND (([Publisher] = ?) OR ([Publisher] IS NULL AND ? IS NULL)) AND
(([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL AND ? IS NULL)) AND
(([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL)) AND (([FileAddress1]
= ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND (([FileAddress2] = ?) OR
([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType] = ?) OR ([ResearchType]
IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category] IS NULL AND ? IS NULL))
AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ? IS NULL)) AND
([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND (([Status] = ?)
OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic] IS NULL AND ? IS
NULL))"
        InsertCommand="INSERT INTO [SubmittedFiles] ([ID],
[Title], [Authors], [Authors2], [Authors3], [Authors4], [Institution], [Published],
[NameOfPublication], [YearOfPublication], [Publisher], [DateOfSubmission],
[DateApproved], [FileAddress1], [FileAddress2], [ResearchType], [Category],
[Specialization], [EmailAddress], [Status], [Critic]) VALUES
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
        OldValuesParameterFormatString="original_{0}"
        SelectCommand="SELECT * FROM [SubmittedFiles]
WHERE ([Published] = ?) ORDER BY [DateOfSubmission]"
        UpdateCommand="UPDATE [SubmittedFiles] SET [Title]
= ?, [Authors] = ?, [Authors2] = ?, [Authors3] = ?, [Authors4] = ?, [Institution] = ?,
[Published] = ?, [NameOfPublication] = ?, [YearOfPublication] = ?, [Publisher] = ?,
[DateOfSubmission] = ?, [DateApproved] = ?, [FileAddress1] = ?, [FileAddress2] = ?,
[ResearchType] = ?, [Category] = ?, [Specialization] = ?, [EmailAddress] = ?, [Status]
= ?, [Critic] = ? WHERE [ID] = ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS
NULL)) AND (([Authors] = ?) OR ([Authors] IS NULL AND ? IS NULL)) AND (([Authors2]
= ?) OR ([Authors2] IS NULL AND ? IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS

```



```

NULL AND ? IS NULL)) AND (([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND
(([Institution] = ?) OR ([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?)
OR ([Published] IS NULL AND ? IS NULL)) AND (([NameOfPublication] = ?) OR
([NameOfPublication] IS NULL AND ? IS NULL)) AND (([YearOfPublication] = ?) OR
([YearOfPublication] IS NULL AND ? IS NULL)) AND (([Publisher] = ?) OR ([Publisher] IS
NULL AND ? IS NULL)) AND (([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL
AND ? IS NULL)) AND (([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL))
AND (([FileAddress1] = ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND
(([FileAddress2] = ?) OR ([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType]
= ?) OR ([ResearchType] IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category]
IS NULL AND ? IS NULL)) AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ?
IS NULL)) AND (([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND
(([Status] = ?) OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic]
IS NULL AND ? IS NULL))">

```

```

                                <SelectParameters>
                                <asp:Parameter DefaultValue="Yes"
Name="Published" Type="String" />
                                </SelectParameters>
                                <DeleteParameters>
                                <asp:Parameter Name="original_ID" Type="Int32"
/>
                                <asp:Parameter Name="original_Title"
Type="String" />
                                <asp:Parameter Name="original_Authors"
Type="String" />
                                <asp:Parameter Name="original_Authors2"
Type="String" />
                                <asp:Parameter Name="original_Authors3"
Type="String" />
                                <asp:Parameter Name="original_Authors4"
Type="String" />
                                <asp:Parameter Name="original_Institution"
Type="String" />
                                <asp:Parameter Name="original_Published"
Type="String" />
                                <asp:Parameter
Name="original_NameOfPublication" Type="String" />
                                <asp:Parameter
Name="original_YearOfPublication" Type="Int32" />
                                <asp:Parameter Name="original_Publisher"
Type="String" />
                                <asp:Parameter
Name="original_DateOfSubmission" Type="String" />
                                <asp:Parameter Name="original_DateApproved"
Type="String" />
                                <asp:Parameter Name="original_FileAddress1"
Type="String" />
                                <asp:Parameter Name="original_FileAddress2"
Type="String" />
                                <asp:Parameter Name="original_ResearchType"
Type="String" />
                                <asp:Parameter Name="original_Category"
Type="String" />
                                <asp:Parameter Name="original_Specialization"
Type="String" />
                                <asp:Parameter Name="original_EmailAddress"
Type="String" />
                                <asp:Parameter Name="original_Status"
Type="String" />
                                <asp:Parameter Name="original_Critic"
Type="String" />
                                </DeleteParameters>
                                <UpdateParameters>

```



```

Visible="False" Width="600px">
<FooterStyle BackColor="Tan" />
<EditItemStyle BackColor="#336699" />
<AlternatingItemStyle BackColor="PaleGoldenrod" />
<EditItemTemplate>
    <asp:Label ID="Label4" runat="server" Text='<
%# Eval("Title") %>'
        Visible="False"></asp:Label>
    <br />
    <span class="style9">Critic: </span>
    <asp:TextBox ID="TextBox5" runat="server"
Height="22px" Width="195px"></asp:TextBox>
    <br />
    <br />
    &nbsp; &nbsp; <asp:Button ID="Button13"
runat="server" CommandName="Update" Height="26px"
        onclick="Button13_Click1" Text="Update"
Width="64px" />
    &nbsp; <asp:Button ID="Button10"
runat="server" CommandName="Cancel" Text="Cancel" />
</EditItemTemplate>
<SelectedItemStyle BackColor="#336699"
ForeColor="GhostWhite" />
<HeaderTemplate>
    Unpublished Articles:
</HeaderTemplate>
<HeaderStyle BackColor="Tan" Font-Bold="True" />
<SelectedItemTemplate>
    <asp:LinkButton ID="LinkButton9"
runat="server"
        style="font-weight: 700; color: #FFFFFF"
Text='<%# Eval("Title") %>'></asp:LinkButton>
    <br />
    Institution:
    <asp:Label ID="InstitutionLabel"
runat="server"
        Text='<%# Eval("Institution") %>' />
    <br />
    Published:
    <asp:Label ID="PublishedLabel" runat="server"
Text='<%# Eval("Published") %>' />
    <br />
    <br />
    <asp:Button ID="Button8" runat="server"
CommandName="Edit"
        Text="Map to Critic" />
</SelectedItemTemplate>
<ItemTemplate>
    <asp:LinkButton ID="LinkButton9"
runat="server" style="font-weight: 700"
        Text='<%# Eval("Title")
%>'></asp:LinkButton>
    <br />
    Institution:
    <asp:Label ID="InstitutionLabel"
runat="server"
        Text='<%# Eval("Institution") %>' />
    <br />
    Published:
    <asp:Label ID="PublishedLabel" runat="server"
Text='<%# Eval("Published") %>' />
    <br />
    <br />

```

```

        </ItemTemplate>
    </asp:DataList>
    <asp:AccessDataSource ID="AccessDataSource2"
runat="server"
        ConflictDetection="CompareAllValues"
DataFile="~/App_Data/PNRA_Database.mdb"
        DeleteCommand="DELETE FROM [SubmittedFiles] WHERE
[ID] = ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS NULL)) AND (([Authors] = ?)
OR ([Authors] IS NULL AND ? IS NULL)) AND (([Authors2] = ?) OR ([Authors2] IS NULL AND
? IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS NULL AND ? IS NULL)) AND
([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?) OR ([Published] IS NULL
AND ? IS NULL)) AND (([NameOfPublication] = ?) OR ([NameOfPublication] IS NULL AND ?
IS NULL)) AND (([YearOfPublication] = ?) OR ([YearOfPublication] IS NULL AND ? IS
NULL)) AND (([Publisher] = ?) OR ([Publisher] IS NULL AND ? IS NULL)) AND
([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL AND ? IS NULL)) AND
([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL)) AND (([FileAddress1]
= ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND (([FileAddress2] = ?) OR
([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType] = ?) OR ([ResearchType]
IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category] IS NULL AND ? IS NULL))
AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ? IS NULL)) AND
([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND (([Status] = ?)
OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic] IS NULL AND ? IS
NULL))"
        InsertCommand="INSERT INTO [SubmittedFiles] ([ID],
[Title], [Authors], [Authors2], [Authors3], [Authors4], [Institution], [Published],
[NameOfPublication], [YearOfPublication], [Publisher], [DateOfSubmission],
[DateApproved], [FileAddress1], [FileAddress2], [ResearchType], [Category],
[Specialization], [EmailAddress], [Status], [Critic]) VALUES
(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
        OldValuesParameterFormatString="original_{0}"
        SelectCommand="SELECT * FROM [SubmittedFiles]
WHERE ([Published] = ?) ORDER BY [DateOfSubmission]"
        UpdateCommand="UPDATE [SubmittedFiles] SET [Title]
= ?, [Authors] = ?, [Authors2] = ?, [Authors3] = ?, [Authors4] = ?, [Institution] = ?,
[Published] = ?, [NameOfPublication] = ?, [YearOfPublication] = ?, [Publisher] = ?,
[DateOfSubmission] = ?, [DateApproved] = ?, [FileAddress1] = ?, [FileAddress2] = ?,
[ResearchType] = ?, [Category] = ?, [Specialization] = ?, [EmailAddress] = ?, [Status]
= ?, [Critic] = ? WHERE [ID] = ? AND (([Title] = ?) OR ([Title] IS NULL AND ? IS
NULL)) AND (([Authors] = ?) OR ([Authors] IS NULL AND ? IS NULL)) AND (([Authors2]
= ?) OR ([Authors2] IS NULL AND ? IS NULL)) AND (([Authors3] = ?) OR ([Authors3] IS
NULL AND ? IS NULL)) AND (([Authors4] = ?) OR ([Authors4] IS NULL AND ? IS NULL)) AND
([Institution] = ?) OR ([Institution] IS NULL AND ? IS NULL)) AND (([Published] = ?)
OR ([Published] IS NULL AND ? IS NULL)) AND (([NameOfPublication] = ?) OR
([NameOfPublication] IS NULL AND ? IS NULL)) AND (([YearOfPublication] = ?) OR
([YearOfPublication] IS NULL AND ? IS NULL)) AND (([Publisher] = ?) OR ([Publisher] IS
NULL AND ? IS NULL)) AND (([DateOfSubmission] = ?) OR ([DateOfSubmission] IS NULL
AND ? IS NULL)) AND (([DateApproved] = ?) OR ([DateApproved] IS NULL AND ? IS NULL))
AND (([FileAddress1] = ?) OR ([FileAddress1] IS NULL AND ? IS NULL)) AND
([FileAddress2] = ?) OR ([FileAddress2] IS NULL AND ? IS NULL)) AND (([ResearchType]
= ?) OR ([ResearchType] IS NULL AND ? IS NULL)) AND (([Category] = ?) OR ([Category]
IS NULL AND ? IS NULL)) AND (([Specialization] = ?) OR ([Specialization] IS NULL AND ?
IS NULL)) AND (([EmailAddress] = ?) OR ([EmailAddress] IS NULL AND ? IS NULL)) AND
([Status] = ?) OR ([Status] IS NULL AND ? IS NULL)) AND (([Critic] = ?) OR ([Critic]
IS NULL AND ? IS NULL))">
    <SelectParameters>
        <asp:Parameter DefaultValue="No"
Name="Published" Type="String" />
    </SelectParameters>
    <DeleteParameters>
        <asp:Parameter Name="original_ID" Type="Int32"
/>

```



```

        DataList2.DataBind()
        Label1.Text = Session("EmailAddress")
        Label2.Text = Session("RoleID")
    End If

End Sub

Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()
End Sub

Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
    Label2.Text = ""
    Session.RemoveAll()
End Sub

Protected Sub LinkButton8_Click(ByVal sender As Object, ByVal e As
System.EventArgs)

End Sub

Protected Sub DataList1_CancelCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.CancelCommand
    DataList1.EditItemIndex = -1
    DataList1.SelectedIndex = -1
    ' Rebind the data to the DataList
    DataList1.DataBind()
End Sub

Protected Sub DataList1_EditCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.EditCommand
    DataList1.EditItemIndex = e.Item.ItemIndex
    ' Rebind the data to the DataList
    DataList1.DataBind()

End Sub

Protected Sub DataList1_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.ItemCommand
    DataList1.SelectedIndex = e.Item.ItemIndex
    DataList1.DataBind()

End Sub

Protected Sub DataList1_UpdateCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList1.UpdateCommand
    Dim critic As TextBox = CType(e.Item.FindControl("Textbox4"), TextBox)
    Dim title As Label = CType(e.Item.FindControl("Label3"), Label)
    con.Open("provider = Microsoft.jet.Oledb.4.0; Data Source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from SubmittedFiles where Title = '" & title.Text & "'",
con)
    If rs.BOF And rs.EOF Then
        rs.Close()
    Else
        rs.Close()
        rs.Open("Select * from SubmittedFiles where Title = '" & title.Text & "'",
con, ADODB.CursorTypeEnum.adOpenKeyset, ADODB.LockTypeEnum.adLockOptimistic)

```

```

        rs.Fields("Critic").Value = critic.Text

        rs.Update()

        MsgBox("You have successfully mapped this article to a critic.",
MsgBoxStyle.MsgBoxSetForeground, "Update")

        rs.Close()
    End If

    con.Close()
    ' Revert the DataList back to its pre-editing state
    DataList1.EditItemIndex = -1
    DataList1.SelectedIndex = -1
    DataList1.DataBind()
End Sub

Protected Sub Button11_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button11.Click
    DataList1.Visible = False
    DataList2.Visible = True

End Sub

Protected Sub Button12_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button12.Click
    DataList1.Visible = True
    DataList2.Visible = False

End Sub

Protected Sub DataList2_CancelCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList2.CancelCommand
    DataList2.EditItemIndex = -1
    DataList2.SelectedIndex = -1
    ' Rebind the data to the DataList
    DataList2.DataBind()
End Sub

Protected Sub DataList2_EditCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList2.EditCommand
    DataList2.EditItemIndex = e.Item.ItemIndex
    ' Rebind the data to the DataList
    DataList2.DataBind()
End Sub

Protected Sub DataList2_ItemCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList2.ItemCommand
    DataList2.SelectedIndex = e.Item.ItemIndex
    DataList2.DataBind()
End Sub

Protected Sub DataList2_UpdateCommand(ByVal source As Object, ByVal e As
System.Web.UI.WebControls.DataListCommandEventArgs) Handles DataList2.UpdateCommand
    Dim critic As TextBox = CType(e.Item.FindControl("Textbox5"), TextBox)
    Dim title As Label = CType(e.Item.FindControl("Label4"), Label)
    con.Open("provider = Microsoft.jet.Oledb.4.0; Data Source =" &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from SubmittedFiles where Title = '" & title.Text & "'",
con)
    If rs.BOF And rs.EOF Then
        rs.Close()
    Else

```

```

        rs.Close()
        rs.Open("Select * from SubmittedFiles where Title = '" & title.Text & "'",
con, ADODB.CursorTypeEnum.adOpenKeyset, ADODB.LockTypeEnum.adLockOptimistic)
        rs.Fields("Critic").Value = critic.Text

        rs.Update()

        MsgBox("You have successfully mapped this article to a critic.",
MsgBoxStyle.MsgBoxSetForeground, "Update")

        rs.Close()
    End If

    con.Close()
    ' Revert the DataList back to its pre-editing state
    DataList2.EditItemIndex = -1
    DataList2.SelectedIndex = -1
    DataList2.DataBind()
End Sub

Protected Sub Button9_Click(ByVal sender As Object, ByVal e As System.EventArgs)

End Sub

Protected Sub DataList1_SelectedIndexChanged(ByVal sender As Object, ByVal e As
System.EventArgs) Handles DataList1.SelectedIndexChanged

End Sub

Protected Sub Button13_Click(ByVal sender As Object, ByVal e As System.EventArgs)

End Sub

Protected Sub TextBox4_TextChanged(ByVal sender As Object, ByVal e As
System.EventArgs)

End Sub

Protected Sub DataList2_SelectedIndexChanged(ByVal sender As Object, ByVal e As
System.EventArgs) Handles DataList2.SelectedIndexChanged

End Sub

Protected Sub Button13_Click1(ByVal sender As Object, ByVal e As System.EventArgs)

End Sub
End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Subscriber_MyAccount.aspx.vb" Inherits="Default2" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }
    </style>
</asp:Content>

```



```

alt="" src="App_Themes/Images/submit%20down.jpg"
"width: 213px; height: 30px" /><br />
utton ID="LinkButton6" runat="server" style="color: #CCCCCC"
lor="#006699" BorderStyle="Outset" Font-Underline="False">Change
asp:LinkButton>
utton ID="LinkButton7" runat="server" style="color: #CCCCCC"
lor="#006699" BorderStyle="Outset" Font-Underline="False"
ckUrl="~/Subscriber_SubmitResearch.aspx" Width="130px">Submit
Research</asp:LinkButton>
utton ID="LinkButton8" runat="server" style="color: #CCCCCC"
lor="#006699" BorderStyle="Outset" Font-Underline="False"
ckUrl="~/ViewSubmittedArticles.aspx">View Submitted Articles</asp:LinkButton>
ID="HyperLink1" runat="server"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
:HyperLink>
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
<asp:Panel ID="Panel6" runat="server">
<span class="style36" style="color: #003366">
<br />
My Account</span>
</asp:Panel>
<asp:Panel ID="Panel7" runat="server" CssClass="style32">
<div class="style38" style="font-size: medium">
<br />
<asp:Label ID="Label8" runat="server" Text="Label"
Visible="False"></asp:Label>
<asp:Label ID="Label14" runat="server" Text="Label"
Visible="False"></asp:Label>
<br />

```

```

AutoGenerateRows="False"
DataSourceID="AccessDataSource2"
Width="600px"
BorderWidth="1px"
ForeColor="DarkSlateBlue"
ReadOnly="True"
HeaderText="FirstName"
HeaderText="LastName"
HeaderText="EmailAddress"
ReadOnly="True" SortExpression="Password"
InsertVisible="False" />
HeaderText="Institution"
HeaderText="RoleId" InsertVisible="False"
Visible="False" />
ForeColor="GhostWhite" />
runat="server"
DataFile="~/App_Data/PNRA_Database.mdb"
DeleteCommand="DELETE FROM [tblRegister] WHERE
[ID] = ? AND (([FirstName] = ?) OR ([FirstName] IS NULL AND ? IS NULL)) AND
(([LastName] = ?) OR ([LastName] IS NULL AND ? IS NULL)) AND (([EmailAddress] = ?) OR
([EmailAddress] IS NULL AND ? IS NULL)) AND (([Password] = ?) OR ([Password] IS NULL
AND ? IS NULL)) AND (([Gender] = ?) OR ([Gender] IS NULL AND ? IS NULL)) AND
(([Birthday] = ?) OR ([Birthday] IS NULL AND ? IS NULL)) AND (([Institution] = ?) OR
([Institution] IS NULL AND ? IS NULL)) AND (([RoleId] = ?) OR ([RoleId] IS NULL AND ?
IS NULL))"

```

```

InsertCommand="INSERT INTO [tblRegister] ([ID],
[FirstName], [LastName], [EmailAddress], [Institution]) VALUES (?, ?, ?, ?, ?, )"
OldValuesParameterFormatString="original_{0}"
SelectCommand="SELECT * FROM [tblRegister] WHERE
([EmailAddress] = ?)"

UpdateCommand="UPDATE [tblRegister] SET
[FirstName] = ?, [LastName] = ?, [EmailAddress] = ?, [Institution] = ? WHERE [ID] = ?
">
<SelectParameters>
  <asp:ControlParameter ControlID="Label8"
Name="EmailAddress"
Property="Text" Type="String" />
</SelectParameters>
<DeleteParameters>
  <asp:Parameter Name="original_ID" Type="Int32" />
  <asp:Parameter Name="original_FirstName" />
  <asp:Parameter Name="original_LastName" />
  <asp:Parameter Name="original_EmailAddress" />
  <asp:Parameter Name="original_Password" />
  <asp:Parameter Name="original_Gender" />
  <asp:Parameter Name="original_Birthday" />
  <asp:Parameter Name="original_Institution" />
  <asp:Parameter Name="original_RoleId" />
</DeleteParameters>
<UpdateParameters>
  <asp:Parameter Name="FirstName" />
  <asp:Parameter Name="LastName" />
  <asp:Parameter Name="EmailAddress" />
  <asp:Parameter Name="Password" />
  <asp:Parameter Name="Gender" Type="String" />
  <asp:Parameter Name="Birthday" />
  <asp:Parameter Name="Institution" />
  <asp:Parameter Name="RoleId" Type="Int32" />
  <asp:Parameter Name="original_ID" Type="Int32" />
  <asp:Parameter Name="original_FirstName" />
  <asp:Parameter Name="original_LastName" />
  <asp:Parameter Name="original_EmailAddress" />
  <asp:Parameter Name="original_Password" />
  <asp:Parameter Name="original_Gender" />

```



```
Protected Sub LinkButton1_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton1.Click
```

```
    Session.Remove("EmailAddress")
    Session.Remove("RoleID")
    Session.RemoveAll()
    Response.Redirect("Default.aspx")
```

```
End Sub
```

```
End Class
```

```
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="Subscriber_SubmitResearch.aspx.vb"
Inherits="Default2" %>
```

```
<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">
```

```
        .style18
    {
        width: 216px;
    }
    .style19
    {
        font-family: "High Tower Text";
        font-size: xx-large;
    }
    .style32
    {
        font-family: Arial, Helvetica, sans-serif;
        font-size: small;
        color: #333333;
    }
    .style36
    {
        font-size: x-large;
        color: #333333;
    }
    .style13
    {
        font-family: Arial, Helvetica, sans-serif;
    }
    .style17
    {
        font-size: small;
    }
    </style>
```

```
</asp:Content>
```

```
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
```

```
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
                <tr>
                    <td class="style18" valign="top">
                        <table class="style1">
                            <tr>
                                <td>
                                    <table class="style1">
                                        <tr>
                                            <td bgcolor="#33629B">
```



```

        <asp:TextBox ID="TextBox9" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button23" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button41" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator6" runat="server"
ControlToValidate="TextBox9"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel5" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox10" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button24" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button5" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator7" runat="server"
ControlToValidate="TextBox10"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel25" runat="server"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox11" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button25" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button6" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator8" runat="server"
ControlToValidate="TextBox11"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel26" runat="server" Height="29px"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox12" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button26" runat="server"
Text="Remove" />
        </span>

```

```

Author" />
        <asp:Button ID="Button7" runat="server" Text="Add
ID="RequiredFieldValidator9" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox12"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel8" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox13" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button27" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button8" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator10" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox13"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel9" runat="server" Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox14" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button28" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button9" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator11" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox14"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel10" runat="server"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox15" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button29" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button10" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator12" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox15"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>

```

```

        </span>
    </asp:Panel>
    <asp:Panel ID="Panel14" runat="server"
Visible="False">
        <span class="style10">
    <asp:TextBox ID="TextBox17" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
    <asp:Button ID="Button30" runat="server"
Text="Remove" />
        </span>
    <asp:Button ID="Button11" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator14" runat="server"
ControlToValidate="TextBox17"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel15" runat="server"
Visible="False">
        <span class="style10">
    <asp:TextBox ID="TextBox18" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
    <asp:Button ID="Button31" runat="server"
Text="Remove" />
        </span>
    <asp:Button ID="Button12" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator15" runat="server"
ControlToValidate="TextBox18"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel16" runat="server"
Visible="False">
        <span class="style10">
    <asp:TextBox ID="TextBox19" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
    <asp:Button ID="Button32" runat="server"
Text="Remove" />
        </span>
    <asp:Button ID="Button13" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator16" runat="server"
ControlToValidate="TextBox19"
ErrorMessage="*Required Field"
style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
    </asp:Panel>
    <asp:Panel ID="Panel17" runat="server"
Visible="False">
        <span class="style10">

```

```

                                <asp:TextBox ID="TextBox20" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
                                <span class="style10">
                                <asp:Button ID="Button33" runat="server"
Text="Remove" />
                                </span>
                                <asp:Button ID="Button14" runat="server" Text="Add
Author" />
                                <asp:RequiredFieldValidator
ID="RequiredFieldValidator17" runat="server"
                                ControlToValidate="TextBox20"
ErrorMessage="*Required Field"
                                style="font-size: x-
small"></asp:RequiredFieldValidator>
                                </span>
                                </asp:Panel>
                                <asp:Panel ID="Panel18" runat="server"
Visible="False">
                                <span class="style10">
                                <asp:TextBox ID="TextBox21" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
                                <span class="style10">
                                <asp:Button ID="Button34" runat="server"
Text="Remove" />
                                </span>
                                <asp:Button ID="Button15" runat="server" Text="Add
Author" />
                                <asp:RequiredFieldValidator
ID="RequiredFieldValidator18" runat="server"
                                ControlToValidate="TextBox21"
ErrorMessage="*Required Field"
                                style="font-size: x-
small"></asp:RequiredFieldValidator>
                                </span>
                                </asp:Panel>
                                <asp:Panel ID="Panel19" runat="server"
Visible="False">
                                <span class="style10">
                                <asp:TextBox ID="TextBox22" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
                                <span class="style10">
                                <asp:Button ID="Button35" runat="server"
Text="Remove" />
                                </span>
                                <asp:Button ID="Button16" runat="server" Text="Add
Author" />
                                <asp:RequiredFieldValidator
ID="RequiredFieldValidator19" runat="server"
                                ControlToValidate="TextBox22"
ErrorMessage="*Required Field"
                                style="font-size: x-
small"></asp:RequiredFieldValidator>
                                </span>
                                </asp:Panel>
                                <asp:Panel ID="Panel20" runat="server"
Visible="False">
                                <span class="style10">
                                <asp:TextBox ID="TextBox23" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
                                <span class="style10">
                                <asp:Button ID="Button36" runat="server"
Text="Remove" />
                                </span>

```

```

Author" />
        <asp:Button ID="Button17" runat="server" Text="Add
ID="RequiredFieldValidator20" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox23"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
</asp:Panel>
        <asp:Panel ID="Panel21" runat="server"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox24" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button37" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button18" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator21" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox24"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
</asp:Panel>
        <asp:Panel ID="Panel22" runat="server"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox25" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button38" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button19" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator22" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox25"
ErrorMessage="*Required Field"
        style="font-size: x-
small"></asp:RequiredFieldValidator>
        </span>
</asp:Panel>
        <asp:Panel ID="Panel23" runat="server"
Visible="False">
        <span class="style10">
        <asp:TextBox ID="TextBox26" runat="server"
MaxLength="50" Width="217px"></asp:TextBox>
        <span class="style10">
        <asp:Button ID="Button39" runat="server"
Text="Remove" />
        </span>
        <asp:Button ID="Button20" runat="server" Text="Add
Author" />
        <asp:RequiredFieldValidator
ID="RequiredFieldValidator23" runat="server"
        <asp:RequiredFieldValidator
        ControlToValidate="TextBox26"
ErrorMessage="*Required Field"

```



```

                <br />
            </div>
        </asp:Panel>
        <br />
    </td>
</tr>
<tr>
    <td class="style18" valign="top">
        &nbsp;&nbsp;&nbsp;</td>
    <td align="center" class="style19" valign="top" id="homepage1">
        &nbsp;&nbsp;&nbsp;</td>
</tr>
<tr>
    <td class="style18" valign="top">
        &nbsp;&nbsp;&nbsp;</td>
    <td align="center" class="style19" valign="top" id="homepage1">
        &nbsp;&nbsp;&nbsp;</td>
</tr>
</table>
</td>
</tr>
</table>
</asp:Content>

```

Partial Class Default2

```

    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset
    Dim rs1 As New ADODB.Recordset

```

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load

```

    Label15.Text = Session("EmailAddress")
    Label16.Text = Session("RoleID")
    HttpContext.Current.Response.Cache.SetCacheability(HttpCacheability.NoCache)
    HttpContext.Current.Response.Cache.SetNoServerCaching()
    HttpContext.Current.Response.Cache.SetNoStore()

```

End Sub

Protected Sub btnSearch_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles btnSearch.Click

```

    Session("searchinput") = TextBox3.Text
    Response.Redirect("~/Search.aspx")
    Session.Clear()

```

End Sub

Protected Sub Button1_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button1.Click

```

    con.Open("provider = Microsoft.jet.Oledb.4.0; Data Source = " &
Server.MapPath("~/App_Data/PNRA_Database.mdb"))
    rs.Open("Select * from SubmittedFiles where Title = '" & TextBox1.Text & "'",
con)

```

```

    If rs.BOF And rs.EOF Then
        rs.Close()

```

```

        rs1.Open("Select * from SubmittedFiles where FileAddress1 = '" &
~/Temp/" & FileUpload1.PostedFile.FileName & "'", con)

```

```

        If rs1.BOF And rs1.EOF Then
            rs1.Close()

```

```

            If FileUpload1.HasFile Then
                Try

```

```

                    FileUpload1.SaveAs(Server.MapPath("~/Temp/") &
FileUpload1.PostedFile.FileName)

```

```

        FileUpload2.SaveAs(Server.MapPath("~/Temp/") &
FileUpload2.PostedFile.FileName)
        rs.Open("SubmittedFiles", con,
ADODB.CursorTypeEnum.adOpenDynamic, ADODB.LockTypeEnum.adLockOptimistic)
        rs.AddNew()
        rs.Fields("Title").Value = TextBox1.Text
        rs.Fields("Authors").Value = TextBox2.Text + "," +
TextBox8.Text + "," + TextBox9.Text + "," + TextBox10.Text + "," + TextBox11.Text
        Dim authors As String =
rs.Fields("Authors").Value.ToString.Trim(",")
        rs.Update("Authors", authors)
        rs.Fields("Authors2").Value = "," + TextBox12.Text + "," +
TextBox13.Text + "," + TextBox14.Text + "," + TextBox15.Text + "," + TextBox17.Text
        Dim authors2 As String =
rs.Fields("Authors2").Value.ToString.TrimEnd(",")
        rs.Update("Authors2", authors2)
        rs.Fields("Authors3").Value = "," + TextBox18.Text + "," +
TextBox19.Text + "," + TextBox20.Text + "," + TextBox21.Text + "," + TextBox22.Text
        Dim authors3 As String =
rs.Fields("Authors3").Value.ToString.TrimEnd(",")
        rs.Update("Authors3", authors3)
        rs.Fields("Authors4").Value = "," + TextBox23.Text + "," +
TextBox24.Text + "," + TextBox25.Text + "," + TextBox26.Text + "," + TextBox16.Text
        Dim authors4 As String =
rs.Fields("Authors4").Value.ToString.TrimEnd(",")
        rs.Update("Authors4", authors4)
        rs.Fields("Institution").Value = TextBox7.Text
        rs.Fields("Published").Value = DropDownList2.Text
        rs.Fields("YearOfPublication").Value = DropDownList3.Text
        rs.Fields("NameOfPublication").Value = TextBox28.Text
        rs.Fields("Publisher").Value = TextBox27.Text
        rs.Fields("DateOfSubmission").Value = Calendar1.TodaysDate
        rs.Fields("FileAddress1").Value = "~/Temp/" &
FileUpload1.PostedFile.FileName
        rs.Fields("FileAddress2").Value = "~/Temp/" &
FileUpload2.PostedFile.FileName
        rs.Fields("Status").Value = DropDownList1.SelectedValue
        rs.Fields("EmailAddress").Value = Label15.Text

        rs.Update()
        rs.Close()
        con.Close()

        Panel24.Visible = False
        Panel2.Visible = False
        Panel3.Visible = False
        Panel4.Visible = False
        Panel5.Visible = False
        Panel8.Visible = False
        Panel9.Visible = False
        Panel10.Visible = False
        Panel14.Visible = False
        Panel15.Visible = False
        Panel16.Visible = False
        Panel17.Visible = False
        Panel18.Visible = False
        Panel19.Visible = False
        Panel20.Visible = False
        Panel21.Visible = False
        Panel22.Visible = False
        Panel23.Visible = False
        Panel11.Visible = False
        Panel25.Visible = False

```

```

        Panel26.Visible = False
        Panel3.Visible = False
        Panel12.Visible = False
        Panel13.Visible = True

        Catch ex As Exception
            Label8.Text = "ERROR: " & ex.Message.ToString()
            Label8.Visible = True
        End Try

    Else
        Label8.Text = "You have not specified a file."
        Label8.Visible = True
        Label9.Text = "You have not specified a file."
        Label9.Visible = True
        Exit Sub
    End If

Else
    Label8.Text = "File already exists."
    Label8.Visible = True
    Label9.Text = "File already exists."
    Label9.Visible = True
    rs1.Close()
    Exit Sub
End If

Else
    Label3.Text = "File with this title already exists."
    Label3.Visible = True
    rs.Close()
    Exit Sub
End If

End Sub

Protected Sub Button2_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button2.Click
    Panel3.Visible = True
End Sub

Protected Sub Button3_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button3.Click
    Panel4.Visible = True
End Sub

Protected Sub Button5_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button5.Click
    Panel25.Visible = True
End Sub

Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click
    Panel26.Visible = True
End Sub

Protected Sub Button7_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button7.Click
    Panel8.Visible = True
End Sub

```

```

Protected Sub Button8_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button8.Click
    Panel9.Visible = True
End Sub

Protected Sub Button9_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button9.Click
    Panel10.Visible = True
End Sub

Protected Sub Button10_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button10.Click
    Panel14.Visible = True
End Sub

Protected Sub Button11_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button11.Click
    Panel15.Visible = True
End Sub

Protected Sub Button12_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button12.Click
    Panel16.Visible = True
End Sub

Protected Sub Button13_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button13.Click
    Panel17.Visible = True
End Sub

Protected Sub Button14_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button14.Click
    Panel18.Visible = True
End Sub

Protected Sub Button15_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button15.Click
    Panel19.Visible = True
End Sub

Protected Sub Button16_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button16.Click
    Panel20.Visible = True
End Sub

Protected Sub Button17_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button17.Click
    Panel21.Visible = True
End Sub

Protected Sub Button18_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button18.Click
    Panel22.Visible = True
End Sub

Protected Sub Button19_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button19.Click
    Panel23.Visible = True
End Sub

Protected Sub Button20_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button20.Click
    Panel11.Visible = True

```



```

End Sub

Protected Sub Button22_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button22.Click
    Panel3.Visible = False
End Sub

Protected Sub Button23_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button23.Click
    Panel4.Visible = False
End Sub

Protected Sub Button24_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button24.Click
    Panel5.Visible = False
End Sub

Protected Sub Button25_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button25.Click
    Panel6.Visible = False
End Sub

Protected Sub Button26_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button26.Click
    Panel7.Visible = False
End Sub

Protected Sub Button27_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button27.Click
    Panel8.Visible = False
End Sub

Protected Sub Button28_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button28.Click
    Panel9.Visible = False
End Sub

Protected Sub Button29_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button29.Click
    Panel10.Visible = False
End Sub

Protected Sub Button30_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button30.Click
    Panel14.Visible = False
End Sub

Protected Sub Button31_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button31.Click
    Panel15.Visible = False
End Sub

Protected Sub Button32_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button32.Click
    Panel16.Visible = False
End Sub

Protected Sub Button33_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button33.Click
    Panel17.Visible = False
End Sub

```

```

Protected Sub Button34_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button34.Click
    Panel18.Visible = False
End Sub

Protected Sub Button35_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button35.Click
    Panel19.Visible = False
End Sub

Protected Sub Button36_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button36.Click
    Panel20.Visible = False
End Sub

Protected Sub Button37_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button37.Click
    Panel21.Visible = False
End Sub

Protected Sub Button38_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button38.Click
    Panel22.Visible = False
End Sub

Protected Sub Button39_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button39.Click
    Panel23.Visible = False
End Sub

Protected Sub Button40_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button40.Click
    Panel11.Visible = False
End Sub

Protected Sub DropDownList2_SelectedIndexChanged(ByVal sender As Object, ByVal e
As System.EventArgs) Handles DropDownList2.SelectedIndexChanged
    If DropDownList2.SelectedValue = "Yes" Then
        Panel27.Visible = True

    ElseIf DropDownList2.SelectedValue = "No" Then
        Panel27.Visible = False
    End If
End Sub

Protected Sub Button41_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button41.Click
    Panel5.Visible = True
End Sub

Protected Sub LinkButton2_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton2.Click
    Panel13.Visible = False
    Panel24.Visible = True
    Panel2.Visible = True
    Panel12.Visible = True

End Sub

Protected Sub LinkButton1_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton1.Click
    Label16.Text = ""
End Sub

```

```

End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="UserAccounts.aspx.vb" Inherits="Default2" %>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
  <style type="text/css">

    .style18
    {
      width: 216px;
    }
    .style19
    {
      font-family: "High Tower Text";
      font-size: medium;
    }
    .style32
    {
      font-family: Arial, Helvetica, sans-serif;
      font-size: small;
      color: #333333;
    }
    .style36
    {
      font-size: x-large;
      color: #333333;
    }
  </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
  <table class="style1">
    <tr>
      <td bgcolor="#FFFFCC">
        <table class="style1"
          style="table-layout: fixed; overflow: inherit; height: 656px;">
          <tr>
            <td class="style18" valign="top">
              <table class="style1">
                <tr>
                  <td>
                    <table class="style1">
                      <tr>
                        <td bgcolor="#33629B">
                          <asp:LinkB
                            utton ID="LinkButton5" runat="server" PostBackUrl="~/Default.aspx"
                            style=
                              "font-weight: 700; color: #FFFFFF">LOG OUT</asp:LinkButton>
                            <br />
                            <br />
                            <br />
                            <asp:Panel
                              ID="Panell1" runat="server" BackColor="#4AC8EE"
                              BorderColor="#4AC8EE"
                              BorderStyle="None" BorderWidth="0px"
                              Width="213px" style="font-size: xx-small">
                                &nbsp;
                                &nbsp;
                                &nbsp;
                                &nbsp;
                                &nbsp;
                                &nbsp;
                                <asp:T
                                  extBox ID="TextBox3" runat="server" Width="134px"></asp:TextBox>

```



```

        <br />
        <br />
    </div>
    <div style="text-align: center">
        <asp:TextBox ID="TextBox7" runat="server"
Width="257px"></asp:TextBox>
        &nbsp;  <asp:Button ID="Button6" runat="server"
Text="Search" />
        <br />
        <br />
        <asp:Label ID="Label8" runat="server"
style="color: #003366; font-weight: 700"
Text="Label" Visible="False"></asp:Label>
    </div>
    <br />
    <asp:GridView ID="GridView1" runat="server"
AllowSorting="True" AutoGenerateColumns="False"
BackColor="LightGoldenrodYellow" BorderColor="Tan"
BorderWidth="1px"
CellPadding="4" CellSpacing="2" DataKeyNames="ID"
DataSourceID="AccessDataSource1"
EnableSortingAndPagingCallbacks="True"
ForeColor="Black" GridLines="None"
HorizontalAlign="Center"
style="font-size: xx-small" AllowPaging="True"
Width="700px">
    <RowStyle Width="500px" Wrap="True" />
    <Columns>
        <asp:CommandField ShowDeleteButton="True" />
        <asp:BoundField DataField="FirstName"
SortExpression="FirstName" />
        <asp:BoundField DataField="LastName"
SortExpression="LastName" />
        <asp:BoundField DataField="EmailAddress"
SortExpression="EmailAddress" />
        <asp:BoundField DataField="Institution"
SortExpression="Institution" />
        <asp:BoundField DataField="RoleId"
SortExpression="RoleId" />
    </Columns>
    <FooterStyle BackColor="Tan" />
    <PagerStyle BackColor="PaleGoldenrod"
HorizontalAlign="Center" />
    <SelectedRowStyle BackColor="DarkSlateBlue"
ForeColor="DarkSlateBlue" />
    <HeaderStyle BackColor="Tan" Font-Bold="True" />
    <AlternatingRowStyle BackColor="PaleGoldenrod" />
</asp:GridView>
    <br />
    <asp:AccessDataSource ID="AccessDataSource1"
runat="server"
DataFile="~/App_Data/PNRA_Database.mdb"
ConflictDetection="CompareAllValues"
DeleteCommand="DELETE FROM [tblRegister] WHERE
[ID] = ? "

```

```

InsertCommand="INSERT INTO [tblRegister] ([ID],
[FirstName], [LastName], [EmailAddress], [MobileNumber], [Password], [Gender],
[BirthDay], [Institution], [RoleId]) VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
OldValuesParameterFormatString="original_{0}"
SelectCommand="SELECT * FROM [tblRegister] ORDER
BY [RoleId]"

UpdateCommand="UPDATE [tblRegister] SET
[FirstName] = ?, [LastName] = ?, [EmailAddress] = ?, [MobileNumber] = ?, [Password]
= ?, [Gender] = ?, [BirthDay] = ?, [Institution] = ?, [RoleId] = ? WHERE [ID] = ? AND
((([FirstName] = ?) OR ([FirstName] IS NULL AND ? IS NULL)) AND (([LastName] = ?) OR
([LastName] IS NULL AND ? IS NULL)) AND (([EmailAddress] = ?) OR ([EmailAddress] IS
NULL AND ? IS NULL)) AND (([MobileNumber] = ?) OR ([MobileNumber] IS NULL AND ? IS
NULL)) AND (([Password] = ?) OR ([Password] IS NULL AND ? IS NULL)) AND (([Gender]
= ?) OR ([Gender] IS NULL AND ? IS NULL)) AND (([BirthDay] = ?) OR ([BirthDay] IS NULL
AND ? IS NULL)) AND (([Institution] = ?) OR ([Institution] IS NULL AND ? IS NULL)) AND
([RoleId] = ?) OR ([RoleId] IS NULL AND ? IS NULL))">
<DeleteParameters>
    <asp:Parameter Name="original_ID" Type="Int32"
/>
    <asp:Parameter Name="original_FirstName"
Type="String" />
    <asp:Parameter Name="original_LastName"
Type="String" />
    <asp:Parameter Name="original_EmailAddress"
Type="String" />
    <asp:Parameter Name="original_MobileNumber"
Type="String" />
    <asp:Parameter Name="original_Password"
Type="String" />
    <asp:Parameter Name="original_Gender"
Type="String" />
    <asp:Parameter Name="original_BirthDay"
Type="String" />
    <asp:Parameter Name="original_Institution"
Type="String" />
    <asp:Parameter Name="original_RoleId"
Type="String" />
</DeleteParameters>
<UpdateParameters>
    <asp:Parameter Name="FirstName"
Type="String" />
    <asp:Parameter Name="LastName"
Type="String" />
    <asp:Parameter Name="EmailAddress"
Type="String" />
    <asp:Parameter Name="MobileNumber"
Type="String" />
    <asp:Parameter Name="Password"
Type="String" />
    <asp:Parameter Name="Gender" Type="String" />
    <asp:Parameter Name="BirthDay"
Type="String" />
    <asp:Parameter Name="Institution"
Type="String" />
    <asp:Parameter Name="RoleId" Type="String" />
    <asp:Parameter Name="original_ID" Type="Int32"
/>
    <asp:Parameter Name="original_FirstName"
Type="String" />
    <asp:Parameter Name="original_LastName"
Type="String" />

```

```

                                <asp:Parameter Name="original_EmailAddress"
Type="String" />
                                <asp:Parameter Name="original_MobileNumber"
Type="String" />
                                <asp:Parameter Name="original_Password"
Type="String" />
                                <asp:Parameter Name="original_Gender"
Type="String" />
                                <asp:Parameter Name="original_Birthday"
Type="String" />
                                <asp:Parameter Name="original_Institution"
Type="String" />
                                <asp:Parameter Name="original_RoleId"
Type="String" />
                                </UpdateParameters>
                                <InsertParameters>
                                <asp:Parameter Name="ID" Type="Int32" />
                                <asp:Parameter Name="FirstName"
Type="String" />
                                <asp:Parameter Name="LastName"
Type="String" />
                                <asp:Parameter Name="EmailAddress"
Type="String" />
                                <asp:Parameter Name="MobileNumber"
Type="String" />
                                <asp:Parameter Name="Password"
Type="String" />
                                <asp:Parameter Name="Gender" Type="String" />
                                <asp:Parameter Name="Birthday"
Type="String" />
                                <asp:Parameter Name="Institution"
Type="String" />
                                <asp:Parameter Name="RoleId" Type="String" />
                                </InsertParameters>
                                </asp:AccessDataSource>
                                <br />
                                </div>
                                </asp:Panel>
                                <br />
                                </td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
                                </asp:Content>
Imports System.Web.Mail
'namespace to be imported
Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Label9.Text = Session("EmailAddress")
        Label10.Text = Session("RoleId")

    End Sub

    Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
        Session("searchinput") = TextBox3.Text

```

```

        Response.Redirect("~/Search.aspx")
        Session.Clear()
    End Sub

    Protected Sub Button6_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button6.Click
        Dim str As String
        If TextBox7.Text = "" Then
            Label8.Text = "Enter a search string."
            Label8.Visible = True
        Else
            str = "SELECT * FROM [tblRegister] WHERE (([Birthday] LIKE '%' + '" &
TextBox7.Text & "' + '%') OR ([EmailAddress] LIKE '%' + '" & TextBox7.Text & "' + '%')
OR ([FirstName] LIKE '%' + '" & TextBox7.Text & "' + '%') OR ([Gender] LIKE '%' + '" &
TextBox7.Text & "' + '%') OR ([Institution] LIKE '%' + '" & TextBox7.Text & "' + '%')
OR ([LastName] LIKE '%' + '" & TextBox7.Text & "' + '%') OR ([MobileNumber] LIKE '%' +
'" & TextBox7.Text & "' + '%') OR ([RoleId] = + '" & TextBox7.Text & "'))"
            AccessDataSource1.SelectCommand = str
            Label8.Visible = True

            GridView1.DataBind()
            If GridView1.Rows.Count > 0 Then
                Label8.Text = GridView1.Rows.Count.ToString() + " user account/s
found."

                ElseIf GridView1.Rows.Count = 0 Then
                    Label8.Text = "No user account/s found."

                End If
            End If

        End Sub

    Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
        Label10.Text = ""
        Session.RemoveAll()
    End Sub
End Class
<%@ Page Title="" Language="VB" MasterPageFile="~/PNRAMasterPage.master"
AutoEventWireup="false" CodeFile="ViewSubmittedArticles.aspx.vb" Inherits="Default2"
%>

<asp:Content ID="Content1" ContentPlaceHolderID="head" Runat="Server">
    <style type="text/css">

        .style18
        {
            width: 216px;
        }
        .style19
        {
            font-family: "High Tower Text";
            font-size: xx-large;
        }
        .style32
        {
            font-family: Arial, Helvetica, sans-serif;
            font-size: small;
            color: #333333;
        }
    </style>

```



```

        .style36
        {
            font-size: x-large;
            color: #333333;
        }
        .style38
        {
            text-align: left;
        }
    </style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="ContentPlaceHolder1" Runat="Server">
    <table class="style1">
    <tr>
        <td bgcolor="#FFFFCC">
            <table class="style1">
            <tr>
                <td class="style18" valign="top">
                    <table class="style1">
                    <tr>
                        <td>
                            <table class="style1">
                            <tr>
                                <td bgcolor="#33629B">
                                    <asp:LinkB
                                style=
                                <br />
                                <br />
                                <img
                                style=
                                <asp:Panel
                                ID="Panel1" runat="server" BackColor="#4AC8EE"
                                BorderColor="#4AC8EE"
                                BorderStyle="None" BorderWidth="0px"
                                Width="213px" style="font-size: xx-small">
                                    &nbsp;
                                <asp:T
                                <asp:B
                                Te
                                <br />
                                <br />
                                &nbsp;
                                <asp:HyperLink ID="HyperLink4" runat="server"
                                NavigateUrl="~/SearchAdvanced.aspx">Advanc
                                <br />
                                </asp:Panel>
                                <img
                                style=
                                <br />

```

```

ID="HyperLink1" runat="server"
                                <asp:HyperLink
                                ImageUrl="~/App_Themes/Images/up.jpg"
NavigateUrl="http://www.pnrs.net" Target="_blank">HyperLink</asp:HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink2" runat="server"
                                ImageUrl="~/App_Themes/Images/down.jpg"
                                NavigateUrl="~/Membership.aspx">HyperLink</asp
:HyperLink>
                                <br />
                                <asp:HyperLink ID="HyperLink3" runat="server"
                                ImageUrl="~/App_Themes/Images/fb.jpg"
                                NavigateUrl="http://www.facebook.com/group.php
?gid=220076719867" Target="_blank">HyperLink</asp:HyperLink>
                                </td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
</td>
<td align="center" class="style19" valign="top" id="homepage1">
    <asp:Panel ID="Panel6" runat="server">
        <span class="style36" style="color: #003366">
            <br />
            My Submitted Articles</span>
        </asp:Panel>
        <asp:Panel ID="Panel7" runat="server" CssClass="style32">
            <div class="style38">
                <br />
                <asp:Label ID="Label8" runat="server" Text="Label"
Visible="False"></asp:Label>
                <asp:Label ID="Label9" runat="server" Text="Label"
Visible="False"></asp:Label>
                <br />
                <asp:GridView ID="GridView1" runat="server"
AutoGenerateColumns="False"
                BackColor="LightGoldenrodYellow" BorderColor="Tan"
BorderWidth="1px"
                CellPadding="4" CellSpacing="2" DataKeyNames="ID"
                DataSourceID="AccessDataSource2" ForeColor="Black"
GridLines="None"
                AllowSorting="True" CssClass="style32"
HorizontalAlign="Center"
                Width="600px">
                <Columns>
                    <asp:BoundField DataField="Title"
HeaderText="Title"
                                SortExpression="Title" >
                        <ItemStyle Width="50px" />
                    </asp:BoundField>
                    <asp:BoundField DataField="Institution"
HeaderText="Institution"
                                SortExpression="Institution" />
                    <asp:BoundField DataField="DateOfSubmission"
HeaderText="DateOfSubmission"
                                SortExpression="DateOfSubmission" />
                    <asp:BoundField DataField="DateApproved"
HeaderText="DateApproved"
                                SortExpression="DateApproved" />
                    <asp:BoundField DataField="Critic"
HeaderText="Critic"
                                SortExpression="Critic" />
                </Columns>
            </div>
        </asp:Panel>
    </td>
</tr>
</table>

```

```

                                <asp:BoundField DataField="Status"
HeaderText="Status"
                                SortExpression="Status" />
                                </Columns>
                                <FooterStyle BackColor="Tan" />
                                <PagerStyle BackColor="PaleGoldenrod"
ForeColor="DarkSlateBlue"
                                HorizontalAlign="Center" />
                                <SelectedRowStyle BackColor="DarkSlateBlue"
ForeColor="GhostWhite" />
                                <HeaderStyle BackColor="Tan" Font-Bold="True" />
                                <AlternatingRowStyle BackColor="PaleGoldenrod" />
                                </asp:GridView>
                                <asp:AccessDataSource ID="AccessDataSource2"
runat="server"
                                DataFile="~/App_Data/PNRA_Database.mdb"
                                SelectCommand="SELECT * FROM [SubmittedFiles]
WHERE ([EmailAddress] = ?) ORDER BY [DateOfSubmission]">
                                <SelectParameters>
                                <asp:ControlParameter ControlID="Label8"
Name="EmailAddress"
                                PropertyName="Text" Type="String" />
                                </SelectParameters>
                                </asp:AccessDataSource>
                                <br />
                                <br />
                                </div>
                                </asp:Panel>
                                <br />
                                </td>
                                </tr>
                                </table>
                                </td>
                                </tr>
                                </table>
                                </asp:Content>
Imports System.Web.Mail
'namespace to be imported
Partial Class Default2
    Inherits System.Web.UI.Page
    Dim con As New ADODB.Connection
    Dim rs As New ADODB.Recordset

    Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Me.Load
        Label8.Text = Session("EmailAddress")
        Label9.Text = Session("RoleID")
    End Sub

    Protected Sub Button4_Click(ByVal sender As Object, ByVal e As System.EventArgs)
Handles Button4.Click
        Session("searchinput") = TextBox3.Text
        Response.Redirect("~/Search.aspx")
        Session.Clear()
    End Sub

    Protected Sub LinkButton5_Click(ByVal sender As Object, ByVal e As
System.EventArgs) Handles LinkButton5.Click
        Label9.Text = ""
    End Sub

End Class
<?xml version="1.0"?>

```

```

<!--
    Note: As an alternative to hand editing this file you can use the
    web admin tool to configure settings for your application. Use
    the Website->Asp.Net Configuration option in Visual Studio.
    A full list of settings and comments can be found in
    machine.config.comments usually located in
    \Windows\Microsoft.Net\Framework\v2.x\Config
-->
<configuration>
  <configSections>
    <sectionGroup name="system.web.extensions"
type="System.Web.Configuration.SystemWebExtensionsSectionGroup, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35">
      <sectionGroup name="scripting"
type="System.Web.Configuration.ScriptingSectionGroup, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35">
        <section name="scriptResourceHandler"
type="System.Web.Configuration.ScriptingScriptResourceHandlerSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
        <sectionGroup name="webServices"
type="System.Web.Configuration.ScriptingWebServicesSectionGroup,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35">
          <section name="jsonSerialization"
type="System.Web.Configuration.ScriptingJsonSerializationSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="Everywhere"/>
          <section name="profileService"
type="System.Web.Configuration.ScriptingProfileServiceSection, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"
requirePermission="false" allowDefinition="MachineToApplication"/>
          <section name="authenticationService"
type="System.Web.Configuration.ScriptingAuthenticationServiceSection,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35" requirePermission="false"
allowDefinition="MachineToApplication"/>
          <section name="roleService"
type="System.Web.Configuration.ScriptingRoleServiceSection, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"
requirePermission="false" allowDefinition="MachineToApplication"/>
        </sectionGroup>
      </sectionGroup>
    </sectionGroup>
  </configSections>
  <appSettings>
    <add key="ChartImageHandler"
value="storage=file;timeout=20;dir=c:\TempImageFiles\;" />
  </appSettings>
  <connectionStrings>
    <add name="ConnectionString"
connectionString="Provider=Microsoft.Jet.OLEDB.4.0;Data Source=|
DataDirectory|\PNRA_Database.mdb;Persist Security Info=True"
providerName="System.Data.OleDb"/>
  </connectionStrings>
  <system.web>
    <!--
      Set compilation debug="true" to insert debugging
      symbols into the compiled page. Because this
      affects performance, set this value to true only

```

```

    during development.
-->
    <compilation debug="true">
        <assemblies>
            <add assembly="System.Core, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
            <add assembly="System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
            <add assembly="System.Data.DataSetExtensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
            <add assembly="System.Xml.Linq, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
            <add assembly="ADODB, Version=7.0.3300.0, Culture=neutral,
PublicKeyToken=B03F5F7F11D50A3A"/>
            <add assembly="System.Web.DataVisualization,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
            <add assembly="System.Windows.Forms, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=B77A5C561934E089"/>
            <add assembly="Microsoft.Office.Interop.Word,
Version=12.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"/>
            <add assembly="Microsoft.ReportViewer.WebForms,
Version=9.0.0.0, Culture=neutral, PublicKeyToken=B03F5F7F11D50A3A"/>
            <add assembly="Microsoft.ReportViewer.Common,
Version=9.0.0.0, Culture=neutral, PublicKeyToken=B03F5F7F11D50A3A"/>
            <add assembly="Microsoft.Office.Interop.InfoPath,
Version=12.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"/>
            <add assembly="Microsoft.Office.Interop.Access,
Version=12.0.0.0, Culture=neutral, PublicKeyToken=71E9BCE111E9429C"/></assemblies>
        <buildProviders>
            <add extension=".rdlc"
type="Microsoft.Reporting.RdlBuildProvider, Microsoft.ReportViewer.Common,
Version=9.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a"/>
        </buildProviders>
    </compilation>
    <!--
    The <authentication> section enables configuration
    of the security authentication mode used by
    ASP.NET to identify an incoming user.
-->
    <authentication mode="Windows"/>
    <!--
    The <customErrors> section enables configuration
    of what to do if/when an unhandled error occurs
    during the execution of a request. Specifically,
    it enables developers to configure html error pages
    to be displayed in place of a error stack trace.

<customErrors mode="RemoteOnly" defaultRedirect="GenericErrorPage.htm">
    <error statusCode="403" redirect="NoAccess.htm" />
    <error statusCode="404" redirect="FileNotFound.htm" />
</customErrors>
-->
    <pages>
        <controls>
            <add tagPrefix="asp" namespace="System.Web.UI"
assembly="System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/>
            <add tagPrefix="asp" namespace="System.Web.UI.WebControls"
assembly="System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/>
            <add tagPrefix="BotDetect" namespace="BotDetect.Web.UI"
assembly="BotDetect"/>

```

```

        <add tagPrefix="asp"
namespace="System.Web.UI.DataVisualization.Charting"
assembly="System.Web.DataVisualization, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31bf3856ad364e35"/>
    </controls>
</pages>
<httpHandlers>
    <remove path="*.asmx" verb="*" />
    <add path="*.asmx" verb="*"
type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" validate="false"/>
    <add path="*_AppService.axd" verb="*"
type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" validate="false"/>
    <add path="ScriptResource.axd" verb="GET,HEAD"
type="System.Web.Handlers.ScriptResourceHandler, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35" validate="false"/>
    <add path="BotDetectCaptcha.ashx" verb="GET"
type="BotDetect.Web.CaptchaHandler, BotDetect"/>
    <add path="ChartImg.axd" verb="GET,HEAD"
type="System.Web.UI.DataVisualization.Charting.ChartHttpHandler,
System.Web.DataVisualization, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31bf3856ad364e35" validate="false"/>
    <add path="Reserved.ReportViewerWebControl.axd" verb="*"
type="Microsoft.Reporting.WebForms.HttpHandler, Microsoft.ReportViewer.WebForms,
Version=9.0.0.0, Culture=neutral, PublicKeyToken=b03f5f7f11d50a3a" validate="false"/>
</httpHandlers>
<httpModules>
    <add name="ScriptModule" type="System.Web.Handlers.ScriptModule,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/>
</httpModules>
    <sessionState mode="InProc" cookieless="AutoDetect" timeout="20"
sessionIDManagerType="BotDetect.Web.CustomSessionIdManager, BotDetect"/>
</system.web>
<system.codedom>
    <compilers>
        <compiler language="c#;cs;csharp" extension=".cs" warningLevel="4"
type="Microsoft.CSharp.CSharpCodeProvider, System, Version=2.0.0.0, Culture=neutral,
PublicKeyToken=b77a5c561934e089">
            <providerOption name="CompilerVersion" value="v3.5"/>
            <providerOption name="WarnAsError" value="false"/>
        </compiler>
        <compiler language="vb;vbs;visualbasic;vbscript" extension=".vb"
warningLevel="4" type="Microsoft.VisualBasic.VBCodeProvider, System, Version=2.0.0.0,
Culture=neutral, PublicKeyToken=b77a5c561934e089">
            <providerOption name="CompilerVersion" value="v3.5"/>
            <providerOption name="OptionInfer" value="true"/>
            <providerOption name="WarnAsError" value="false"/>
        </compiler>
    </compilers>
</system.codedom>
<!--
    The system.webServer section is required for running ASP.NET AJAX under
Internet
    Information Services 7.0. It is not necessary for previous version of IIS.
-->
<system.webServer>
    <validation validateIntegratedModeConfiguration="false"/>
    <modules>
        <remove name="ScriptModule"/>

```

```

        <add name="ScriptModule" preCondition="managedHandler"
type="System.Web.Handlers.ScriptModule, System.Web.Extensions, Version=3.5.0.0,
Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
    </modules>
    <handlers>
        <remove name="WebServiceHandlerFactory-Integrated"/>
        <remove name="ScriptHandlerFactory"/>
        <remove name="ScriptHandlerFactoryAppServices"/>
        <remove name="ScriptResource"/>
        <remove name="BotDetectCaptchaHandler"/>
        <remove name="ChartImageHandler"/>
        <add name="ScriptHandlerFactory" verb="*" path="*.asmx"
preCondition="integratedMode" type="System.Web.Script.Services.ScriptHandlerFactory,
System.Web.Extensions, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31BF3856AD364E35"/>
        <add name="ScriptHandlerFactoryAppServices" verb="*"
path="*_AppService.axd" preCondition="integratedMode"
type="System.Web.Script.Services.ScriptHandlerFactory, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
        <add name="ScriptResource" preCondition="integratedMode"
verb="GET,HEAD" path="ScriptResource.axd"
type="System.Web.Handlers.ScriptResourceHandler, System.Web.Extensions,
Version=3.5.0.0, Culture=neutral, PublicKeyToken=31BF3856AD364E35"/>
        <add name="BotDetectCaptchaHandler" preCondition="integratedMode"
verb="GET" path="BotDetectCaptcha.ashx" type="BotDetect.Web.CaptchaHandler,
BotDetect"/>
        <add name="ChartImageHandler" preCondition="integratedMode"
verb="GET,HEAD" path="ChartImg.axd"
type="System.Web.UI.DataVisualization.Charting.ChartHttpHandler,
System.Web.DataVisualization, Version=3.5.0.0, Culture=neutral,
PublicKeyToken=31bf3856ad364e35"/>
    </handlers>
</system.webServer>
<runtime>
    <assemblyBinding xmlns="urn:schemas-microsoft-com:asm.v1">
        <dependentAssembly>
            <assemblyIdentity name="System.Web.Extensions"
publicKeyToken="31bf3856ad364e35"/>
            <bindingRedirect oldVersion="1.0.0.0-1.1.0.0"
newVersion="3.5.0.0"/>
        </dependentAssembly>
        <dependentAssembly>
            <assemblyIdentity name="System.Web.Extensions.Design"
publicKeyToken="31bf3856ad364e35"/>
            <bindingRedirect oldVersion="1.0.0.0-1.1.0.0"
newVersion="3.5.0.0"/>
        </dependentAssembly>
    </assemblyBinding>
</runtime>
</configuration>

```




PHILIPPINE NURSING RESEARCH SOCIETY



HOLY ANGEL UNIVERSITY

present this

Certificate of
APPRECIATION

to

MINABELLE GUTIERREZ

in grateful appreciation and acknowledgement of her invaluable contribution as a
SPECIAL PROJECT PRESENTER entitled: **"Philippine Nursing Research Archive"**
leading to the success of the

4th National Nursing Research Conference

with the theme:

"PNRS: Leading the Practice - Research Interface in Nursing".

Held on November 18-19, 2011 at the Stotsenberg Hotel,
Clark Special Economic Zone, Angeles City, Pampanga.

AL D. BIAG, EdD, RN

Convenor,

4th NATIONAL NURSING RESEARCH CONFERENCE

ERLINDA C. PALAGANAS, PhD, RN

President

PHILIPPINE NURSING RESEARCH SOCIETY

XI. ACKNOWLEDGEMENT

Finally! The time has come to fill this last part. I've been waiting for this moment for quite some time now – to extend my deepest gratitude to all the people who helped, supported and encouraged me to finish my SP.

This project would not exist in the first place if it weren't for Sir Kit Sumabat. Thank you for giving me the idea of the archive and for introducing me to a wonderful woman, Ma'am Cora Anonuevo. Thank you very much Ma'am Cora for having me in the national conference. I never imagined that I would present such a system to over 200 delegates. Thank you for believing in me and for recognizing my work. To Sir Jerome Babate who's in charge of the techy stuffs of PNRS, thank you for the guidance and compliments.

Thank you Sir Leo Untalan for recommending asp.net to easily deal with data presentations. Thank you for being my mentor and for praising me when I do things better than you expected. Most of all, thank you for not giving up on me despite my bad temper and laziness. Thanks to Facebook that I often lost focus just when I was about to get things done. Haha! Special thanks to Ma'am Diane who lent me her laptop.

To my ever faithful Savior, thank you for not letting me stop halfway. I was really doomed by frustration of not being able to graduate on time but thanks to You I found the courage to get back on my feet.

To my mom who shared my nervousness, thank you. Your clueless expression upon seeing the codes I write makes me laugh all the time ^_^ . Sorry for causing your anxiety whenever you wake up and I'm still awake looking like a zombie. Thank you for assisting me on my defense and for giving me courage when I was on the verge of quitting. Thank you for your unfailing love.

To my two dads, Papa Gutz and Tito Lito, thank you for constantly checking on me despite your busy schedule. I am grateful to all your support and confidence in me. To my brother, Kuya Vince, thank you for letting me stay in your apartment everytime I go to Manila. To my sister, Jenny, it somehow feels awkward but I appreciate how you take pride in my achievements. Thank you.

I am truly grateful to my beloved adviser, Sir Greg Baes, for your constructive criticisms. Your critical thinking helped in finding possible loopholes in my system so I had time to work on them before the presentation. You made me realize the importance of having a heart that never surrenders when facing difficult circumstances. I will always be glad you were my adviser.

Ate Eden! Minagirl to! Gagraduate na ko! hehe Thank you for always reminding me to finish this. You've always been my big sister in UPM. To all my professors, thank you for all the lessons you taught me.

Thank you Witches++ namely Mary Antoniette Real, Jereign Day Medel and Jayson Sedano for the solid friendship and happy memories. Special thanks to Lapsers namely Edd Raymund Valdez together with my bespreng shungak Mary Joycelyn Bunag for all the jawbreaking funny moments, and Dioanaros De mesa for all the mute yet inspiring moments :D Tara videoke na ulet! Hahaha

From the bottom of my heart, I thank everyone for ending my college life with a bang! ♥